

**PowerBuilder® Migration Assistant
FUNCKy Syntax (New, Obsoleted or Removed in Version(s) 6.0)**

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbsn	cst_corba_interface_export_psr	UserObject	of_setclientordervalues function	i_ole_ord_serv_loc.statecode = istr_serv_location[li_row_count].state_cod	statecode
c:\migration 2019\631\b133_src\tbsnv	cabs_interface	UserObject	Type Definition for str_bill_company	string state	state*
			uof_getbillcompany function	i_str_bill.state = query31.of_getresult(5)	state*
			uof_getbillcompany function	query31.of_set_res(5,i_str_bill.state)	state*
c:\migration 2019\631\b133_src\tbsm	circuitrecon_list	Menu	m_options::selected event for m_options	event m_options::selected;call super::selected;of_sendmessage("")	selected*
c:\migration 2019\631\b133_src\tbsu	map	UserObject	Object Type Definition	event dragfiles (oleobject filenames, long ocx_x, long ocx_y, integer state, boolean dropvalid)	state*
c:\migration 2019\631\b133_src\tbsn	equipinstall	UserObject	of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipmountingpositions function	lstr_temptvidata.selected = 1	selected*
			of_loadequipmountingpositions function	lstr_temptvidata.selected = 3	selected*
			of_loadequipmountingpositions function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 1	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 1	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
c:\migration 2019\631\b133_src\tbsn	equipinstall_groom	UserObject	of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipmountingpositions function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*

PowerBuilder® Migration Assistant

FUNcky Syntax (New, Obsoleted or Removed in Version(s) 6.0)

Produced on: 10/15/2020 05:18:55 Page 2 of 8

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbsu	u_tvsequipinstall	UserObject	oe_insertitem event for u_tvsequipinstall	atvi_node.statepictureindex = this.of_getselectionbitmap(lstr_tvdata.sele	selected*
			oe_insertitem event for u_tvsequipinstall	atvi_node.statepictureindex = this.of_getselectionbitmap(lstr_tvdata.sele	selected*
c:\migration 2019\631\b133_src\tbsu	u_tvsequipinstall_groom	UserObject	oe_insertitem event for u_tvsequipinstall_groom	atvi_node.statepictureindex = this.of_getselectionbitmap(lstr_tvdata.sele	selected*
			oe_insertitem event for u_tvsequipinstall_groom	atvi_node.statepictureindex = this.of_getselectionbitmap(lstr_tvdata.sele	selected*
c:\migration 2019\631\b133_src\tbsn	cst_addelements	UserObject	of_popupmenu function	if adw_list.object.selected[ll_row] = " then	selected*
			of_selectallchanged subroutine	adw_elements.object.selected[i] = "	selected*
			of_selectallchanged subroutine	adw_elements.object.selected[i] = "	selected*
			of_selectallchanged subroutine	adw_elements.object.selected[i] = "	selected*
			of_selectedchanged function	adw_list.object.selected[row] = "	selected*
			of_selectedchanged function	adw_list.object.selected[row] = "	selected*
			of_selectedchanged function	adw_list.object.selected[row] = "	selected*
			of_selectedchanged function	if adw_list.object.selected[ll_row] = " then	selected*
c:\migration 2019\631\b133_src\tbsn	cst_net_design_assistant	UserObject	of_default_equip_specs function	idw_main.object.selected[ll_found] = "	selected*
c:\migration 2019\631\b133_src\tbsn	equipinstall_glr	UserObject	of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipbase function	lstr_temptvidata.selected = 0	selected*
			of_loadequipmountingpositions function	lstr_temptvidata.selected = 1	selected*
			of_loadequipmountingpositions function	lstr_temptvidata.selected = 3	selected*
			of_loadequipmountingpositions function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 1	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
			of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*

**PowerBuilder® Migration Assistant
FUNCKy Syntax (New, Obsoleted or Removed in Version(s) 6.0)**

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbsn	equipinstall_glr	UserObject	of_loadequipportaddresses function	lstr_temptvidata.selected = 2	selected*
c:\migration 2019\631\b133_src\tbstv	ns_networknavigator	UserObject	of_getchildren function	ltvi_temp.selected = false	selected*
			of_getchildren function	ltvi_temp.selected = false	selected*
			of_getuphierarchy subroutine	ltvi_temp.selected = false	selected*
c:\migration 2019\631\b133_src\tbstv	provision_assistant	UserObject	of_get_selectedstep function	if ltvi.selected then	selected*
			of_insert_connectiontype function	ltvi_temp.selected = false	selected*
			of_loadtv function	ltvi_temp.selected = true	selected*
			of_loadtv function	ltvi_temp.selected = false	selected*
			of_loadtv function	ltvi_temp.selected = false	selected*
			of_loadtv function	ltvi_temp.selected = false	selected*
			of_set_completed function	ltvi_temp.selected = false	selected*
			of_set_completed function	ltvi_temp.selected = false	selected*
c:\migration 2019\631\b133_src\tbsu	st_nstnetworkspecdrawing	UserObject	of_buildlines subroutine	ls_holdfrom = reverse(ls_from)	reverse*
			of_buildlines subroutine	ls_commonparent = reverse(ls_holdfrom)	reverse*
			of_buildlines subroutine	ll_pos = pos(ls_to, reverse(ls_holdfrom))	reverse*
c:\migration 2019\631\b133_src\tbsu	tabpg_nsconnectionmaint1	UserObject	oe_add_circuits_to_tv(treeviewitem atvi, long al_handle, long al_con_type) event for u_tabpg_nsconnectionmaint1	tvi.selected = false	selected*
			oe_add_circuits_to_tv(treeviewitem atvi, long al_handle, long al_con_type) event for u_tabpg_nsconnectionmaint1	tvi.selected = false	selected*
			oe_associate_circuits(long handle) event for tv_connection_type	tvi_parent.selected = false	selected*
			oe_associate_group(long handle) event for tv_connection_type	tvi_parent.selected = false	selected*
			oe_associate_ordered_conns(long handle) event for tv_connection_type	tvi.selected = false	selected*
			oe_copy_con_specs(treeviewitem atvi, long al_handle) event for tv_connection_type	tvi.selected = false	selected*

**PowerBuilder® Migration Assistant
FUNCKy Syntax (New, Obsoleted or Removed in Version(s) 6.0)**

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbsu	tabpg_nsconnectionmaint1	UserObject	oe_loadbase() event for tv_connection_type	tvi.selected = false	selected*
			oe_loadbase() event for tv_ns_connection	tvi.selected = false	selected*
			oe_maintain_group(long handle, u_nv_data_container anv_datacontainer, treeviewitem atvi) event for tv_connection_type	ltvi.selected = false	selected*
			oe_new_circuits(long handle, string con_type) event for tv_connection_type	tvi_parent.selected = false	selected*
			oe_opencircuitproperties(long al_circuit_design_id) event for tv_connection_type	tvi.selected = false	selected*
			of_addhierarchy subroutine	tvi.selected = false	selected*
			of_expandvc function	tvi.selected = false	selected*
c:\migration 2019\631\b133_src\tbsu	tvs_equipinstall_glr	UserObject	oe_insertitem event for u_tvs_equipinstall_glr	atvi_node.statepictureindex = this.of_getselectionbitmap(lstr_tvidata.sele	selected*
			oe_insertitem event for u_tvs_equipinstall_glr	atvi_node.statepictureindex = this.of_getselectionbitmap(lstr_tvidata.sele	selected*
c:\migration 2019\631\b133_src\tbsw	nda_circuit_conversion	Window	clicked event for dw_convert	this.object.selected[i] = "	selected*
			clicked event for dw_convert	this.object.selected[i] = "	selected*
			constructor event for dw_nonconvert	event constructor;call super::constructor;this.object.selected.visi = false	selected*
			itemchanged event for dw_convert	if this.object.selected[ll_row] = " then	selected*
			pfc_postopen() event for w_nda_circuit_conversion	if idscircuits.object.selected[i] = " then	selected*
c:\migration 2019\631\b133_src\tbsw	nda_mass_update	Window	of_update function	if idw_main_ref.object.selected[i] = " and &	selected*
			of_update function	if idw_main_ref.object.selected[i] = " then	selected*
c:\migration 2019\631\b133_src\tbsw	net_design_assistant	Window	clicked event for dw_main	dw_main.object.selected[i] = "	selected*
			clicked event for dw_main	dw_main.object.selected[i] = "	selected*
c:\migration 2019\631\b133_src\tbsw	flow_through	Window	constructor event for dw_value_list1	this.object.datawindow.selected.mouse = ""	selected*
			constructor event for dw_values1	this.object.datawindow.selected.mouse = ""	selected*
c:\migration 2019\631\b133_src\tbsw	geo_types	Window	rightclicked event for tv_geo	if l_tvi.selected then	selected*

**PowerBuilder® Migration Assistant
FUNcky Syntax (New, Obsoleted or Removed in Version(s) 6.0)**

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbsm		Menu	selected event for m_bookmarks	event selected;parentwindow.trigger dynamic event oe_menuselected(this.classname())	selected*
			selected event for m_edit	event selected;parentwindow.trigger dynamic event oe_menuselected(this.classname())	selected*
			selected event for m_file	event selected;parentwindow.trigger dynamic event oe_menuselected(this.classname())	selected*
			selected event for m_help	event selected;parentwindow.trigger dynamic event oe_menuselected(this.classname())	selected*
			selected event for m_options	event selected;parentwindow.trigger dynamic event oe_menuselected(this.classname())	selected*
			selected event for m_view	event selected;parentwindow.trigger dynamic event oe_menuselected(this.classname())	selected*
			selected event for m_window	event selected;parentwindow.trigger dynamic event oe_menuselected(this.classname())	selected*
c:\migration 2019\631\b133_src\tbsm	metasolvolution	Menu	m_window::selected event for m_window	event m_window::selected;call super::selected;integer li_rc	selected*
c:\migration 2019\631\b133_src\tbspfc	m_master	Menu	selected event for m_window	event selected;	selected*
c:\migration 2019\631\b133_src\tbspfc	n_cst_filesrvmac	UserObject	Type Definition for prototypes	function long getcurrentdirectory (ref string curdir) library "" alias for ""	curdir
c:\migration 2019\631\b133_src\tbspfc	n_cst_filesrvwin16	UserObject	of_dirlist function	li_rc = findnext(lstr_finddata)	findnext*
			of_dirlist function	li_rc = findfirst(as_filespec, lui_mask, lstr_finddata)	findfirst
			of_getfilesize function	li_rc = findfirst(as_filename, 0, lstr_finddata)	findfirst
			Type Definition for prototypes	function int findfirst(string filename, uint attrib, ref os_findt findbuffer) library "" alias for "" pragma_pack(1)	findfirst
			Type Definition for prototypes	function int findnext(ref os_findt findbuffer) library "" alias for "" pragma_pack(1)	findnext*
c:\migration 2019\631\b133_src\tbspfc	n_cst_rtefind	UserObject	pfc_findnext event for pfc_n_cst_rtefind	li_rc = idw_requestor.findnext()	findnext*
			pfc_findnext event for pfc_n_cst_rtefind	li_rc = irte_requestor.findnext()	findnext*
			pfc_replace event for pfc_n_cst_rtefind	li_rc = idw_requestor.findnext()	findnext*
			pfc_replace event for pfc_n_cst_rtefind	li_rc = irte_requestor.findnext()	findnext*
c:\migration 2019\631\b133_src\tbspfc	u_dw	UserObject	pfc_printdlg event for pfc_u_dw	this.object.datawindow.print.collate = astr_printdlg.b_collate	collate

**Suggested
Replacement**

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

No suggestion

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

No suggestion

No suggestion

No suggestion

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

No suggestion

PowerBuilder® Migration Assistant

FUNcky Syntax (New, Obsoleted or Removed in Version(s) 6.0)

Produced on: 10/15/2020 05:18:55 Page 6 of 8

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbspfc_u_lb		UserObject	of_getselected function	if this.state(ll_item)=1 then	state*
c:\migration 2019\631\b133_src\tbspfc_u_plb		UserObject	of_getselected function	if this.state(ll_item)=1 then	state*
c:\migration 2019\631\b133_src\tbspfc_u_tv		UserObject	of_buildtree function	if ltvi_item.selected then	selected*
c:\migration 2019\631\b133_src\tbsu_webbrowser_customattributes		UserObject	of_populatesinglevalueca subroutine	if string(selectelement.options[ll_index].selected) = " " then	selected*
			of_populatesinglevalueca subroutine	if string(selectelement.options[ll_index].selected) = " " then	selected*
c:\migration 2019\631\b133_src\tbsw_debug		Window	oe_movewindow event for w_debug	x = pixelstounits(env.screenwidth, xpixelstounits!) - &	env
			oe_movewindow event for w_debug	y = pixelstounits(env.screenheight, ypixelstounits!) - &	env
			oe_movewindow event for w_debug	x = pixelstounits(env.screenwidth, xpixelstounits!) - &	env
			oe_movewindow event for w_debug	y = pixelstounits(env.screenheight, ypixelstounits!) - 200	env
c:\migration 2019\631\b133_src\tbsw_dir_browser		Window	itemchanged event for lv_1	if selected then	selected*
c:\migration 2019\631\b133_src\tbsw_pfcsecurity_usermgmt		Window	begindrag event for lv_detail	if llvi_this.selected then	selected*
			itemchanged event for lv_detail	if selected then	selected*
			ue_delete_item() event for lv_detail	if llvi_this.selected then	selected*
			ue_permissions() event for lv_detail	if llvi_this.selected then	selected*
			ue_unassign event for lv_detail	if llvi_this.selected then	selected*
c:\migration 2019\631\b133_src\tbsw_progress		Window	open event for w_progress	command = ""+bar_x+""+bar_y	command
			open event for w_progress	string tmp,command, bar_x,bar_y	command
			open event for w_progress	tmp = dw_progress.modify(command)	command
c:\migration 2019\631\b133_src\tbsw_sheet_base_jmaster		Window	ue_printselected event for lv_1	if llvi_this.selected then	selected*
			ue_showselectedreport event for lv_1	if llvi_this.selected then	selected*
c:\migration 2019\631\b133_src\tbsw_asr_main_print_response		Window	clicked event for cb_1	if lb_1.state(ll_count) = 1 then	state*
			clicked event for cb_1	if lb_1.state(ll_count) = 1 then	state*
c:\migration 2019\631\b133_src\tbsw_isr_main_print_response		Window	clicked event for cb_1	if lb_1.state(l_i) = 1 then	state*
c:\migration 2019\631\b133_src\tbsw_uso_main_print_response		Window	clicked event for cb_1	if lb_1.state(l_i) = 1 then	state*
c:\migration 2019\631\b133_src\tbsu_tabpage_tn_query		UserObject	clicked event for pb_sel_status	if lb_status_list.state(ll_item) = 1 then	state*

**Suggested
Replacement**

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

No suggestion

No suggestion

No suggestion

No suggestion

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

No suggestion

No suggestion

No suggestion

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

PowerBuilder® Migration Assistant FUNCKy Syntax (New, Obsoleted or Removed in Version(s) 6.0)

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbsw_infra_stand_item_valid_values		Window	mfe_update_pre event for dw_value	ll_space = pos(reverse(string(this.object.cf_valid_val ""))	reverse*
			mfe_update_pre event for dw_value	ls_valid_value= reverse(mid(ls_valid_value_date, ll_space +1))	reverse*
			mfe_update_pre event for dw_value	case "" ls_valid_value_date = reverse(string(this.object.cf_valid_value_ic	reverse*
c:\migration 2019\631\b133_src\tbsw_so_add_item		Window	oe_clicked(long handle) event for tv_1	if ltvi_current.selected then	selected*
			oe_clicked(long handle) event for tv_2	if ltvi_current.selected then	selected*
c:\migration 2019\631\b133_src\tbsw_service_order		Window	clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			clicked event for st_services	dw_options.object.selected[ll_row] = 0	selected*
			getfocus event for dw_actions	this.object.selected[1] = 1	selected*
			losefocus event for dw_actions	this.object.selected[ll_row] = 0	selected*
of_rightclicked function	dw_actions.object.selected[ll_row] = 0	selected*			
rowfocuschanged event for dw_actions	this.object.selected[ll_row] = 0	selected*			

**PowerBuilder® Migration Assistant
FUNcky Syntax (New, Obsoleted or Removed in Version(s) 6.0)**

Produced on: 10/15/2020 05:18:55 Page 8 of 8

Library	Object Name	Object Type	Context Where Found	Line Where Found	Search Value
c:\migration 2019\631\b133_src\tbsw_service_order		Window	rowfocuschanged event for dw_actions	this.object.selected[l_row] = 1	selected*
c:\migration 2019\631\b133_src\tbsu_webbrowser_navigationbar		UserObject	oe_clickmenu() event for u_webbrowser_navigationbar	lm_menuitems[l_index].trigger event selected()	selected*
c:\migration 2019\631\b133_src\tbsw_work_queue_mgr_main		Window	dw_1::uoe_popup event for dw_1	ls_array_ecckt[] = dw_1.object.exchange_carrier_circuit_id.d	selected*
			oe_menuselected event for prototypes	ls_array_ecckt[] = dw_1.object.exchange_carrier_circuit_id.d	selected*
			of_check_compl_with_no_dd function	ll_array_docnum[] = dw_1.object.document_number.data.selec	selected*
			we_refreshcircuitid event for prototypes	ll_array_docnum[] = dw_1.object.document_number.data.selec	selected*
c:\migration 2019\631\b133_src\tbsw_work_queue_mgr_main		Window	dw_1::uoe_popup event for dw_1	ls_array_ecckt[] = dw_1.object.exchange_carrier_circuit_id.d	selected*
			oe_menuselected event for prototypes	ls_array_ecckt[] = dw_1.object.exchange_carrier_circuit_id.d	selected*
			of_check_compl_with_no_dd function	ll_array_docnum[] = dw_1.object.document_number.data.selec	selected*
			we_refreshcircuitid event for prototypes	ll_array_docnum[] = dw_1.object.document_number.data.selec	selected*

**Suggested
Replacement**

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.

*This match may be valid PowerShell syntax, but also matches an identifier in the search file.