

Troubleshooting

Appeon® for PowerBuilder® 2016
FOR WINDOWS, UNIX & LINUX

DOCUMENT ID: ADC20232-01-0700-01

LAST REVISED: September 07, 2016

Copyright © 2000-2016 by Appeon Limited. All rights reserved.

This publication pertains to Appeon software and to any subsequent release until otherwise indicated in new editions or technical notes. Information in this document is subject to change without notice. The software described herein is furnished under a license agreement, and it may be used or copied only in accordance with the terms of that agreement.

No part of this publication may be reproduced, transmitted, or translated in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without the prior written permission of Appeon Limited.

Appeon, the Appeon logo, Appeon Developer, Appeon Enterprise Manager, AEM, Appeon Server and Appeon Server Web Component are registered trademarks of Appeon Limited.

SAP, Sybase, Adaptive Server Anywhere, SQL Anywhere, Adaptive Server Enterprise, iAnywhere, PowerBuilder, Sybase Central, and Sybase jConnect for JDBC are trademarks or registered trademarks of SAP and SAP affiliate company.

Java and JDBC are trademarks or registered trademarks of Sun Microsystems, Inc.

All other company and product names used herein may be trademarks or registered trademarks of their respective companies.

Use, duplication, or disclosure by the government is subject to the restrictions set forth in subparagraph (c)(1)(ii) of DFARS 52.227-7013 for the DOD and as set forth in FAR 52.227-19(a)-(d) for civilian agencies.

Appeon Limited, 1/F, Shell Industrial Building, 12 Lee Chung Street, Chai Wan District, Hong Kong.

Contents

1	Troubleshooting Appeon Install	1
1.1	InstallShield Errors	1
1.1.1	Error 1607 or 1628	1
1.1.2	Error 1155	2
1.1.3	DLL function call crashed error when launching an Appeon setup program	2
1.1.4	Setup crashed when clicking Browse during Appeon Developer installation	2
1.2	Install Appeon Server to .NET IIS	3
1.2.1	IIS configuration	3
1.2.1.1	IIS 7.0 or 7.5	3
1.2.1.2	IIS 6.0	4
1.2.2	Full access rights to IIS Web root	11
1.2.3	Enable 32-bit .NET framework on 64-bit Windows	13
1.2.3.1	IIS 7.0 or 7.5	13
1.2.3.2	IIS 6.0	15
1.3	Install Appeon Server to EAServer	16
1.3.1	EAServer cannot be started after Appeon Server install	16
1.4	Install Appeon Workspace	17
1.4.1	"Cannot install application because the certificate for *** is not valid" when installing Appeon Workspace on iOS 7.1 device	17
1.5	Install Appeon File Server	20
1.5.1	Appeon File Server Installation Incomplete	20
1.6	Install Appeon Server Web Component	20
1.6.1	Third-party Web Server problems with the SAP Sybase redirector plug-in	20
1.7	Upgrade Installation	20
1.7.1	"Bad interpreter: No such file or directory" error	20
1.7.2	Error 14004 "The license file is missing"	21
1.8	Frequently Asked Questions	21
1.8.1	How to install Appeon Server to multiple EAServer instances?	21
1.8.2	How to bind server instance to CPU?	21
1.8.3	How to create EAServer instances?	22
1.8.4	How to start the server instance?	22
1.8.5	How much better is the performance when multiple instances are used?	22
1.9	Need more help?	22
2	Troubleshooting Appeon Developer	24
2.1	Operating Appeon Developer toolbar	24
2.1.1	Appeon Developer toolbar does not respond when run by a non-administrator	24
2.1.2	"ADT is already running" error	24
2.1.3	Exiting Appeon Developer completely after an error	25
2.2	Appeon Developer Configuration	25
2.2.1	Testing connection fails during DB Type Profile configuration	25
2.2.2	"Error launching LoadConfig"	25

2.3 Feature Analysis	25
2.3.1 "The XML page cannot be displayed" when opening a UFA report	25
2.3.2 "Error loading ADTObjectList.xml"	26
2.3.3 "Error loading command string"	26
2.3.4 Feature analysis or deployment comes to a standstill	27
2.3.5 "This application has requested the Runtime to terminate it in an unusual way" error, when you deploy or analyze an application	27
2.3.6 "Error opening DLL Library adtxml.dll for external function"	28
2.4 Appeon Debugger	28
2.4.1 "Script Debugger Component Not Found" error	28
2.4.2 "Component Not Registered" error	28
2.4.3 "Script Debugger Disabled" error	29
2.5 Package Tool	29
2.5.1 "Failed to build the native mobile app" error when creating the Android APK package	29
3 Troubleshooting Web Deployment	32
3.1 Deployment Performance	32
3.1.1 Unusual deployment duration	32
3.2 Failed to deploy applications	32
3.3 Failed to deploy applications in server console	33
3.4 Failed to deploy Web applications in 64-bit JEUS server	34
3.5 Task 1: Application Source Code Export	34
3.5.1 "Cannot connect to DSN" error when using PB 10.5 with ASA 10/11/12	34
3.5.2 Source Code Export process aborts with a fatal error	36
3.5.3 How to locate problematic objects in an application	36
3.5.4 "Error: Failure in exporting XML file"	37
3.5.5 Warning 61537	38
3.6 Task 2: Application File Generation	38
3.6.1 Failure in Incremental Deployment	38
3.6.2 "Error launching LoadConfig"	38
3.6.3 "Failed to transfer command"	39
3.6.4 "Exception at: CString CparseEngine..."	39
3.6.5 "Error loading command string"	39
3.6.6 Feature Analysis and deployment freezes	40
3.6.7 "Fail to analyze application" and "Fail to analyze Menu Object A in the B application" errors	40
3.6.8 Error "Could not read object"	40
3.7 Task 3: Application Deployment	40
3.7.1 "Error: Failure in adding an application to [Server Name]"	40
3.7.2 Unable to write to FTP Server: "Error: Unable to find the destination directory"	41
3.7.3 Web application deployment to remote servers does not work	41
3.7.4 "Error: Unable to upload INI file"	41
3.7.5 "Unable to cast object of type 'System.String' to type 'System.Byte[]'"	42
4 Troubleshooting Web Applications	43

4.1	Launch Web applications	43
4.1.1	IE shows "done" status and then stays blank	43
4.1.2	IE 7 reports "Internet Explorer cannot open the Internet site. Operation aborted." error	48
4.1.3	"Failed to get resource from Appeon Server" error	48
4.1.4	"Unable to validate current license file. Please reinstall Appeon Server"	50
4.1.5	Failed to install the Download Center plug-in	51
4.1.6	Failed to manually download Appeon ActiveX	51
4.1.7	Failed to initialize Appeon Weblibrary Component	52
4.1.8	Failed to download *.* file	53
4.1.9	Demo Web applications do not load in Internet Explorer	53
4.1.10	Web applications do not load in Internet Explorer	53
4.1.11	IE browser fails to open Web applications	53
4.1.12	Error "Connect EAServer failed" when loading Appeon demo applications	54
4.1.13	Error "Create instance failed" when loading n-Tier NVO Web applications	55
4.1.14	"Create Session failed"	56
4.1.15	"Load application failed"	57
4.1.16	"Failed to invoke remote procedure" error	57
4.1.17	"Automation server could not create object" error on some clients	58
4.1.18	"Object doesn't support this property or method" error	58
4.2	Display errors	59
4.2.1	Distributed DataWindows are not displayed	59
4.2.2	Corrupt Chinese characters are displayed in a DataWindow	59
4.2.3	Text does not display or text is grayed out	60
4.2.4	DropDownListBox does not display completely	60
4.2.5	Nested reports over five pages do not display	60
4.2.6	Nested reports over 50 rows do not display	60
4.2.7	MDI windows do not display in full	61
4.2.8	Truncated display of data or controls in a DataWindow or Window	61
4.2.9	Extra space or padding between MDI client area and toolbar	61
4.2.10	Text displays in large size and is cut off	62
4.2.11	Unable to display the double-byte characters	62
4.3	Runtime issues	62
4.3.1	Error 10999 - Keyword not supported: 'dsn'	62
4.3.2	Cannot update Transaction Objects for WebLogic servers	63
4.3.3	Error 404 - File or directory not found	63
4.3.4	Http 404 not found error occurs when using WebSphere as the Application Server	64
4.3.5	"Stack overflow error"	65
4.3.6	"Could not Initialize JavaVM!"	65
4.3.7	"Failed to get DataWindow syntax from Appeon Server"	65
4.3.8	Window loses focus of I-beam cursor	66
4.3.9	Receiving "Server busy" error	66

4.3.10 "Error occurred while creating an object instance" on the status box	66
4.3.11 "Are you sure you want to navigate away from this page?" warning message	67
4.3.12 DropDownDataWindow value incorrectly selected	67
4.3.13 "Predefined error_message pfc_dwdberror"	67
4.3.14 Demo Web application fails to call EJB component	67
4.3.15 Error occurs when running Distributed DataWindow in Appeon Code Examples Demo	68
4.3.16 "EonToolset60 Load resource failed"	68
4.3.17 The SQL statement cannot perform correctly when the Web server is installed on a VMWare	68
4.4 Data operation	69
4.4.1 Retrieved data does not display in DataWindows	69
4.4.2 Unable to retrieve data from database	70
4.4.3 Database lock	72
4.4.4 Data missing in some DataWindows	72
4.4.5 DataWindows do not respond	73
4.4.6 Manipulation on BLOB files	73
4.4.6.1 Blob data cannot be correctly manipulated if it is over 4MB	73
4.4.6.2 Manipulation on BLOB files for Adaptive Server Enterprise (ASE)	74
4.4.6.3 Manipulation on BLOB files for SQL Anywhere	74
4.4.7 Fail to parse the result meta of the Select statement	75
4.4.8 Fail to update data	75
4.4.9 Fail to update dynamically generated DataWindow	75
4.4.10 Update error: Failed to update database due to java.sql.SQLException... cannot insert the value NULL...	75
4.4.11 "Error converting data type A to B "	76
4.4.12 Fail to update DataWindows with newly entered Korean characters	76
4.4.13 SelectBlob and UpdateBlob have different results for non-binary fields	76
4.4.14 How to solve the messy code issue when retrieving data in Oracle	76
4.5 IWA issues	77
4.5.1 Cannot install IWA app via Microsoft Edge	77
4.5.2 IWA Runner installation repeatedly occurs	77
4.6 Others	77
4.6.1 Appeon Performance Analyzer continually popping up	77
4.6.2 ASE Chained mode issue	78
4.6.3 Windows open relatively slow	79
4.6.4 Web application is very slow if use SQL Anywhere 10 and Appeon Server for .NET	79
4.6.5 ASA/SQL Anywhere engine crashes when you insert data into AppeonDB	80

4.6.6 Server NVO cannot be activated when the Web application is running	80
4.6.7 An item which usually requires one click must be clicked twice to be selected	81
4.6.8 Special characters in URL cause missing parameters when being redirected	81
4.6.9 Weblibrary and cedownloadcenter DLLs cannot be updated	81
5 Troubleshooting Appeon Server	82
5.1 Loading AEM	82
5.1.1 AEM Web page cannot display or cannot display correctly in IE 9	82
5.1.2 Cannot log into AEM in IE 10	82
5.1.3 Server Error in '/Servlet' Application	82
5.1.4 Object reference not set to an instance of an object	90
5.1.5 Fail to pre-compile AEM	92
5.1.6 The AEM Web page cannot be displayed	92
5.1.7 Error "500 Servlet jspServlet: ..."	92
5.1.8 Fail to log into AEM with the default user name and password	92
5.1.9 Security settings in AEM do not take effect	93
5.2 Appeon Server	93
5.2.1 Error 10999 - Failed to start new transaction...	93
5.2.2 JBoss console reports "...Stopped deployment appeonserver.jar..." error	96
5.2.3 JBoss console hangs during startup process	97
5.2.4 "Remote connection failed: java.io.IOException: Message data for non-existent channel"	97
5.2.5 AEM cannot access WebSphere data sources when global security is on	97
5.2.6 Appeon Server is dead when dynamically creating a DataWindow	98
5.2.7 Appeon Server responds to user requests slowly	99
5.2.8 AEM cannot interface with a particular Appeon Server	99
5.2.9 "Failed to load the remote interface" error	100
5.2.10 JDBC/ODBC TDS data type discrepancy on SQL Anywhere	100
5.2.11 Empty/Null value update error if SQL Anywhere/ASE	100
5.2.12 Web application does not run when the database is disconnected by exception	100
5.2.13 "Table or view not found" error	101
5.2.14 "Table already exists" error	102
5.2.15 Appeondb is not started when EAServer starts	102
5.2.16 Fail to ping appeondb data source	102
5.2.17 Fail to ping appeonsample data source	109
5.2.18 Fail to ping data sources for SQL Server 2000	116
5.2.19 "com.sybase.jaguar.util.JException: [Microsoft][SQLServer 2000 Driver for JDBC]Error establishing socket."	116
5.2.20 "java.sql.SQLException:[Microsoft][ODBC SQL Server Driver]Connection is busy with results for another hstmt" Error when using the Microsoft SQLServer database	117

5.2.21	Error converting data type varchar to datetime	117
5.2.22	"ORA-01461" error in AEM when test a data source	117
5.2.23	"oracle 9i failed: System.Data.OracleClient requires Oracle client software version 8.1.7 or greater"	118
5.2.24	Procedure 'appeon_procdatabobjects' not found	118
5.2.25	EAServer 6.x startup error	118
5.2.26	Fail to start Appeon Server on JEUS	119
5.2.27	Status Monitor exits after restarting Appeon Server for WebLogic in Linux	121
5.2.28	The data source test will fail if the Shared memory is checked	121
5.2.29	"Library used incorrectly" error	122
5.3	Appeon Server Cluster	123
5.3.1	Loading application is slow when Appeon Cluster works in virtual machines	123
5.3.2	Retrieving data is slow when Appeon Cluster works in virtual machines	123
6	Troubleshooting PowerBuilder and EAServer	127
6.1	PowerBuilder issues	127
6.1.1	Nested reports over five pages do not display	127
6.1.2	Upgrading to a different Build of PowerBuilder	127
6.1.3	Data range issue with n-Tier NVOs	127
6.2	EAServer issues	127
6.2.1	java.io.IOException: Keystore was tampered with, or password was incorrect	127
6.2.2	"License error: 10999 ..." when starting Appeon Server in 64-bit OS	128
6.2.3	Errors occur when calling n-Tier application of EAServer with 64- bit JDK	130
6.2.4	"Cannot find the language resource file (dblgzh11.dll, dblggen11.dll)"	130
6.2.5	"Connection failed:..." error when installing EAServer in a 64-bit OS	130
6.2.6	Cannot start EAServer Manager	131
6.2.7	Starting EAServer fails	132
6.2.8	EAServer cannot start with the prompt that "the system 'admin' password has not yet been set"	132
6.2.9	"Create appeon component failed" error	133
6.2.10	Pinging data source fails when using the ASA/SQL Anywhere JDBC driver	133
6.2.11	Support for non-JDBC drivers	134
6.2.12	Failed to create new data sources	134
7	Error Messages	136
7.1	Error Message Formats	136
7.1.1	Error Message Numbers and Descriptions	136
7.1.2	Error Message Priority	136
7.2	Errors	137
7.2.1	Error 00001-09999	137
7.2.2	Error 10001-15055	139

7.2.3 Error 20001-20035	145
7.2.4 Solutions	147
7.2.4.1 Error 00001	147
7.2.4.2 Error 00002	147
7.2.4.3 Error 00003	148
7.2.4.4 Error 00004	148
7.2.4.5 Error 00005	148
7.2.4.6 Error 00006	148
7.2.4.7 Error 00007	149
7.2.4.8 Error 00008	149
7.2.4.9 Error 00009	149
7.2.4.10 Error 00010	149
7.2.4.11 Error 00011	149
7.2.4.12 Error 00012	150
7.2.4.13 Error 00013	150
7.2.4.14 Error 00014	150
7.2.4.15 Error 00015	150
7.2.4.16 Error 00016	150
7.2.4.17 Error 00017	151
7.2.4.18 Error 00018	151
7.2.4.19 Error 00019	151
7.2.4.20 Error 00020	151
7.2.4.21 Error 00021	152
7.2.4.22 Error 00022	152
7.2.4.23 Error 00023	152
7.2.4.24 Error 00024	152
7.2.4.25 Error 00025	153
7.2.4.26 Error 00026	153
7.2.4.27 Error 00027	153
7.2.4.28 Error 00028	153
7.2.4.29 Error 00029	153
7.2.4.30 Error 00030	153
7.2.4.31 Error 00031	154
7.2.4.32 Error 00032	154
7.2.4.33 Error 00051	154
7.2.4.34 Error 00052	154
7.2.4.35 Error 00053	155
7.2.4.36 Error 00054	155
7.2.4.37 Error 00055	155
7.2.4.38 Error 00056	156
7.2.4.39 Error 00057	156
7.2.4.40 Error 00058	156
7.2.4.41 Error 00059	156
7.2.4.42 Error 00060	157
7.2.4.43 Error 00901	157
7.2.4.44 Error 00902	157
7.2.4.45 Error 00904	157
7.2.4.46 Error 00905	158

7.2.4.47 Error 00906	158
7.2.4.48 Error 01001	158
7.2.4.49 Error 01002	158
7.2.4.50 Error 01003	159
7.2.4.51 Error 01004	159
7.2.4.52 Error 01005	159
7.2.4.53 Error 01006	159
7.2.4.54 Error 02002	160
7.2.4.55 Error 02003	160
7.2.4.56 Error 02004	160
7.2.4.57 Error 02005	161
7.2.4.58 Error 02006	162
7.2.4.59 Error 02007	162
7.2.4.60 Error 02010	162
7.2.4.61 Error 02011	162
7.2.4.62 Error 02012	163
7.2.4.63 Error 02013	163
7.2.4.64 Error 03001	163
7.2.4.65 Error 03002	163
7.2.4.66 Error 03003	164
7.2.4.67 Error 03004	164
7.2.4.68 Error 03501	164
7.2.4.69 Error 03502	164
7.2.4.70 Error 03503	165
7.2.4.71 Error 03504	165
7.2.4.72 Error 03505	165
7.2.4.73 Error 03506	165
7.2.4.74 Error 03507	166
7.2.4.75 Error 03508	166
7.2.4.76 Error 03509	166
7.2.4.77 Error 03510	166
7.2.4.78 Error 03511	167
7.2.4.79 Error 04001	167
7.2.4.80 Error 04002	167
7.2.4.81 Error 04003	167
7.2.4.82 Error 04004	168
7.2.4.83 Error 04005	168
7.2.4.84 Error 04006	168
7.2.4.85 Error 09999	168
7.2.4.86 Error 10001	168
7.2.4.87 Error 10014	169
7.2.4.88 Error 10015	169
7.2.4.89 Error 10016	169
7.2.4.90 Error 10017	170
7.2.4.91 Error 10501	170
7.2.4.92 Error 10502	170
7.2.4.93 Error 10504	170
7.2.4.94 Error 10505	171

7.2.4.95 Error 10506	171
7.2.4.96 Error 10507	171
7.2.4.97 Error 10508	171
7.2.4.98 Error 10999	172
7.2.4.99 Error 11006	172
7.2.4.100 Error 11007	172
7.2.4.101 Error 11008	172
7.2.4.102 Error 11009	173
7.2.4.103 Error 11010	173
7.2.4.104 Error 11011	173
7.2.4.105 Error 11012	174
7.2.4.106 Error 11013	174
7.2.4.107 Error 11014	174
7.2.4.108 Error 11015	174
7.2.4.109 Error 11016	175
7.2.4.110 Error 11017	175
7.2.4.111 Error 11020	175
7.2.4.112 Error 11021	175
7.2.4.113 Error 11022	176
7.2.4.114 Error 11023	176
7.2.4.115 Error 11024	176
7.2.4.116 Error 11025	177
7.2.4.117 Error 11026	177
7.2.4.118 Error 11027	177
7.2.4.119 Error 11028	177
7.2.4.120 Error 11029	178
7.2.4.121 Error 11502	178
7.2.4.122 Error 11503	178
7.2.4.123 Error 11509	178
7.2.4.124 Error 11512	179
7.2.4.125 Error 11514	179
7.2.4.126 Error 11515	179
7.2.4.127 Error 11516	180
7.2.4.128 Error 11517	180
7.2.4.129 Error 11519	180
7.2.4.130 Error 11520	180
7.2.4.131 Error 11521	181
7.2.4.132 Error 11522	181
7.2.4.133 Error 11523	181
7.2.4.134 Error 11524	181
7.2.4.135 Error 12001	182
7.2.4.136 Error 12008	182
7.2.4.137 Error 12009	182
7.2.4.138 Error 12010	183
7.2.4.139 Error 12011	183
7.2.4.140 Error 12012	183
7.2.4.141 Error 12013	183
7.2.4.142 Error 12015	184

7.2.4.143 Error 12016	184
7.2.4.144 Error 12017	184
7.2.4.145 Error 12018	184
7.2.4.146 Error 12019	185
7.2.4.147 Error 12020	185
7.2.4.148 Error 12021	185
7.2.4.149 Error 12025	185
7.2.4.150 Error 12026	186
7.2.4.151 Error 12027	186
7.2.4.152 Error 12028	186
7.2.4.153 Error 12029	186
7.2.4.154 Error 12030	187
7.2.4.155 Error 12501	187
7.2.4.156 Error 12502	187
7.2.4.157 Error 12503	187
7.2.4.158 Error 12504	188
7.2.4.159 Error 12505	188
7.2.4.160 Error 12506	188
7.2.4.161 Error 12507	189
7.2.4.162 Error 12508	189
7.2.4.163 Error 12509	189
7.2.4.164 Error 12510	189
7.2.4.165 Error 12511	190
7.2.4.166 Error 13001	190
7.2.4.167 Error 13002	190
7.2.4.168 Error 13003	191
7.2.4.169 Error 13004	191
7.2.4.170 Error 13005	191
7.2.4.171 Error 13006	191
7.2.4.172 Error 13007	192
7.2.4.173 Error 13008	192
7.2.4.174 Error 13009	192
7.2.4.175 Error 13010	192
7.2.4.176 Error 13011	193
7.2.4.177 Error 13012	193
7.2.4.178 Error 13013	193
7.2.4.179 Error 13014	193
7.2.4.180 Error 13015	194
7.2.4.181 Error 13016	194
7.2.4.182 Error 13017	195
7.2.4.183 Error 13018	195
7.2.4.184 Error 13019	196
7.2.4.185 Error 13020	196
7.2.4.186 Error 13021	196
7.2.4.187 Error 13022	196
7.2.4.188 Error 13023	197
7.2.4.189 Error 13024	197
7.2.4.190 Error 13025	197

7.2.4.191 Error 13026	198
7.2.4.192 Error 13027	198
7.2.4.193 Error 13028	198
7.2.4.194 Error 14001	198
7.2.4.195 Error 14002	199
7.2.4.196 Error 14003	199
7.2.4.197 Error 14004	199
7.2.4.198 Error 14005	200
7.2.4.199 Error 14006	200
7.2.4.200 Error 14009	200
7.2.4.201 Error 14010	200
7.2.4.202 Error 14016	201
7.2.4.203 Error 14017	201
7.2.4.204 Error 14018	202
7.2.4.205 Error 14019	202
7.2.4.206 Error 14020	203
7.2.4.207 Error 14022	204
7.2.4.208 Error 14024	204
7.2.4.209 Error 14025	204
7.2.4.210 Error 14026	204
7.2.4.211 Error 14027	205
7.2.4.212 Error 14028	205
7.2.4.213 Error 14029	205
7.2.4.214 Error 14030	206
7.2.4.215 Error 14031 (.NET only)	206
7.2.4.216 Error 14032	206
7.2.4.217 Error 14033	207
7.2.4.218 Error 14501	207
7.2.4.219 Error 14502	207
7.2.4.220 Error 15002	208
7.2.4.221 Error 15003	208
7.2.4.222 Error 15004	208
7.2.4.223 Error 15005	208
7.2.4.224 Error 15006	209
7.2.4.225 Error 15007	209
7.2.4.226 Error 15009	209
7.2.4.227 Error 15010	209
7.2.4.228 Error 15011	210
7.2.4.229 Error 15012	210
7.2.4.230 Error 15013	210
7.2.4.231 Error 15016	210
7.2.4.232 Error 15020	211
7.2.4.233 Error 15021	211
7.2.4.234 Error 15022	211
7.2.4.235 Error 15023	212
7.2.4.236 Error 15051	212
7.2.4.237 Error 15052	212
7.2.4.238 Error 15053	212

7.2.4.239 Error 15054	213
7.2.4.240 Error 15055	213
7.2.4.241 Error 20001	213
7.2.4.242 Error 20002	213
7.2.4.243 Error 20003	214
7.2.4.244 Error 20004	214
7.2.4.245 Error 20005	214
7.2.4.246 Error 20006	215
7.2.4.247 Error 20007	215
7.2.4.248 Error 20008	215
7.2.4.249 Error 20009	215
7.2.4.250 Error 20010	216
7.2.4.251 Error 20011	216
7.2.4.252 Error 20012	216
7.2.4.253 Error 20013	217
7.2.4.254 Error 20014	217
7.2.4.255 Error 20015	217
7.2.4.256 Error 20016	217
7.2.4.257 Error 20017	218
7.2.4.258 Error 20018	218
7.2.4.259 Error 20019	218
7.2.4.260 Error 20020	219
7.2.4.261 Error 20021	219
7.2.4.262 Error 20023	219
7.2.4.263 Error 20024	219
7.2.4.264 Error 20025	220
7.2.4.265 Error 20026	220
7.2.4.266 Error 20027	220
7.2.4.267 Error 20028	221
7.2.4.268 Error 20029	221
7.2.4.269 Error 20030	221
7.2.4.270 Error 20031	221
7.2.4.271 Error 20032	222
7.2.4.272 Error 20033	222
7.2.4.273 Error 20034	222
7.2.4.274 Error 20035	223
7.2.4.275 Error 20037	223
7.2.4.276 Error 20038	223
8 Technical Support	224
Index	227

1 Troubleshooting Appeon Install

This section contains information about general troubleshooting issues that might be encountered when installing Appeon for PowerBuilder. If you cannot resolve your problem with this troubleshooting guide, please contact technical support at <http://www.appeon.com/support>.

1.1 InstallShield Errors

1.1.1 Error 1607 or 1628

On the Appeon installation menu, when clicking a component installation link that will launch InstallShield, the following error may occur: "1607: Unable to install InstallShield Scripting Runtime" or "1628: Failed to complete installation".

Cause A: This error often occurs if you click **Install** on the Appeon setup program main page twice when the Appeon component installation program is already running.

Solution A: Follow the steps below to fix the problem.


Step 1: Check how many installation processes are running. To do this, press Ctrl+Alt+Del and select **Task Manager**. Go to the **Processes** tab in Windows Task Manager. Check whether **setup.exe** is running and how many setup.exe processes are running.

Step 2: End all setup.exe processes and restart setup.exe. Do not run the Appeon component installation program when the component installation program is already running.

Cause B: This error may also occur if previously the Setup program has exited with exception.

Solution B-1: Restart your computer and attempt to install again.

Solution B-2: End the process of **msiexec.exe** and **IDriver.exe** and then run the Appeon setup program again.

Figure 1.1: Processes

For more causes and solutions, please refer to <http://consumer.installshield.com>.

1.1.2 Error 1155

During Setup, the error 1155 occurs, "1155: File ...\Appeon\appeon5.0 not found".

Cause: This error occurs because Appeon Setup failed to detect the ISScript8.msi file that is used to install the InstallScript engine.

Solution: Find the ISScript8.msi file in the directory \Install\AppeonComponent\ (for example, \Install\ADT\) and double-click it to run the InstallScript engine installer.

1.1.3 DLL function call crashed error when launching an Appeon setup program

Cause: This error is not caused by an Appeon installation program. It is often system-related.

Solution: Please go to the following Website and search for the error message. Detailed information and solutions are provided: <http://consumer.installshield.com/default.asp>.

1.1.4 Setup crashed when clicking Browse during Appeon Developer installation

The Appeon Setup program exits when you click the Browse button to select the installation location for the Appeon Developer.

Cause: This issue is caused by the idriver.exe file of InstallShield (usually in C:\Program Files\Common Files\InstallShield\Driver\8\Intel 32). The idriver.exe file might be corrupted or incompatible.

Solution: Replace the problematic idriver.exe file with the one copied from another machine.

1.2 Install Appeon Server to .NET IIS

1.2.1 IIS configuration


The IIS configuration may affect Appeon Server. Verify the IIS settings according to the IIS version that Appeon Server is installed.

1.2.1.1 IIS 7.0 or 7.5


If Appeon Server is running on IIS 7.0 or 7.5, verify the .NET Trust Levels is set to Full (internal) for AEM, Appeon, and Servlet views respectively in IIS Manager. Following is an example of how to verify the .NET Trust Levels for AEM view, you can follow the similar steps to verify for Appeon view and Servlet view.

Step 1: Open IIS Manager, click **Web Sites > DefaultWebSite > AEM**, and double click **.NET Trust Levels**.

Figure 1.2: .NET Trust Levels



Step 2: Verify that **Full (internal)** is selected.

Figure 1.3: Full (internal)


1.2.1.2 IIS 6.0

If Apeon Server is running on IIS 6.0, verify the following IIS settings after the Apeon Server installation:

Step 1: Verify that the running mode of IIS is Worker Process Isolation Mode.


- Open IIS Manager, right click **Web Sites** and select **Properties**.
- In the **Web Sites Properties** window, select the **Service** tab, and make sure the "Run WWW service in IIS 5.0 isolation mode" option is not selected.

Figure 1.4: Service



Step 2: In Web Service Extensions, verify that ASP.NET v4.0.30319 is set to **Allowed**.

Figure 1.5: Web Service Extensions




Step 3: Verify that the ASP.NET version of the AEM, Servlet, and Apeon virtual directories is 4.0.

The Apeon virtual directory is automatically configured during the Apeon Server installation.

Follow instructions below to check the ASP.NET version of the Servlet virtual directory. The steps to check the AEM virtual directory are similar.

- Right click **Servlet** under the Web site and select **Properties**.
- In the **servlet Properties** window, select the **ASP.NET** tab and check the ASP.NET version setting.

Figure 1.6: ASP.NET




Step 4: Verify the application pool settings of ApeonAppPool for Apeon Server. By default, ApeonAppPool is automatically configured during the Apeon Server installation. It is not recommended to change the default settings.

During the runtime of an application, information such as user sessions and database transaction will be stored in the memory. If Apeon Server is restarted, the information will be lost, which results in the failure of the application. Besides that, in order to guarantee the completeness of the information, Apeon Server cannot be run in multiple processes. Follow steps below to configure the application pool for Apeon Server:


- Right click **ApeonAppPool** and select **Properties**.
- In the **ApeonAppPool Properties** window, make sure the following settings are not selected in the **Recycling** tab.

Figure 1.7: Recycling




- Select the **Performance** tab. Verify that the Idle timeout setting is not selected, and the Web garden value is set to 1.

Figure 1.8: Performance



- Select the **Health** tab. Verify that the Enable pinging and Enable rapid-fail protection settings are not selected.


Figure 1.9: Health



Step 5: Verify the Web site properties.

- Right click the Web site where Apeon Server is installed, and select **Properties**.
- In the Web site properties window, select the **Home Directory** tab. Verify that the Execute permissions is set to "Scripts only" or "None" (not "Scripts and Executables").

Figure 1.10: Home directory




1.2.2 Full access rights to IIS Web root

Follow steps below to check if IIS_IUSRS account is granted with full controls to the IIS Web root folder:

Step 1: Right click C:\Inetpub\wwwroot and select Properties from the popup menu.


Step 2: On the **Security** tab, select **IIS_IUSRS** in the **Group or user names** list box, and then check if **Allow** is selected for **Full control** in the **Permissions for IIS_IUSRS** list box. If not, click the **Edit** button and follow Step 3 to grant full control.

Figure 1.11: Security



Step 3: Select **IIS_IUSRS** in the **Group or user names** list box, and then select the **Allow** check box for **Full control**. Click **OK** to save the settings.

Figure 1.12: Grant full control




1.2.3 Enable 32-bit .NET framework on 64-bit Windows

If you have installed a 32-bit Apeon Server on a 64-bit Windows operating system, and Apeon Server is not working properly, it is probably the 32-bit .NET framework is not configured successfully by the Apeon Server setup program. You may need to manually do the following configuration to enable it.

1.2.3.1 IIS 7.0 or 7.5


Step 1: Launch IIS Manager, expand the local computer, click **Application Pools** in the left pane, right-click **Application Pools** in the right pane, and then click **Advanced Settings...**

Figure 1.13: Application pools



Step 2: In the **Advanced Settings** window, set the **Enable 32-Bit Applications** to **True**. Click **OK**.

Figure 1.14: Advanced settings



1.2.3.2 IIS 6.0

Step 1: In the command prompt, go to the installation path of the .NET Framework where Apeon Server installs, for example C:\WINDOWS\Microsoft.NET\Framework\v4.0.30319.

Step 2: Execute the following command. The 32-bit Application pool is successfully enabled if the Enable32BitAppOnWin64 is shown as True.

```
cscript.exe C:/inetpub/AdminScripts/adsutil.vbs set
w3svc/AppPools/Enable32BitAppOnWin64 "true"
```

Figure 1.15: Execute the command

```

C:\WINDOWS\system32\cmd.exe
C:\WINDOWS>cd Microsoft.NET\Framework\v2.0.50727

C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727>cscript.exe C:/inetpub/AdminScripts/adsutil.vbs set W3SVC/AppPools/Enable32BitAppOnWin64 "true"
Microsoft (R) Windows Script Host Version 5.6
Copyright (C) Microsoft Corporation 1996-2001. All rights reserved.

Enable32BitAppOnWin64           : <BOOLEAN> True

C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727>_

```

Step 3: Type the following command to install the version of ASP.NET and to install the script maps at the IIS root and under:

```
%SYSTEMROOT%\Microsoft.NET\Framework\v4.0.30319\aspnet_regiis.exe -i
```

Step 4: Make sure the status of ASP.NET version v4.0.30319 (32-bit) is set to Allowed in the Web service extension list in IIS Manager. For details, refer to [IIS 6.0](#) configuration.

1.3 Install Appeon Server to EAServer

1.3.1 EAServer cannot be started after Appeon Server install

Cause: There are two sets of EAServer 6.1/6.2 installed; one EAServer was installed independently in the normal installation path, and the other was silently installed with Appeon Server installation.

Solution: It is recommended that you use the EAServer that was silently installed with Appeon Server.

Step 1: Open the setenv.bat file in the bin folder under the EAServer installation directory in a text editor and make sure JAGUAR_HOST_NAME in the file is the same as the computer name.

Step 2: Verify that EAServer is not started as a Service. If it is started as a service, stop it and change the starting mode to "Manual".


Step 3: If EAServer runs on Windows, start EAServer from Windows **Start > Programs > Appeon for PowerBuilder 2016 > Appeon Server > InstanceName**. If EAServer runs on UNIX, run the appeonserverstart.sh script in the \$JAGUAR/appeon/bin directory.

1.4 Install Appeon Workspace

1.4.1 "Cannot install application because the certificate for *** is not valid" when installing Appeon Workspace on iOS 7.1 device

On a device running on iOS 7.1, the following error occurs when downloading Appeon Workspace from the Appeon Workspace download center or the AEM login page.

Figure 1.16: Install error



Cause:

With the launch of iOS 7.1, Apple requires the enterprise apps manifest file (.plist) to be served over HTTPS. Attempts to install through HTTP cause the above message.

Analysis:

Actually only the .plist file needs to be served by HTTPS, the .ipa file does not. Therefore, you do not need to modify the .plist file, but only need to modify the OTA link to point to the HTTPS link of the .plist file, for example, itms-services://?action=download-manifest&url=**https://app.xxx.com/AWS/6.8.0110.00.plist**.

In **downloadaws_template.html**, the OTA link actually displays as 'itms-services://?action=download-manifest&url=' + ios_mobile_url, where you need to modify the value of "ios_mobile_url" to like this: **https://app.xxx.com/AWS/6.8.0110.00.plist**. With this change, iOS 7.1 will allow you to download and install Appeon Workspace. In fact, iOS 7.1, iOS 7 and iOS 6.x all support the OTA link over HTTPS, which means if you make this change, it will work for all iOS devices.

Solution A:

This new requirement for HTTPS on the Web server is introduced by Apple iOS 7.1 and it cannot be worked around by Appeon Mobile. The solution is either to configure the Web server to support HTTPS, or use a public HTTPS-enabled Web server like DropBox to work around this requirement.

Step 1: Configure to allow the .plist file to be accessed by HTTPS.

There are two ways to do this:

- Install the SSL certificate on the Web site, and then add an HTTPS port to the Web site that hosts Appeon Workspace.

The HTTPS URL of .plist will change to **https://app.xxx.com/AWS/6.8.0110.00.plist**.


Note: The default HTTPS port is 443. Therefore, the following two URLs work the same:

https://app.xxx.com/AWS/6.8.0110.00.plist

https://app.xxx.com:443/AWS/6.8.0110.00.plist

It is also important to aware that you cannot use a self-signed certificate to bindings HTTPS port unless the device trusts the CA it came from. You either need to use a "real" SSL certificate or you need to import and trust the certificate on any devices that will install the app.

Figure 1.17: Configure HTTPS port



- If you do not want to apply for an SSL certificate in the Web site, you can work around this by taking advantage of DropBox to host the .plist file. Detail steps are below.
 1. Upload your .plist file to DropBox. Suppose the file name is 6.8.0110.00.plist.
 2. Get shared link of your .plist file, such as <https://www.dropbox.com/s/0oef1fmmjsuj5hf/6.8.0110.00.plist>.
 3. Replace www.dropbox.com with dl.dropboxusercontent.com in the shared link. So the HTTPS URL of your .plist file will be <https://dl.dropboxusercontent.com/s/0oef1fmmjsuj5hf/6.8.0110.00.plist>.

Step 2: Back up the **downloadaws_template.html** file under the **aws** folder (C:\inetpub\wwwroot\apeon\aws), and then change the value of "ios_mobile_url" in this file to point to the HTTPS URL of the .plist file. For example,

Change from


```
var ios_mobile_url = web_server + '/' + filename + '.plist';
```

To this (when .plist is on your own Web server):

```
var ios_mobile_url = 'https://app.xxx.com/AWS/6.8.0110.00.plist';
```

Or to this (when .plist is on DropBox):


```
var ios_mobile_url = 'https://dl.dropboxusercontent.com/s/0oef1fmmjsuj5hf/6.8.0110.00.plist';
```

Step 3: Access AEM using IP address or host name in the IE browser such as <http://demo.appeon.com/AEM>. Do not use localhost such as <http://localhost/AEM>. Once the AEM login page is opened, Apeon Server will automatically update the **downloadaws.html** file in the **aws** folder.

Now any iOS-based device can successfully download and install Apeon Workspace via this HTTPS URL.

Note: If you are currently using the version 2013 R2 **build 0110.00**, then you will need to be aware that the above changes will resolve the download button in the Apeon Workspace download center, but will not resolve the download link in the AEM login page, which means, if you download Apeon Workspace from the Apeon Workspace download center, this problem is resolved, however if you download Apeon Workspace from the AEM login page (as shown below), this problem still persists.

Figure 1.18: AEM login page (in 2013 R2 build 0110.00)



Solution B:


If you do not want to configure the SSL certificate on your Web server or use DropBox to work around the requirement, you can download the .ipa file to the PC through IE browser (for example, you can download the .ipa file from the Apeon Workspace download center (e.g. <http://hostname/aws/>), and then synchronize it from the PC to the iOS device using iTunes.

1.5 Install Appeon File Server

1.5.1 Appeon File Server Installation Incomplete

Cause: The Appeon File Server installer was interrupted before Appeon File Server could be installed, as shown in the following figure.

Figure 1.19: Installation incomplete



Solution A: Restart the installer and try again.

Solution B: Turn on the **IIS 6 Management Compatibility** features.

For Windows 2008 R2: Go to **Control Panel > Administrator Tools > Server Manager > Roles > Web Server**, expand the **Role Service** node in the right pane, and then select **IIS 6 Management Compatibility**.

For Windows 7: Go to **Control Panel**, click **Programs and Features**, click **Turn Windows features on or off**, expand **Internet Information Services > Web Management Tools > IIS 6.0 Management Compatibility > Web Server**, and then select **IIS 6 Metabase and IIS 6 configuration compatibility**, **IIS 6 WMI Compatibility**, and **IIS 6 Management Console**.

1.6 Install Appeon Server Web Component

1.6.1 Third-party Web Server problems with the SAP Sybase redirector plug-in

If you use a third-party Web server such as Apache or IIS, you may find that the SAP Sybase redirector plug-in does not work for the Web server.

Cause: It is very likely that a step has been omitted during the configuration of the third-party Web server or the plug-in.

Solution: Follow the troubleshooting instructions provided by SAP Sybase at <http://www.sybase.com/detail?id=1024955> or refer to the *EAServer System Administration Guide*.

1.7 Upgrade Installation

1.7.1 "Bad interpreter: No such file or directory" error

When you execute `install.sh` or `upgrade.sh` on a Unix/Linux system, the error "Bad interpreter: No such file or directory" comes up.

Cause A: The installation package is uploaded to the Unix/Linux system in the non-binary transfer type.

Solution A: Select to transfer the installation package to the Unix/Linux machine in Binary transfer type.

Cause B: The SH file was edited and saved on a Windows machine.

Solution B: Execute the command `dos2unix install.sh/upgrade.sh` on the Unix/Linux system, which can convert the file type so as to make it work on the Unix/Linux system.

1.7.2 Error 14004 "The license file is missing"

Error 14004 saying "The license file is missing" occurs when upgrading the Appeon Server.

Cause: This issue only exists in Appeon 6.5.1 for .NET or earlier versions. When there are server instances installed before, the server instances will not be upgraded during the upgrade process.

Solution: Use the **Appeon Server Instance Configuration Wizard** to delete all installed instances from the Appeon Server and then re-install these instances. See Installation Guide for .NET for detailed instructions.

1.8 Frequently Asked Questions

1.8.1 How to install Appeon Server to multiple EAServer instances?

During the Appeon Server installation, you can only install Appeon Server to one EAServer instance. However, after the installation, you can manually install Appeon Server to other instances using EAServer Manager:

1. Under **EAServer Manager**, select **Servers** > *server instance* (for example, "server2") > **Installed Applications**, right click it and select **Install Application** from the popup menu. The Application Wizard launches.
2. Click **Install an Existing Application**.
3. On the **Install Applications** dialog, select "AppeonServer" and click **OK**.

1.8.2 How to bind server instance to CPU?

Appeon Server installation program will not bind the instance to CPU. You must manually bind it with the following steps:

Open **Windows Task Manager**, select the **Processes** tab, select the server process, such as `jagsrv.exe`, right click it and select **Set Affinity** from the popup menu to bind the process to one or more CPU.

Or you can use the Appeon Server Status Monitor to automatically bind the server instance to CPU using the "com.appeon.server.monitor.instance.cpus" setting. For detailed instructions, refer to the Section 3.2, "Configuring Status Monitor" in *Appeon Server Configuration Guide for J2EE*.

1.8.3 How to create EAServer instances?

For detailed instructions, refer to the EAServer document at <http://infocenter.sybase.com/help/index.jsp>. Select **EAServer 5.3 > System Administration Guide > Creating and Configuring Servers**.

Below are the general steps:

1. Under **EAServer Manager**, select **Servers**, right click it and select **New Server** from the popup menu. The New Server dialog opens.
2. Input the server name, for example, server2, and click **Create New Server**. Click **OK** to close the **Server Properties** window.
3. Create HTTP and IIOP listener for the new instance: Select **Servers > server instance** (for example, "server2") > **Listener**, right click it and select **New Listener**. Input the listener name, and click **Create New Listener**. Specify the protocol, port and host for the new listener.

1.8.4 How to start the server instance?

Use the following command: `serverstart.bat -jdk14 -jvmtyp server -servername`

For detailed instructions, refer to the EAServer document at <http://infocenter.sybase.com/help/index.jsp>. Select **EAServer 5.3 > System Administration Guide > Creating and Configuring Servers > Starting the server**.

1.8.5 How much better is the performance when multiple instances are used?

Multi-instance scenario supports concurrent users by multiple times when the number of servers is the same and provides much better performance when the number of concurrent users is the same. Our tests on a customer project with 100 concurrent users show that the average response time for two instances binding to two CPUs is eight times faster than that for single instance binding to single CPU.

1.9 Need more help?

If you could not find a solution for your problem, it could be because it is a new problem or an intricate problem that happens only under specific circumstance or environment. In both cases, it is highly recommended that you follow steps below to generate and send the log file to us for investigation.

Step 1: Go to the **Appeon** folder in the installation package, open the **Product.ini** file in the text editor, find the **RecordDllLog** parameter in this file and set the value to **1** (this will enable the logging functionality), by default the value is 0 (which disables logging).

For example:

```
[DllLog]
RecordDllLog=1
```

Step 2: Run the installation package and reproduce the installation error.

Step 3: Go to ... \System32\AppeonInstallLog (or ... \SystemWOW64\AppeonInstallLog\ in 64-bit machine) and find the log files there.

Each Appeon component will have a separate log file, for example, AppeonADT2014.txt for Appeon Developer, AppeonDNS2014.txt for Appeon Server.

2 Troubleshooting Appeon Developer

This section deals with troubleshooting issues in Appeon Developer. If you cannot resolve your problem with this troubleshooting guide, contact technical support. For technical support information, visit <http://www.appeon.com/support>.

2.1 Operating Appeon Developer toolbar

2.1.1 Appeon Developer toolbar does not respond when run by a non-administrator

When UAC is on, if you run PowerBuilder under a non-administrator login account the first time after you install Appeon Developer or register the Appeon Developer toolbar (by using the ADT Register tool), the Appeon Developer toolbar does not respond when you click it in PowerBuilder. And when you exit PowerBuilder, you will be prompted with the following dialog box, and then when you open PowerBuilder again, the Appeon Developer toolbar works normally.

Figure 2.1: Program Compatibility Assistant



Solution A: Run PowerBuilder in the "Run as administrator" mode. After the first time, you can run PowerBuilder in the normal mode.

Solution B: Choose Windows **Start > All Programs > Appeon for PowerBuilder 2016 > Appeon Developer > Appeon Toolset**.

Solution C: Exit PowerBuilder and run it again. The Appeon Developer toolbar works normally except for the first time. Note that this solution does not work on Windows 8.

2.1.2 "ADT is already running" error

If you immediately click an Appeon Developer toolbar icon after canceling the processing of the deployment wizard, an "ADT is already running" error message pops up.

Cause: The Appeon Developer execution program EonADT50.exe is not promptly killed when the *Cancel* button is clicked.

Solution: Wait a minute, and then click the toolbar icon.

2.1.3 Exiting Appeon Developer completely after an error

When an error occurs during an operation in Appeon Developer, you may want to exit Appeon Developer completely before restarting the operation.

Solution: Kill all of the following execution files in the task manager: EonADT61.exe, EonCIS60.exe, EonADeploy60.exe, EonDWSQL80J.exe (or EonDWSQL90J.exe, or EonDWSQL100J.exe, or EonDWSQL110J.exe), EonDWSQL80.exe (or EonDWSQL90.exe, or EonDWSQL100.exe, or EonDWSQL110.exe), EonPerReport60.exe, Eoninfomng60.exe, EonJsLog60.exe, screnc.exe and EonUFATool60.exe.

2.2 Appeon Developer Configuration

2.2.1 Testing connection fails during DB Type Profile configuration

In Appeon Developer Configuration, when creating or modifying a DB Type profile after specifying an Oracle database as the data source for the DB Type profile, testing the connection will fail for the profile. However, the data source can be successfully connected in the ODBC Data Source Administrator.

Cause: The ODBC driver used for the data source is not a dedicated driver for connecting to an Oracle database.

Solution: Use either of these drivers for connecting to an Oracle database: Oracle in OraHome920 or Microsoft ODBC for Oracle.

2.2.2 "Error launching LoadConfig"

The "Error launching LoadConfig" message is displayed when the user changes the settings in Appeon Developer Configuration or performs Task 2 of Appeon Deployment Wizard.

Cause & Solution: Refer to ["Error launching LoadConfig"](#).

2.3 Feature Analysis

2.3.1 "The XML page cannot be displayed" when opening a UFA report

When a UFA report is opened in Internet Explorer, the page displays an error message "the XML page cannot be displayed". The page also gives the following description in bold "Microsoft JScript runtime error Automation server cannot create object".

Cause A: The Internet Explorer used to open the UFA report is version 5.5 or earlier.

Solution A: Upgrade to the Appeon-certified Internet Explorer version: Internet Explorer 8.0 or above.

Cause B: The version of Internet Explorer is 6.0 SP2, which by default does not allow active content to run.

Solution B: Go to **Internet Options > Security** in Internet Explorer, make sure the option "Allow active content to run in files on My Computer" is enabled.

2.3.2 "Error loading ADTObjectList.xml"

After Feature Analysis starts, it hangs and the following error message is displayed in the analysis status window: "Error loading ADTObjectList.xml". However, upon verification, the ADTObjectList.xml file exists in the folder: \Appeon\Developer2016\Project \ApplicationName (indicating the application profile name)\Debug (or Release).

Solution: Delete the entire folder. Run the Feature Analysis again.

2.3.3 "Error loading command string"

While running Features Analysis, or Appeon Deployment, an error message box pops up and displays "Error loading command string".

Cause: This error typically occurs when the DataWindow syntax is not in the expected PowerBuilder 9 or later format.

- The application has not been built or upgraded with PowerBuilder 9 or later.
- When the application is upgraded with a higher PowerBuilder version, some "old" syntax may still be included. This is because PowerBuilder provides backwards compatibility, but Appeon may not support the "old" syntax.

Solution A: Follow the steps below to fix the problem.

Step 1: Verify that no unsupported identifiers are used in the application.

Step 2: Remove or modify the problematic object(s) that contains "old" syntax from the PowerBuilder application by following the instructions in [How to locate problematic objects in an application](#).

Step 3: Terminate Appeon Developer. Terminate the EonADT62.exe process if they are still running in the Windows Task Manager.

Step 4: Run Feature Analysis/Appeon Deployment again.

Solution B: Try the following steps if the problem is not resolved using Solution A.

Step 1: Delete the application profile in Appeon Developer Configuration.

Step 2: Delete the entire application folder under the Appeon Developer installation directory: \Appeon\Developer2016\Project\ApplicationName (indicating the application profile name).

Step 3: Terminate the EonADT62.exe processes if they are still running in Windows Task Manager.

Step 4: Recreate the application profile in Appeon Developer Configuration.

Step 5: Perform the desired Appeon function (Feature Analysis/Appeon Deployment) on the application profile again.

Solution C: If the problem is not resolved with Solution B, try the following steps.

Step 1: Uninstall Appeon Developer from Windows Control Panel > Add/Remove programs, or run the Uninstall program.

Step 2: Delete the entire Appeon Developer folder where Appeon Developer is installed, for example, C:\Program Files\Appeon\Developer2016.

Step 3: Reinstall Appeon Developer and reconfigure Appeon Developer's settings in Appeon Developer Configuration, such as the application profiles, server profiles and deployment profiles.

Step 4: Set the transaction object mapping to the correct data sources for the application in **AEM > Application > Transactions > Transaction Objects**.

Step 5: Verify that Appeon Server (EAServer extended with Appeon Server components) is running and accepting connections.

Step 6: Perform the desired Appeon function (Feature Analysis/ Appeon Deployment) on the application profile again.

2.3.4 Feature analysis or deployment comes to a standstill

During Unsupported Feature Analysis or Task 2 of the Appeon Deployment Wizard, the user can see the "Start searching for related objects..." message normally displayed in the status window. However, the program does not proceed. The EonADT50.exe process is still running in the Windows Task Manager.

Cause: One or more of the Appeon Developer configuration files may have become corrupt.

Solution: Follow the steps below to fix the problem.

Step 1: End the EonADT50.exe process using Windows Task Manager.

Step 2: Delete all Appeon-generated application files on both the Appeon Developer machine and the Web Server.

- On the Appeon Developer machine, delete all files in the directory: \Appeon\Developer2016\Project*ApplicationName*.
- On the Web Server, delete all files in the application's deployment path (specified in **Appeon Developer Configuration > Application Profiles > *ApplicationName* > Application Profile Configuration > Basic Settings**).

Step 3: Configure the Transaction Objects for the application in **AEM Console > Application > Transactions > Transaction Objects**.

Step 4: Run Feature Analysis or Appeon Deployment again.

2.3.5 "This application has requested the Runtime to terminate it in an unusual way" error, when you deploy or analyze an application

When deploying or analyzing an application, you will receive a system runtime error message "this application has requested the Runtime to terminate it in an unusual way".

Cause: This is often caused by limited hard drive space.

Solution: Clean up the hard drive space to successfully run Appeon.

2.3.6 "Error opening DLL Library adtxml.dll for external function"

The application analysis stops and an error occurs. The error message displayed is "Error opening DLL Library adtxml.dll for external function"

Cause: Selecting the native interface option when you configure the DB type profile in Appeon Application configuration window.

Solution: To solve the problem, reinstall the Appeon Developer.

2.4 Appeon Debugger

Solutions for the following Appeon Debugger problems:

- ["Script Debugger Component Not Found" error](#)
- ["Component Not Registered" error](#)
- ["Script Debugger Disabled" error](#)

2.4.1 "Script Debugger Component Not Found" error

When clicking the Appeon Debugger button on the Appeon Developer toolbar, the "Script Debugger Component Not Found: 03513: Please install the Microsoft script debugger" error occurs.

Cause 1: Appeon Debugger requires Microsoft script debugger to be installed, but no Microsoft script debugger is installed on the computer.

Solution: Verify that script debugger is installed. If you do not have any script debugger installed, choose an appropriate one at Microsoft Website.

Cause 2: Microsoft script debugger is installed however it is not correctly installed probably due to the limited permissions, and as a result, the directory C:\Program Files (x86)\Microsoft Script Debugger does not exist.

Solution: Right click the Microsoft script debugger installer and then choose **Run as administrator** from the popup menu to reinstall Microsoft script debugger. If this solution does not work, please try the following steps:

1. Go to **Internet options > Advanced** tab in Internet Explorer, and click the **Restore advanced settings** button and then the **Reset** button.
2. After reset the Internet Explorer settings, go to **Internet options > Advanced** tab and de-select the setting: **Disable script debugging (Internet Explorer)**.

2.4.2 "Component Not Registered" error

When clicking the Appeon Debugger button on the Appeon Developer toolbar, the "Component Not Registered" error occurs.

Cause: Appeon Debugger needs to use Microsoft script debugger. However, although Microsoft script debugger has been installed, the required components are not registered.

Solution: Reinstall the Microsoft script debugger.

2.4.3 "Script Debugger Disabled" error

When clicking the Appeon Debugger button on the Appeon Developer toolbar, the "Script Debugger Disabled" error occurs.

Cause: Appeon Debugger needs to use Microsoft script debugger. However, although Microsoft script debugger is available to use, script debugging is disabled in Internet Explorer.

Solution: Enable script debugging in Internet Explorer: Go to **Internet Options > Advanced** in **Internet Explorer**, de-select the option under **Browsing**: "Disable script debugging" in Windows 2000 and 2003.

2.5 Package Tool

2.5.1 "Failed to build the native mobile app" error when creating the Android APK package

When you use the Appeon Package tool to create the Android APK package, the following error occurs during the packaging process: "Failed to build the native mobile app!".

Solution:

Step 1: Make sure the settings (especially the following ones) are correctly specified in the Package tool.

- **App Identifier** should be specified in the format similar to the domain name e.g. sales.appeon.com. It can only contain letters, or a combination of letters with dots, and/or numbers without spaces, but cannot start or end with dots and contain numbers between dots.
- Both the **Alias** and **Alias Password** settings should match with the keystore file that you specified to use. If you use the default keystore file provided by Appeon, the values of both fields should be *appeon*.


If the settings are correct, then the JDK under the Appeon developer directory is possibly destroyed, which causes this error.

Step 2: Run the command below in the cmd window to check if the JDK under the Appeon developer directory is working.

```
cd C:\Program Files\Appeon\Developer2016\Java\Jdk1.6.0_24\bin
java
```

The execution result of the command should look similar to that in the following figure.

Figure 2.2: JDK Java command



```

Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\hxxia>cd C:\Program Files\Apeon\Developer2013R2\Java\Jdk1.6.0_24\bin

C:\Program Files\Apeon\Developer2013R2\Java\Jdk1.6.0_24\bin>Java
Usage: java [-options] class [args...]
           (to execute a class)
   or java [-options] -jar jarfile [args...]
           (to execute a jar file)


where options include:
    -client          to select the "client" VM
    -server          to select the "server" VM
    -hotspot         is a synonym for the "client" VM [deprecated]
                    The default VM is client.

    -cp <class search path of directories and zip/jar files>
    -classpath <class search path of directories and zip/jar files>
                A ; separated list of directories, JAR archives,
                and ZIP archives to search for class files.
    -D<name>=<value>
                set a system property
    -verbose[:class!gc!jni]
                enable verbose output
    -version         print product version and exit
    -version:<value>
                require the specified version to run
    -showversion     print product version and continue
    -jre-restrict-search ! -jre-no-restrict-search
                include/exclude user private JREs in the version search
    -? -help        print this help message
    -X              print help on non-standard options
    -ea[:<packagename>...!:<classname>]
    -enableassertions[:<packagename>...!:<classname>]
                enable assertions
    -da[:<packagename>...!:<classname>]
    -disableassertions[:<packagename>...!:<classname>]
                disable assertions
    -esa ! -enablesystemassertions
                enable system assertions
    -dsa ! -disablesystemassertions
                disable system assertions

```

If the execution result is different from what is shown in the figure, the JDK is probably destroyed. In this case, we would recommend you to reinstall Apeon Developer or copy a valid JDK into the Apeon Developer directory such as "C:\Program Files\Apeon\Developer2016\Java\Jdk1.6.0_24". If you choose to copy a JDK to the Apeon Developer directory, please pay attention to the following two notes:

- The directory structure of the JDK to be copied to the Apeon Developer directory should be consistent with that of the JDK to be replaced, otherwise Apeon Developer cannot call JDK properly.
- The version of the JDK to be copied to the Apeon Developer directory cannot be lower than 1.6.0_24. You can execute the command "java -version" under the **bin** folder of the JDK to check its version information, as shown below.

Figure 2.3: JDK Java version command

```
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\hxxia>cd C:\Program Files\Appeon\Developer2013R2\Java\Jdk1.6.0_24\bin

C:\Program Files\Appeon\Developer2013R2\Java\Jdk1.6.0_24\bin>java -version
java version "1.6.0_24"
Java(TM) SE Runtime Environment (build 1.6.0_24-b07)
Java HotSpot(TM) Client UM (build 19.1-b02, mixed mode)

C:\Program Files\Appeon\Developer2013R2\Java\Jdk1.6.0_24\bin>
```

3 Troubleshooting Web Deployment

This section contains information about general troubleshooting issues related to Apeon Web application deployment. If you cannot resolve the problem with this troubleshooting guide, please contact technical support at <http://www.appeon.com/support>.

3.1 Deployment Performance

3.1.1 Unusual deployment duration

In some cases, you may find that the deployment of an application takes longer than you expected.

Cause: The application has not been fully built in PowerBuilder before Web deployment.

Solution: Perform a "full build" for the application, and then deploy it using the Apeon Deployment Wizard.

3.2 Failed to deploy applications

You may encounter a deployment failure and an error occurred saying Failed to generate DWSQL in the Log of Deployment Wizard, as shown in the figure below.

Figure 3.1: Failed to deploy applications



Cause: This is probably caused by using an earlier PowerBuilder version.

Solution:

Step 1: Upgrade your PowerBuilder to the latest PowerBuilder version. For example, if you are using a PowerBuilder 10.5, then upgrade it to the latest PowerBuilder 10.5 version.

Step 2: Test to ensure that the Database Connection in Apeon Developer Configuration > DB Type Profiles is successful.

Step 3: (Recommended) Full build your PowerBuilder application.

Step 4: Go to \%Developer%\Project\your_application\release or debug\dwsql\dwsql.log to get the last record, empty compiled this DataWindow in PowerBuilder (Add a character and delete this character in the edit source of PB).

Step 5: Deploy your application again.

3.3 Failed to deploy applications in server console

When deploying an application (such as the Apeon Web application or Apeon file service) in the server console (such as WebLogic, WebSphere, JEUS etc.), sometimes you receive an error message, similar to the message below thrown by WebSphere 7 console:

```
Messages
The EAR file could be corrupt and/or incomplete. Make sure that the application is
at a compatible Java(TM)
Platform, Enterprise Edition (Java EE) level for the current version of
WebSphere(R)
Application Server.
com.ibm.websphere.management.application.client.AppDeploymentException:
[Root exception
is org.eclipse.jst.j2ee.commonarchivecore.internal.exception.SaveFailureException:
application.htm]
```

Cause: the WAR/EAR/JAR file compressed via one tool cannot be successfully decompressed by the other tool during deployment process in the server console.

Solution A: Use Winzip or WinRAR to compress the files again if Winzip or WinRAR is installed. Detailed steps are below:

Step 1: Go to the Web root path that you specified in Web Server Profile Configuration windows in Apeon Developer Config tool.

Step 2: Find the WAR file of the Web application, for example, appeondemo.war.

Step 3: Extract the WAR file to any folder, for example, to C:\appeondemo.

Step 4: Compress all the files in the folder to a WAR file again with the same WAR name (appeondemo.war). Compression tools such as Winzip and WinRAR are recommended, please use the tool and zip the files with default settings. Tools such as 7-Zip are not supported, please do not use the tool.

Step 5: Manually deploy the WAR file in the server console again.

Solution B: Use JDK to compress the files again if JDK is installed. Detailed steps are below:

Step 1: Go to the Web root path that you specified in Web Server Profile Configuration windows in Apeon Developer Config tool.

Step 2: Find the WAR file of the Web application, for example, appeondemo.war.

Step 3: Extract the WAR file to any folder, for example, to C:\appeondemo.

Step 4: Compress all the files in the folder to a WAR file again with the same name (appeondemo.war) by using the following commands:

```
cd C:\appeondemo
C:\Program Files\Java\jdk1.5.0_15\java.exe jar -cvf appeondemo.war *.*
```

Step 5: Manually deploy the WAR file in the server console again.

Solution C:

If you are deploying the Apeon Web application (not the Apeon file service), then you could also use an Apeon Developer feature to compress files via JDK (prerequisite is that JDK is installed on the Apeon Developer machine):

Step 1: Open the Web Server Profile Configuration window from the Apeon Developer Config tool, in the File Compression Settings for War/Jar group box, select "JDK Compression" and specify the JDK path. This will enable Apeon Deploy tool to compress files by using JDK on the Apeon Developer machine.

Step 2: Deploy the application via the Apeon Deploy tool. The WAR/EAR/JAR file compressed via JDK on the developer machine should be successfully de-compressed by JDK on the server machine.

3.4 Failed to deploy Web applications in 64-bit JEUS server

A file parsing error occurs in 64-bit JEUS server console when deploying the Apeon6.5-deployed-Web applications.

Cause: The application configuration file web.xml cannot be parsed by JEUS.

Solution: Step 1: Go to the Web root path that you specified in Web Server Profile Configuration windows in Apeon Developer Config tool.

Step 2: Find the WAR file of the Web application, find the folder "WEB-INF" and extract web.xml.

Step 3: Modify the following line in web.xml:

```
<web-app version="2.4" xmlns="http://java.sun.com/xml/ns/j2ee">
```

To

```
<web-app version="2.5" xmlns="http://java.sun.com/xml/ns/javaee">
```

Step 4: Use the modified web.xml file to replace the old one under "WEB-INF" folder.

Step 5: Manually or automatically deploy the WAR file in JEUS console again.

3.5 Task 1: Application Source Code Export

3.5.1 "Cannot connect to DSN" error when using PB 10.5 with ASA 10/11/12

For users who installed ASA 10, 11, or 12, and installed Apeon Developer to PB 10.5 (by selecting PB 10.5 or selecting multiple PB versions but the highest version is PB 10.5 when installing Apeon Developer), the following errors would occur when deploying the Apeon demo application (as shown in the figure):

```
00901: Cannot connect to DSN. The database server is ApeonSample.  
Failed to generate DWSQL.
```

Note: These errors would not occur if Apeon Developer is installed to versions higher than PB 10.5, for example, if the user selected PB 10.5 as well as the other PB versions which are higher than PB 10.5 (such as PB 11.5 or PB 12.5) when installing Apeon Developer.

Figure 3.2: Deployment error






Figure 3.3: Deployment log



And when the user tests the connection with AppeonSample in the **ODBC Data Source Administrator** -> **System DSN**, the following error occurs.

Figure 3.4: Connection error



Cause: This issue is caused by the incompatible versions between the AppeonSample.db file and the ASA database engine.

Solution: Replace the AppeonSample.db file with the file downloaded from the attachment of this article in the Appeon support portal: <http://support.appeon.com/index.php?/Knowledgebase/Article/View/72/7/failed-to-connect-the-appeonsampled-b-when-using-pb-105-with-asa-101112>.

Note: you can find the location of the AppeonSample.db file from **ODBC Data Source Administrator**.

3.5.2 Source Code Export process aborts with a fatal error

Task 1 (Application Source Code Export) is aborted with a fatal error "The memory cannot be "read"", or "Failure in exporting XML file".

Cause: The fatal error occurs when the PowerBuilder source code contains corrupt object(s) that cannot be opened in PowerBuilder, or object(s) that are not fully upgraded to PowerBuilder 9 or later format.

Solution: Remove or modify the problematic object(s) from the PowerBuilder application by following the instructions in [How to locate problematic objects in an application](#), and perform the Application Source Code Export again.

3.5.3 How to locate problematic objects in an application

When trying to locate problematic objects in an application, the key is to find which PBL contains the problematic object(s), and then check the objects in the PBL.

Step 1: In Appeon Developer application profile settings, specify the PBL that contains the Application object in the application PBL list, and then perform Application Source Code Export.

Note: Only one PBL is specified in the PBL list in this step.

If Source Code Export produces a fatal error, it means that the PBL specified contains problematic object(s). Go to Step 3 for checking the objects in the PBL.

If the Source Code Export is successful, go to Step 2.

Step 2: In the Appeon Developer application profile settings, add one PBL to the PBL list, and perform Application Source Code Export.

If the Source Code Export produces a fatal error, it means that the PBL that was newly added contains problematic object(s). Go to Step 3 for checking the objects in the PBL.

If the Source Code Export is successful, repeat Step 2 until the PBL that contains problematic object(s) is found.

Step 3: (Supposing the PBL that contains problematic object(s) is PBL A) In the PowerBuilder application, back up PBL A. The backup PBL is PBL B.

Step 4: Remove all the objects from PBL A.

Step 5: Add one of the objects in PBL B to PBL A. Perform the Application Source Code Export.


If the Source Code Export produces a fatal error, it means that the object that was newly added is problematic.

If the Source Code Export is successful, repeat Step 5 till the problematic object is found.

3.5.4 "Error: Failure in exporting XML file"

Task 1 (Application Source Code Export) is aborted when the error "Failure in exporting XML file" occurs.

Figure 3.5: Failure in exporting XML files



Cause A: This error will occur when no database profiles for this application has been configured in **Appeon Developer Configuration > Application Profiles > ApplicationName > Application Profile Configuration > DB Type**.

Solution A: Follow the instructions in Appeon Developer User Guide to configure the database type profiles and perform "Full Deployment" on the application with the Appeon Deployment Wizard.

Cause B & Solution B: Refer to [Source Code Export process aborts with a fatal error](#).

3.5.5 Warning 61537

During Task 1 (Application Source Code Export), a warning message is displayed in the status box, "61537: Unable to get object [object name]'s PB source code...".

Check whether this object exists in the PBL of the PowerBuilder application. If the object does not exist, refer to Cause A and Solution A; if the object exists, refer to Solution B.

Cause A: This issue may occur if the object and any references to the object are not removed completely in the PowerBuilder application. When Appeon Developer searches the object list, some references can still be found.

Solution A: Follow the steps below to fix the problem.

Step 1: Create an object with the same object name in the PBL where the object was removed.

Step 2 : Incrementally build the application.

Step 3: Delete the created object.

Step 4 : Try Appeon Deployment again.

Solution B: If for any other reason the issue still occurs, try the steps below.

Step 1: Export and import the object in PowerBuilder.

Step 2: Full build the application.

Step 3: Try Appeon Deployment again.

3.6 Task 2: Application File Generation

3.6.1 Failure in Incremental Deployment

After the user upgrades PowerBuilder to a different build, errors may occur during an incremental deployment process.

Cause & Solution: Refer to [Upgrading to a different Build of PowerBuilder](#).

3.6.2 "Error launching LoadConfig"

The "Error launching LoadConfig" message is displayed when the user changes the settings in Appeon Developer Configuration or performs Task 2 of the Deploy Wizard.

Cause: There is one of two possibilities that can occur.

1. The EonADT50.exe cannot be loaded. This can happen when the developer machine does not meet the minimum hardware requirements specified in Installation Guide for .NET.
2. The EonADT50.exe is loaded but fails to read the .DAT files.

Solution A: Follow the steps below to fix the problem.

Step 1: End the EonADT50.exe process in the Windows Task Manager

Step 2: Delete the application profile in Appeon Developer Configuration

Step 3: Recreate the application profile and run Appeon Application Deployment/Appeon Developer Configuration.

Solution B: If the problem persists, follow these steps to rectify it.

Step 1: Delete the application profile in Appeon Developer Configuration.

Step 2: Delete the application folder in the Appeon Developer install directory: \Appeon\Developer2016\Project*ApplicationName*.

Step 3: Recreate the application profile and run Appeon Application Deployment/Appeon Developer Configuration.

3.6.3 "Failed to transfer command"

Web file generation cannot proceed if the error "Failed to transfer command" occurs.

Cause: EonADT50.exe fails to read the .DAT files.

Solution A: Verify that the EonADT50.exe process is running in the Windows Task Manager. Try the deployment again.

Solution B: If the problem persists, try the following steps.

Step 1: Terminate the EonADT50.exe process in the Windows Task Manager.

Step 2: Delete the application profile in Appeon Developer Configuration.

Step 3: Recreate the application profile and run Appeon Deployment again.

Solution C: If Solution B is unsuccessful, the following actions should rectify it.

Step 1: Delete the application's profile in Appeon Developer Configuration.

Step 2: Delete the entire application folder in the Appeon Developer install directory: \Appeon\Developer2016\Project*ApplicationName*.

Step 3: Recreate the Application Profile and run Appeon Deployment again.

3.6.4 "Exception at: CString CparseEngine..."

Web file generation cannot proceed when an error message box pops up and displays "Exception at: CString CparseEngine".

Cause: One of the possible causes is that the Application Profile does not contain all the necessary PBLs, or some referenced objects in the application cannot be found in the application PBLs.

Solution: Verify that the application can be compiled (Full Build) successfully, and that all PBLs for the target have been added into the Application Profile. Run Appeon Deployment again.

3.6.5 "Error loading command string"

During Web file generation the following error might be displayed "Error loading command string".

Cause & Solution: See ["Error loading command string"](#).

3.6.6 Feature Analysis and deployment freezes

During unsupported Feature Analysis or Task 2 of the Appeon Deployment Wizard, the user can see the "Start searching for related objects..." message, displaying normally in the status window. However, the program does not proceed. The EonADT50.exe process is still running in the Windows Task Manager.

Cause & Solution: See [Feature analysis or deployment comes to a standstill](#).

3.6.7 "Fail to analyze application" and "Fail to analyze Menu Object A in the B application" errors

Appeon Developer stops the analysis or deployment of the application and reports the "Fail to analyze menu object A in B." and "Fail to analyze application" errors in the log file.

Cause: There are some unsupported features in the Menu object.

Solution: You can take the following steps to solve the problem.

Step 1: Full build the application without reporting any errors.

Step 2: Check the menu name with understanding the following naming rules:

- Can be reserved words in JavaScript, apart from the word "Object".
- Can have up to 40 characters but no spaces
- Must start with a letter or an _ (underscore) and can include any combination of the following letters and numbers, and these special characters: Underscore ('_') character, 0-9, a-z, A-Z, Double-byte characters or characters with Unicode > 255

Step 3: Redeploy the application.

3.6.8 Error "Could not read object"

Appeon deployment may occasionally result in an error stating that it could not read an object.

Cause: The error can occur if a PBL has not been optimized. The PowerBuilder IDE allows a PBL to be optimized by eliminating unused objects and space.

Solution: Optimize the application PBLs by right clicking on the PBL and selecting Optimize. Deploy the application again.

3.7 Task 3: Application Deployment

3.7.1 "Error: Failure in adding an application to [Server Name]"

The application deployment has not completed successfully if you receive an "Error: Failure in adding an application to Local Appeon Server" message. This typically occurs during Task 3: application deployment.

Cause A: Appeon Server is either not running or cannot be found by Appeon Developer.

Solution A: Restart Appeon Server and click **Retry** to re-deploy the application.

Cause B: You did not specify correct deployment username and password in the Appeon Server profile.

Solution B: Check with the AEM admin whether the deployment security is on for the Appeon Server, and what are the accounts allowed to deploy applications to the Appeon Server. Specify an authorized deployment username and password in the Appeon Server profile, and make sure "Test Appeon Server Settings" is successful.

3.7.2 Unable to write to FTP Server: "Error: Unable to find the destination directory"

When accessing the FTP server to upload Web files the following error will be displayed "Error: Unable to find the destination directory".

Cause: The Web files cannot be uploaded to the FTP server because the user specified in the Web Server profile is not authorized to write to the FTP server.

Solution: If an IIS FTP server is being used, follow the instructions detailed below. If another type of FTP server is being used, the following instructions will also give you a general idea of what changes need to be made to the configuration on the FTP server:

Open **Administrative Tools > Internet Services Manager**, and check the Properties for the Default FTP Site folder:

- Verify that the Write property is selected in the Home Directory tab.
- Verify that the Granted Access option is selected in the Directory Security tab.

3.7.3 Web application deployment to remote servers does not work

When deploying to both local and remote servers simultaneously, the process fails.

Cause: Appeon does not support simultaneous deployment to both the local and remote Appeon Server(s). In addition, although you may not be deploying to a local Appeon Server, problems may occur occasionally when deploying to remote Appeon Server(s) when the local Appeon Server is running.

Solution: Stand by the following rules when performing a deployment.

- Shut down the local Appeon Server when performing a remote deployment.
- The remote deployment profile(s) should not include a local Appeon Server. Verify that the deployment contains only one remote Appeon Server or one cluster of remote Appeon Servers that have been configured in AEM.

3.7.4 "Error: Unable to upload INI file"

Task 3 (Web Deployment) cannot proceed when the error message "Unable to upload INI file" is displayed in the status window.

Cause: Failure to upload an INI file can result from one of two causes: Appeon Server has not been started or the appeondb data source is not running. Appeon Developer will

upload an empty INI file to AppeonDB on the Appeon Server if no INI files are selected for deployment.

Solution: Follow the steps below to fix the problem.

Step 1: Verify that Appeon Server has been started.

Step 2: Connect to Appeon Server in Sybase Central (EAServer Manager). Right-click appeondb in the data source folder, and select "Ping". If pinging the appeondb data source fails, refer to [Fail to ping appeondb data source](#)

Step 3: Restart Appeon Server and deploy the application again.

3.7.5 "Unable to cast object of type 'System.String' to type 'System.Byte[]'"

Failed to deploy an application to Appeon Server for .NET which runs in an uncertified-Appeon-language-environment, for example, Turkish environment. The "Unable to cast object of type 'System.String' to type 'System.Byte[]'" error is reported in Appeon Deployment log.

Solution:

Step 1: Find the following command line in the web.config file at C:\Inetpub\wwwroot\appeon\AEM and then add the "culture="en-US"" attribute.

```
<globalization requestEncoding="utf-8" responseEncoding="utf-8"
  uiCulture="auto" culture="en-US"/>
```

Step 2: Save the file changes and restart IIS to make the modification take effect.

Step 3: Deploy the application again.

4 Troubleshooting Web Applications

This section contains information about general troubleshooting issues when running Web applications deployed with Appeon for PowerBuilder. If you cannot resolve the problem using this troubleshooting guide, please contact technical support at <http://www.appeon.com/support>.

4.1 Launch Web applications

4.1.1 IE shows "done" status and then stays blank

When trying to launch the Web application, the IE page shows a "done" status on the lower left hand corner and then it stays blank. The ActiveX has been correctly downloaded and the "run now, or run after download" screen also successfully displayed, after this screen, all the files seemed to download but the application login screen never appeared.

Cause: By default, the Web server running on Windows Server 2008 R2 + IIS 7 does not allow the following two types of files to be downloaded to a browser:

1. Files with file extension, but not specified in IIS
2. Files without file extension

Therefore, you would need to explicitly define these file types in IIS.

Solution:

Step 1: Find out what files of the Web application cannot be downloaded from Windows Server 2008 R2 + IIS 7.

1. Go to **AEM > Application > Client Features > Application name**, and then set **Allow user to select run mode** to **Yes**.

Figure 4.1: Set start and exit

Start & Exit (Web Only)	
Specifies the Web application start and exit behaviors. Please note that the "Run after download" will result in the entire Web application to be downloaded into cache, which increases the initial download time.	
Allow user to select run mode:	<input checked="" type="radio"/> Yes <input type="radio"/> No
Default run mode:	<input checked="" type="radio"/> Run now <input type="radio"/> Run after download
Exit Mode:	<input type="radio"/> Close browser <input type="radio"/> Close tab <input checked="" type="radio"/> Redirect to <input type="text" value="about:blank"/>


2. On the same AEM page, find out where local Web files are stored. For example: C:\Users\appeon\AppData\Roaming\appeon.

Figure 4.2: Client storage location

Client Storage Location (Web Only)	
Specifies where to cache the Web application files.	
<input checked="" type="radio"/> Default User Profile Location	Stores the Web application files in the user profile folder as determined by the Windows OS. The application will remain cached regardless the Browser Cache Folder is cleared, which ensures fastest application startup.
<input type="radio"/> Browser Cache Folder	Stores the Web application files in the Browser Cache Folder, for example, the Temporary Internet Files Folder of Internet Explorer. If the Browser Cache Folder is cleared the Web files must be redownloaded.
<input type="radio"/> Customized Location	Stores the Web application files in the location specified below. The application will remain cached regardless the Browser Cache Folder is cleared, which ensures fastest application startup. Please specify an absolute path (e.g. C:\Appeon) or utilize one of the following dynamic paths: %system% denotes Windows system path; %user_location% denotes default Windows user profile path (e.g. C:\Documents and Settings\Administrator\Application Data); %alluser_location% denotes windows configuration directory for all users (e.g. C:\Documents and Settings\All User\Application Data); %systemDrive% denotes the system drive root (e.g. C:).


3. Delete the local directory for the Web files. The folder is named after the Web application, for example, C:\Users\apeon\AppData\Roaming\apeon\localhost_Dotnet_<application-name>.
4. Access the Web application in IE, and select **Run After Download**.

Figure 4.3: Select run mode



5. In the **Download Info** window, make note of the type of files that cannot be downloaded, as you will then need to specify them in IIS explicitly.

Figure 4.4: Download info



Step 2: Set up the MIME types for files with file extension that cannot be downloaded.

1. Open IIS Manager. Expand the Web Site hosting the Web application, expand the Web application folder, then click the sub-folder which contains the files that cannot be downloaded.

The following table lists the sub-folder and what types of application files they contain, so you can easily determine which folder you will need to configure.

Table 4.1: File type and folder name

File type	Folder name
*.dat	Located in the meta/merge folder.
*.win, *.udo	Located in the ole folder.
*.dll, *.ocx	Located in the plugin folder.
*.bmp, *.jpg, *.ico	Located in the image folder.


File type	Folder name
f*	Located in the merge folder.

Suppose the *.win file cannot be downloaded, then click the "ole" folder.

The following steps take the file extension .win as an example to show you how to create the MIME type for this file type. You may need to create multiple MIME types if there were more than one type of file extension listed from step 1.

2. In **Features View**, double-click **MIME Types**, then in the **Actions** pane, click **Add**, and then in the **Add MIME Type** dialog box, set the File name extension to, in this example, .win, and set the MIME type to application/octet-stream, and click **OK**.


Figure 4.5: Add MIME type



Step 3: Set up both MIME type and Handler Mapping for files without file extension that cannot be downloaded.

1. Open the IIS Manager. Expand the Web Site hosting the Web application, expand the Web application folder, then click the "merge" folder.
2. In **Features View**, double-click **MIME Types**, then in the **Actions** pane, click **Add**, and then in the **Add MIME Type** dialog box, set the File name extension to * and set the MIME type to application/octet-stream. Click **OK**.

Figure 4.6: Add MIME type




3. Click the "merge" folder again and then double click **Handler Mapping** in **Features View**.

The following steps take the file name f### (where "###" is a number) as an example to show you how to create the mappings for this file group. You may need to create multiple mappings if there were more than one group of these files listed from step 1.


4. Click **Add Module Mapping** in the **Actions** pane, and then in the **Add Module Mapping** dialog box, fill in the fields with the following values:
 - Request path: **f*** (or whatever the names were of the objects that were listed in the "Download info" screen from the first step above.)
 - Module: **StaticFileModule, DefaultDocumentModule, DirectoryListingModule**
 - Name: **v** (you can put whatever name you want here, as long as it does not conflict with an already existing mapping.)

Figure 4.7: Add module mapping



5. Then click the **Request Restrictions ...** button; in the **Mapping** tab, check the box and select **File or folder**, and in the **Access** tab, select **Read**.

Figure 4.8: Request restrictions




6. Click the **OK** button to complete the setup, the mapping will be listed as shown below.

Figure 4.9: Web service handler factory

WebServiceHandlerFactory-Int...	*.asmx	Enabled	Unspecified	Sy
WebServiceHandlerFactory-IS...	*.asmx	Enabled	Unspecified	Isa
v	f*	Enabled	File or Folder	Sti

7. Repeat 4, 5, & 6 to add a module mapping for "*", as shown below.


Figure 4.10: Add module mapping



4.1.2 IE 7 reports "Internet Explorer cannot open the Internet site. Operation aborted." error

On some machines with Vista and Internet Explorer 7 installed, the "Internet Explorer cannot open the Internet site http://<Web Site>. Operation aborted." error may occur and cause the Web application to fail to run.

Figure 4.11: Operation aborted




Cause: This is a bug of Internet Explorer 7 (<http://support.microsoft.com/kb/927917>).

Solution: Right click the **Internet Explorer** icon on desktop, choose **Run as administrator**; after the Web application runs successfully, restart the Internet Explorer in the normal way.

4.1.3 "Failed to get resource from Appeon Server" error

When you run the Appeon Web application, the "Failed to get resource from Appeon Server" error occurs, as shown in figure below.

Figure 4.12: Fail toe get resource

Cause A: If you run the Apeon Web application under the administrator group member (not administrator), the administrator group member will not have sufficient rights to download the Apeon ActiveX plug-in.

Solution A-1: Add the URL of Apeon Web application to the **Trusted Sites** zone in Internet Explorer, because the default security settings of this zone are appropriate for downloading and installing the Apeon ActiveX plug-in. The following are detailed steps.

Step 1: Click **Tools > Internet Options** menu in **Internet Explorer**.

Step 2: Select the **Security** tab in the **Internet Options** window. Then click the **Trusted sites** icon, and click the **Sites** button.


Step 3: In the **Trusted sites** window, input the URL of the Web application to the **Add this website to the zone** field. Click **Add**, and then click **Close**.

Step 4: Re-open Internet Explorer then run the Web application.

Solution A-2: Right click the **Internet Explorer** icon on desktop, choose **Run as administrator**; after the Web application runs successfully, restart the Internet Explorer in the normal way.

Cause B: The **Enable Protected Mode** of Internet Explorer causes this runtime error. When **Enable Protected Mode** is turned on, Internet Explorer does not have the write permission to the %APPDATA%\apeon directory (the default directory where Apeon application files are stored), which causes the Apeon application files to fail to save on the client after downloaded from the server.

Solution B-1: Uncheck the **Enable Protected Mode** option for the appropriate zone under the **Security** tab of the **Internet Options** window.

Figure 4.13: Enable Protected Mode

Solution B-2: If **Enable Protected Mode** must be turned on, then you will need to change the default directory where the Apeon application files will be saved after downloaded from the server. Go to **AEM | Application | Client Features | Client Storage Location** and then input `%USERPROFILE%\AppData\LocalLow\apeon` in **Customized Location**. For more information about the customized location, refer to Section 5.4.6.7, “Client Storage Location” in *Apeon Server Configuration Guide for .NET*.

4.1.4 "Unable to validate current license file. Please reinstall Apeon Server"

Web application cannot load in Internet Explorer. The pop up error message is displayed "Unable to validate current license file. Please reinstall Apeon Server".

Cause: Validation of `apeon.license` file in `ApeonServer.db` file may fail if abnormal operations are performed. You will continue to see the error message if Apeon Server is not reinstalled.

Solution: Reinstall Apeon Server. Avoid such operations in Apeon Server:

1. Modify the information in `apeon.license` file
2. Copy components to Apeon Server instead of deploying them.

4.1.5 Failed to install the Download Center plug-in

When you try to manually install ActiveX plug-in, you prompted with this error "Failed to install the Download Center plug-in"

Cause: Apeon plug-in is failed to manually install since the system DLL, atl.dll, is never registered on this machine.


Solution: Login to the computer as Administrator account, open any prompt window and then follow instructions below:

1. Navigate to the directory C:\WINDOWS\system32 or C:\WINNT\system32;
2. Run the command: Regse32 atl.dll.

4.1.6 Failed to manually download Apeon ActiveX

Failed to manually download Apeon ActiveX control and encounter the following web page:

Figure 4.14: Fail to download Apeon ActiveX




Cause: The problem is only found in EAServer 5.x and WebLogic for Unix. One of the possible causes is the MSI extension is not mapping to a correct MIME type.

Solution: Map the MSI extension to application/octet-stream MIME Type in EAServer 5.x manager console or WebLogic

Taking EAServer 5.x as an example, you can add the MIME mapping:

1. Go to *Servers > Jaguar > Installed Web Applications*
2. Right click the EADefault and click the **Property** item
3. Add or Edit the MIME Type for MSI extension.

Figure 4.15: Add or edit MIME type



4.1.7 Failed to initialize Appeon Weblibrary Component

Appeon Web applications cannot be correctly started and you are prompted with the error message that "Failed to initialize Appeon Weblibrary Component".

Cause: When you access the web application from a computer at the first time, the Web application is accessed from the application.html page but index.html. It is not a regular way to access Web application since in Appeon it is designed to start the web application from the index.html page which is aiming to download and initialize the Appeon ActiveX. If the application starts from the application.html, the ActiveX cannot be correctly installed on this machine and will result the failure of running the Web application.

Solution: Run the web application with correct URL which ends with the index.html page, for example, <http://appeonserver:8000/index.html>.

4.1.8 Failed to download *.* file

When running the Web application, you encounter the "Failed to download *.* file" error.

Cause: The file extension is not added to the MIME type list in IIS.

Solution: Set up the MIME type for the file name extension that cannot be downloaded.

Step 1: Open IIS Manager. Select the Web site hosting the Web application.

Step 2: In **Features View**, double-click **MIME Types**, then in the **Actions** pane, click **Add**, and then in the **Add MIME Type** dialog box, type the file name extension in the **File name extension** text box, for example, type **.config**, and type a MIME type in the **MIME type** text box, for example, **text/xml**, and click **OK**.

Step 3: In **Features View**, double-click **Request Filtering**, and then remove the file name extension (for example, **.config**) from the list.

4.1.9 Demo Web applications do not load in Internet Explorer

The index.html page cannot be displayed when launching the demo Web application in the Internet Explorer browser.

Cause: The URL in the browser's address bar is incorrect.

Solution: Verify that the hostname and port number in the URL are the same as the settings in the Web Server Profile in Apeon Developer.

4.1.10 Web applications do not load in Internet Explorer

Web applications can be loaded and run properly previously. After being deployed with a newer Apeon version, the Web applications can no longer be loaded.

Cause: Previously loaded Web application files are cached in the browser, and prevent the browser from downloading the latest Web files.

Solution: (1) Manually delete the temporary Internet files: go to Tools | Internet Options, click the Delete Files button. (2) In the Temporary Internet Files Settings dialog, click the View Objects button, and clear all the objects in the popup folder, which should be \WINNT\Downloaded Program Files (Windows 2000) or \WINDOWS\Downloaded Program Files (Windows 2003).

An alternative solution is to check the "Empty Temporary Internet Files folder when browser is closed" option (under the Security section of the Advanced tab of Internet Options) to ensure that no cached files remain whenever Internet Explorer is restarted. But this is recommended for use only during the development stage. During development, it is best to have the latest Web application loaded in the browser to avoid any problems caused by cached files. When your Web application is ready for production deployment, this setting can be disabled (unchecked) so that the Web application can be cached at each Client PC for better scalability and Client-side performance.

4.1.11 IE browser fails to open Web applications

The Web application fails to load into the browser, but no error messages are displayed. The screen is blank as shown in the following figure.

Cause: The application index.html page cannot be opened because of the high security level setting of Internet Explorer on the Client PC.

Solution: Follow the steps below to fix the problem.

Step 1: Close the blank browser window. Right-click the **Internet Explorer** icon and select **Properties** in the popup menu.


Step 2: Delete the temporary Internet files and cookies from the **General** tab. Select **Delete all offline content** when deleting temporary Internet files.

Step 3: On the **Security** tab, set the security level to default - Medium for the Internet or a Local intranet, depending on where the application is deployed.

Step 4: Apply the changed settings to Internet Explorer.

Step 5: Verify that the Internet Explorer on the client is configured using the instructions described in Section 6.2, "Configuration for Web client PC" in *Installation Guide for .NET*.

Figure 4.16: IE browser fails to open Web applications



4.1.12 Error "Connect EAServer failed" when loading Apeon demo applications

Failure to run the Apeon n-Tier NVO demos (e.g., Apeon Code Examples) both on the Web and in PowerBuilder. The "Connect EAServer failed" message is displayed.

Cause: For Apeon Server connection settings, the host name is set to "localhost" by default, and the port number is set to "9989" by default. If the actual host name and port number are different from the default settings, the "Connect EAServer failed" error will occur when attempting to run the demo application on the Web or in PowerBuilder.

Solution: Here ApeonCodeExamples is used to demonstrate the solution to this problem.

Step 1: Load ApeonDemo.pbw in the PowerBuilder IDE. In the system TreeView, open `apeon_code_examples > ace_window1.pbl > w_distributed_DW`.

Step 2: Find the following script in the Open event of the `w_distributed_DW` object. Verify that it matches the actual Apeon Server settings enabling the demo application to work properly with PowerBuilder.

```
i_conn.driver = "jaguar"
i_conn.application = "AppeonCodeExamples"
i_conn.location = "localhost:9989"
i_conn.UserID = "jagadmin"
i_conn.Password = ""
```

Step 3: Follow the instructions provided in [Error "Create instance failed" when loading n-Tier NVO Web applications](#) to verify that the demo applications can work properly on the Web.

4.1.13 Error "Create instance failed" when loading n-Tier NVO Web applications

When loading a deployed Web application that uses n-Tier NVOs the following error might be displayed "Create instance failed".

Cause: If the Web application relies on n-Tier NVOs that are deployed to Appeon Server, the Web application will not be able to load if the instance of the NVO cannot be created successfully. A "create instance failed" error caused by the EAServer package being incorrectly installed will be displayed.

Solution: Follow the steps below to fix the problem (taking Appeon Code Examples as an example).


Step 1: In EAServer Manager, check whether the AppeonCodeExamples package exists in the Packages folder.

Step 2: In the PowerBuilder IDE, navigate to p_appeon_code_examples_server_deploy in appeon_code_examples_server.pbl. View Properties of the EAServer Component Generator Project.

Figure 4.17: p_appeon_code_example_server_deploy



Step 3: Verify that the EAServer connection settings in the Properties dialog for the p_appeon_code_examples_server_deploy object reflects the settings of the EAServer where you will deploy the n-Tier NVOs.

Step 4: Select **Deploy** () to deploy the EAServer package.

Step 5: In **EAServer Manager**, right click the EAServer package AppeonCodeExamples, and select "Generate Stubs/Skeletons" to generate Stubs and Skeletons for the NVO. Select **Generate Java Files, Compile Java Stubs, and Compile Java Skeletons**, and leave the other options at their default values.

Step 6: The Stub/Skeleton files generation progress is displayed. When it completes successfully, click **OK** to close the Code Generation status window.

4.1.14 "Create Session failed"

If you receive a "Create Session failed" error message and find a "SystemException: NO_PERMISSION" exception in the Jaguar.log, first read Cause A and Solution A which should rectify the problem; if not, please go to Cause B and Solution B.

Cause A: The error may occur if the OS authentication setting in EAServer is incorrect.

Solution A: Follow the steps below to fix the problem.

Step 1: Run EAServer and start EAServer Manager.

Step 2: Go to the Properties for the server in EAServer Manager.

Step 3: Set the property "com.sybase.jaguar.server.authservice" to false.

Step 4: Restart EAServer.

We suggest either keeping the property authentication disabled or correcting the OS authentication setting (referring to *Getting Started in EAServer System Administration Guide*).

Cause B: The error is caused by either an Internet Explorer/Client configuration problem or an Appeon Server configuration problem.

Solution B: Verify you are using a minimum of Internet Explorer 8.0. Upgrade to the latest version if necessary.

- Internet Explorer/Client configuration

The possible causes and solutions are listed in the following table. The most common cause for the Internet Explorer/Client configuration issue is item #1.

Table 4.2: Internet Explorer configuration

No.	Possible Causes	Solutions
1	Internet Explorer security level is set too high.	Go to Internet Options > Security in Internet Explorer, change the security level to the medium default-level for the Internet or Local intranet zone or Trusted Site, depending on where the Appeon Web application is deployed.
2	Advanced Internet Options setting incompatibility.	Go to Internet Options > Advanced in Internet Explorer, and click the Restore Defaults button to restore the default settings for the Advanced options. Note: Selecting Default Settings will remove the check from "Use HTTP 1.1 through proxy connections". This setting is required when the application is accessed through a proxy server.
3	Some Client-side software, such as anti-virus software or a personal firewall, is	Disable suspected software and try again.

No.	Possible Causes	Solutions
	preventing the required Web files from downloading.	

- The most common causes for the Appeon Server configuration issue are items #1 and #2 in the following table.

Table 4.3: Other configurations

No.	Possible Causes	Solutions
1	EAServer service needs to be reinstalled.	Reinstall the EAServer service using this command: serverstart.bat -removeandinstall
2	EAServer is being run in debug mode.	Do not run EAServer in debug mode.
3	AEM configuration files are corrupt.	<p>Please make sure the following files at %JAGUAR%\appeon\repository\%instancename%\config (Windows) or \$JAGUAR/appeon/repository/\$instancename\$/config (UNIX) have not been corrupted. If any file is corrupt, reinstall Appeon Server to replace them.</p> <ul style="list-style-type: none"> • aem-config.xml • aem-mapping.xml • applications-config.xml • mapping.xml • server-config.xml
4	Software like an anti-virus program has interfered with the Appeon Server installation process.	Uninstall Appeon Server. Verify all the prerequisites for Appeon Server installation (as listed in Installation Guide for .NET) have been satisfied. Disable any software that may interfere with the installation. Reinstall Appeon Server.

4.1.15 "Load application failed"

When loading the Web application, the error message "Load application failed" is displayed.

Cause & Solution: Refer to the cause and solution in ["Create Session failed"](#).

4.1.16 "Failed to invoke remote procedure" error

When running an Appeon application that is deployed to IIS Web server, the browser only pops up a "Failed to invoke remote procedure" error message.


Cause: The IIS server requires Scripts and Executables permissions on the applications.

Solution:

Step 1: Open the *Internet Information Service* in the Administrative Tools in the IIS Web server.

Step 2: Go to **Default Web Site Properties > Home Directory**, and change the **Execute Permissions** to "Scripts and Executables".

Figure 4.18: Home Directory



4.1.17 "Automation server could not create object" error on some clients

Web application fails to run on the client that does not have Apeon Developer. The pop up error message "Automation server could not create object" is displayed.

Cause: Web application is deployed with the "Generate Web Report" option enabled in Apeon Developer. If the option is enabled, the deployed application shall rely on a DLL in the Apeon Developer installation folder for generating the Web report.

Solution: Redeploy the application without enabling the "Generate Web Report" option in the Apeon Developer.

4.1.18 "Object doesn't support this property or method" error

The "Object doesn't support this property or method" error message displays when you access to the Web application.

Cause: There are two possible causes: 1) The Internet Explorer version may not be compliant to the Apeon's requirements. 2) The configurations of the Internet Explorer are incorrect.

Solution: Upgrade the Internet Explorer to Appeon certified version. Configure Internet Explorer settings according to Section 6.2, “Configuration for Web client PC” in *Installation Guide for .NET*. Then follow the steps below:

Step 1: Manually delete the Temporary files and cookies: go to **Tools > Internet Options**, click the **Delete Cookies** button.

Step 2: Click the **Delete Files** button and check the **Delete all offline content** box in the pop up window. Then click the **OK** button to ensure that all temporary files are deleted.

Step 3: Click the **Settings** button and the **View Objects** in the **Temporary Internet Files**, clear all objects in the pop up folder.

Step 4: On the **Security** tab page, set the security level to default - Medium for the Internet or a Local intranet. Please ensure that you can download and install the ActiveX.

Step 5: On the **Advanced** page, click the **Restore Defaults** button and check the **Use HTTP1.1 through proxy connections** item. Then click the **OK** button to save the settings.

4.2 Display errors

4.2.1 Distributed DataWindows are not displayed

A distributed DataWindow does not display on the Web when deployed with Appeon 6.x. However, it is displayed in PowerBuilder and previously displayed with Appeon 5.0/5.1 without any problems.

Cause: Appeon versions apply different workaround PBLs and DLLs. When the user upgrades the PowerBuilder distributed application from using Appeon 5.0/5.1 to using Appeon 6.x, the workarounds PBL and two related DLLs should be updated.

Solution: Follow the steps detailed below to fix the problem.

Step 1: Remove the *appeon_workarounds.pbl* file from the Library Search Path of the target PowerBuilder application.

Step 2: Remove *EonAXNVO.dll* and *EonEmfPic.dll* from the folder containing the PowerBuilder application PBL.

Step 3: Add the *appeon_workarounds_ax.pbl* to the Library Search Path of the target PowerBuilder application. The file is located in the directory:\Appeon\Developer2016\appeon_workarounds.

Step 4: Copy the two files *EonAXNVO.dll* and *EonEmfPic.dll* from the \Appeon\Developer2016\appeon_workarounds directory to the folder holding the PowerBuilder application PBL.

Step 5: Full deploy the application again with Appeon for PowerBuilder.

4.2.2 Corrupt Chinese characters are displayed in a DataWindow

Chinese characters can be entered into a DataWindow and updated to a SAP ASA/SQL Anywhere database, however, after DataWindow re-retrieve, the characters displayed are corrupt.

Cause: Chinese characters cannot be displayed correctly if the application uses a JDBC-ODBC driver for connecting to a SAP ASA/SQL Anywhere database, and the database field that contains Chinese characters is Long VarChar type.

Solution: You can use either of the two solutions below.

Change the data type of the database field from Long VarChar into VarChar.

Make sure the character set used in the operating system that runs Apeon Server is the same as that of the SAP ASA/SQL Anywhere database computer.

4.2.3 Text does not display or text is grayed out

When the application is deployed to the web, some of the text in the UI does not display or the text is grayed out.

Cause: This issue could be caused by the enabled property of static text.

Solution: In the PowerBuilder painter, the affected static text control might have the enabled property set to false, so text will be grayed out when the application is deployed. Make sure you select the enabled property of the affected static text control and incrementally deploy your application with Apeon Developer.

4.2.4 DropDownListBox does not display completely

When selecting a DropDownListBox object, its content may be hidden.

Cause: When a DropDownListBox/DataWindow is pulled down but the window container is not large enough, it will automatically shift to display the major content.

Solution: Click the **Tab** key to recover normal display of the window.

4.2.5 Nested reports over five pages do not display

Nested reports longer than five pages cannot be viewed in the DataWindow of the Web application.

Cause & Solution: Refer to [Nested reports over five pages do not display](#).

4.2.6 Nested reports over 50 rows do not display

When retrieving data from a nested report that has more than 50 rows, an error message displays that "Failed to create SQL Statement due to java.sql.SQLException: [Sybase] [ODBC Driver][Adaptive Server Anywhere] General error: Resource governor for prepared statements exceeded".

Cause: This error only occurs to the SAP ASA/SQL Anywhere database. The ResultSet value that Apeon Server returned exceeds the maximum cursor value that is default in the SAP SQL Anywhere database.

Solution:

Run the following commands to set the cursor count and statement count to no limit:

```
Set option public.max_cursor_count = 0
Set option public.max_statement_count = 0
```

4.2.7 MDI windows do not display in full

Some large sheets do not display fully on the Web.

Cause: The MDIClient object in PowerBuilder can open a larger visible scope than on the Web.

Solution: Set the VScrollBar property for the MDI window to TRUE.

4.2.8 Truncated display of data or controls in a DataWindow or Window

Controls or data is not displayed correctly in DataWindows or Windows.

Cause: In some cases, text or controls in the DataWindow or Window may not be completely visible. This is because the PowerBuilder units used to size the UI of the application, such as the DataWindow rows and columns, the Window object, etc. These cannot be converted to the Web units (pixels) perfectly.

Solution: For the affected DataWindow, resize the UI layout in PowerBuilder to allow slightly more space for the items that are not fully displaying.

4.2.9 Extra space or padding between MDI client area and toolbar

Extra space or padding appears between the MDI client area and the application toolbar in the Web application.

Cause: Incorrect calculation of the MDI client area size during the application deployment will cause extra spaces or add padding between the MDI client area and the application toolbar in the Web application.

Solution: Modify the X, Y and Height property for the MDI window and the controls in the MDI window by following the steps below:

Step 1: Estimate the height in PowerBuilder units, for example, 400 PowerBuilder units.

Step 2: Add the following script in the resize event:

```
String ls1, ls2
Long ll_rate
Setnull(ls1)
Setnull(ls2)
If ls1 = ls2 then           //In JavaScript, ls1 equals to ls2
    ll_rate = 400
else ll_rate = 0           //In PowerScript, ls1 does not equal to ls2
end if
```

Step 3: Edit additional scripts in the resize event to:

- Subtract the ll_rate value from the Y property of the MDI window.
- Add the ll_rate value to the Height property of the MDI window.
- Subtract the ll_rate value from the Y property of the controls in the MDI window.
- Assign the Height property of the MDI window to the controls that will have the same height as the MDI.

```
Long ll_rate
```

```
ll_rate = Y
ll_rate = ll_rate + height
window activesheet
activesheet = GetActiveSheet ( )
activesheet.y = ll_rate
```

4.2.10 Text displays in large size and is cut off

All the text in the application displays in an unusually large size, so some text cannot be fully displayed in its container and gets cut off.

Cause: Microsoft Windows display font size is set to large; this often happens when the screen resolution is set high (for example, 1600*1200). Appeon Web applications use the small font size as default.

Solution: Go to the **Windows Display Properties** of the client, in the **Settings** tab, click the **Advanced** button, and set the font size to use "Small fonts".

4.2.11 Unable to display the double-byte characters

Double-byte characters such as Chinese, Korean and Japanese cannot be displayed on the Web.

Cause: The character set of the system mismatches the character set of the database.


Solution: Go to **AEM > Application > Data Transfer > Charset > [Your Application]**. Add the corresponding charset for the application. For detailed adding steps, refer to Section 5.4.7.1, "Charset" in *Appeon Server Configuration Guide for .NET* or in *Appeon Server Configuration Guide for J2EE*.

4.3 Runtime issues

4.3.1 Error 10999 - Keyword not supported: 'dsn'

Data source failed and an error (error 10999) box pops up saying Keyword not supported: 'dsn' as shown in the figure below.

Figure 4.19: Error 10999




Cause: Appeon does not support using ODBC Driver to connect with the SQL Server database.

Solution: To resolve this, go to AEM, and change the ODBC driver to the Native Driver for SQL Server.

4.3.2 Cannot update Transaction Objects for WebLogic servers

When you try to configure Transaction Objects for WebLogic Servers in AEM, the Data Source column in Configure Transaction Object is empty, and a message appears saying Load application server data source failed, as shown in the following figure.

Figure 4.20: Transaction objects in AEM



Cause: WebLogic 8.15 and later do not allow anonymous users to query JNDI.

Solution: You can refer to Section 4.3.1.2, “Setting up data source for WebLogic 11g” in *Appeon Server Configuration Guide for J2EE* to solve this issue.

WebLogic 8 allows anonymous users to query and get JNDI DataSource, but WebLogic 8.15 and later do not allow anonymous users to query JNDI. In the WebLogic's console, select the "Anonymous Admin Lookup Enabled" to allow anonymous users to manipulate JNDI, otherwise the Data Source drop-down box will not have values in Transaction Objects in AEM.

4.3.3 Error 404 - File or directory not found

You may encounter a 404 - File or directory not found error, when you start to run an application.


Cause: The Appeon folder is not in the application-related IIS home directory (For example: your Appeon Server Web Component might be installed in c:\Program Files (x86)\Appeon \WebComponent2016 by default, if you did not change the path when installing it).

Solution: Copy the Appeon folder to the application-related IIS home directory (for example: C:\inetpub\wwwroot) to solve this issue.

4.3.4 Http 404 not found error occurs when using WebSphere as the Application Server


The webpage cannot be found, when you try to run an application, as shown in the figure below.

Figure 4.21: The webpage cannot be found



Solution: For WebSphere applications, we recommend you use the JDK Compression (Path) as the File Compression Settings for War/Jar property on the Appeon Developer Web Server Profile Configuration page, as shown in the figure below.

Figure 4.22: Web server profile configuration in Appeon Developer



4.3.5 "Stack overflow error"

The following error displays during application runtime: "Stack overflow error". Click **OK**. The message box will close and the Web application will run.

Cause: The application is deployed in Debug mode (Debug mode is specified in the Application Profile Configuration of Appeon Developer).

Solution: If you deploy your application in Encrypted mode (specified in the application profile of Appeon Developer), the error message will not be displayed.

4.3.6 "Could not Initialize JavaVM!"

During Web application runtime the following error displays: "Could not initialize JavaVM!".

Cause: This problem is possibly caused by an incorrect version of the PBVM.

Solution: Update the PBVM in EAServer to the version required by Appeon. Run the Web application again.

4.3.7 "Failed to get DataWindow syntax from Appeon Server"

During Web application runtime the following error is displayed: "Failed to get DataWindow syntax from Appeon Server".

Cause: Before application deployment, DB Type profile is not configured correctly in Apeon Developer for the application profile.

Solution: Open the Apeon Developer Configuration window, and go to the DB Type Profiles tab page in the "Application Profile Configuration". It is required that for each database type that the application runs against, a DB type profile should be configured.

Before you set up the DB type profile, be aware of the following:

1. The purpose of the DB type profile configuration is to convert the SQL statements into the correct type of database syntax.
2. Specify an ODBC data source or native driver in the DB Type profile for connecting the correct database type. It is unnecessary for the data source to connect to the actual database that the application uses. But the database type must be correct, and the specified version of the database is the same as the database version specified in **AEM > Application > Transactions > Transaction Objects**.
3. Make sure the DB type profile connection testing is successful.

Refer to the Apeon Developer User Guide for instructions on configuring DB type profiles.

After the DB type profile configuration, re-deploy the application with the Apeon Deployment Wizard using the Full Application Deployment mode.

4.3.8 Window loses focus of I-beam cursor

If a window has a group box control with tab order numbers, when you press tab, the windows lose the focus of the I-beam cursor.

Cause: Incorrect configuration of the group box's tab order.

Solution: Change the group box's tab order to zero.

4.3.9 Receiving "Server busy" error

A "Server busy " error message pops up when running a Web application.

Cause: It is likely that the client is running some other program(s) besides the Web application, which are taking up large CPU or memory resources.

Solution: When running a large Web application (for example, more than 40 MB), do not run other resource intensive programs.

4.3.10 "Error occurred while creating an object instance" on the status box

During application runtime the following error may occur: "Error occurred while creating an object instance".

Cause: Usually, this type of error does not affect running of the Web application. It always occurs when partial script in the application references an object, which is unsupported and commented out.

Solution: Remove or work around the unsupported object, and make changes accordingly.

4.3.11 "Are you sure you want to navigate away from this page?" warning message

When you try to exit a Web application by clicking the Close button in Internet Explorer, a warning message will be displayed "Are you sure you want to navigate away from this page". After clicking Cancel in the warning message box and further running the application, if you click the Close button in the browser again, Internet Explorer crashes.

Cause: Some add-on program such as SnagIt from TechSmith Corporation has been installed to Internet Explorer.

Solution: Right-click on the Internet Explorer toolbar and disable the add-on program from the popup menu.

4.3.12 DropDownDataWindow value incorrectly selected

When the user makes a selection in the DropDownDataWindow, the value in the first row will always be automatically selected. However, after this has happened, the DataWindow will proceed to function properly.

Cause: The DropDownDataWindow has not been assigned an initial value.

Solution: Either of these two solutions will rectify the problem.

- Try to select the value for a second time and the value displayed will be the value you specified.
- Assign an initial value to the DropDownDataWindow in the PowerBuilder application.

4.3.13 "Predefined error_message pfc_dwdberror"

The error "Predefined error_message pfc_dwdberror" pops up during the running of a Web ACF application.

Cause: Several tables are missing in the application. The tables are: messages, security_apps, security_groupings, security_template, security_users. In PowerBuilder, if the above tables are missing but the services related with the tables are not used, the application works fine. Appeon Web application, however, requires importing all the tables to the application database.

Solution: Export the above-mentioned tables from pfc.db to the application database.

4.3.14 Demo Web application fails to call EJB component

In the Appeon Code Examples demo, the "EJB Component Lookup failed" error message displays when the NVO calls function of EJB component.

Cause: The environmental variable is too long.


Solution: Reinstall Appeon Server.

Before the installation, be sure to shorten the path for the environmental variable. Another option is moving some driver files from the %EAServer%\java\lib folder, and moving them back after the installation.

4.3.15 Error occurs when running Distributed DataWindow in Appeon Code Examples Demo

The following error occurs when running Distribute DataWindow in Appeon Code Examples Demo after Appeon for PowerBuilder is installed.

Figure 4.23: Execute component failed



Cause: EA Server 6.x uses new password mechanism, so Appeon setup program is unable to set the password of appeonsample and appeonsample2 data sources during Appeon Server installation.

Solution: Log into EA Server Web Administration Console and modify the password of appeonsample and appeonsample2 data sources to "sql".

4.3.16 "EonToolset60 Load resource failed"

An EonToolset60 Load resource failed error occurred, when you try to run an application. And a message pops up saying EonToolset has stopped working - a problem caused the program to stop working correctly. Windows will close the program and notify if a solution is available.

Cause: Appeon Developer might not be installed successfully.

Solutions: Make sure that you install Appeon Developer successfully by checking if there are "multi_language_en.dll", "multi_language_GB.dll", and "multi_language_jp.dll" in the C:\Program Files (x86)\Appeon\Developer2016\language folder. If not, or if there is any error when you are installing Appeon Developer, you need to re-install the Appeon Developer.


4.3.17 The SQL statement cannot perform correctly when the Web server is installed on a VMWare

The SQL statement cannot perform correctly when the Web server is installed on a VMWare, separating from the Appeon Server.

Cause: The Network connection **Bridged: Connected directly to the physical network** option is by default checked in **Virtual Machines Settings**.

Solution: Change the network connection from **Bridged: Connected directly to the physical network** to **NAT: Used to share the host's IP address** in **Virtual Machine Settings**, as shown below.

Figure 4.24: SQL cannot perform correctly



4.4 Data operation

4.4.1 Retrieved data does not display in DataWindows

While retrieving records for a DataWindow, items are not displayed on the Web.

Cause A: Appeon does not support overlapping controls in a DataWindow. Retrieved data in the DataWindow column might be covered by a control (for example, the Text control) even if this control is placed under the data field in PowerBuilder.

Solution A: Remove all controls overlapping the data field. Work around the original functionality with properties or functions.

Cause B: Appeon Server compresses the data file (.xml) to improve Web performance. Data in the DataWindow is not displayed if the compressed .xml file is not extracted successfully on the Client.

Solution B: Verify that the following property exists in %JAGUAR%\Repository\Server\Jaguar.props (Windows) or \$JAGUAR/Repository/Server/Jaguar.props (UNIX):

```
com.sybase.jaguar.server.filter-mapping=(url-pattern=/gzip/*,description=adescription of Test,filter-name=CustomAddHeadersFilter)
```

If the required property does not exist, the user needs to manually add it in Jaguar.props and restart EAServer.

4.4.2 Unable to retrieve data from database

No data is retrieved into the DataWindow when running the Web application.

Cause A: If you are using the SAP ASA/SQL Anywhere database, a possible reason is that the SAP ASA/SQL Anywhere version specified in the Transaction object is different from what is specified in the data source. The application cannot find DataWindow objects and fails to retrieve any data from the database.

Solution A: For SAP ASA/SQL Anywhere, version 7.xx, 8.xx, and 9.xx are supported. Appeon 6.x supports both dynamically mapping the Transaction object to the data source in scripts, and statically specifying the data source in AEM. The user has to set the correct SAP ASA/SQL Anywhere version in DBParm or select the correct SAP SQL ASA/Anywhere version in AEM.

Cause B: If you are using the ASE database and find the following information in the Appeon log, "Failed to retrieve datastore... Produced the following error: Select error: Stored procedure '..' may be run only in unchained transaction mode. The 'SET CHAINED OFF' command will cause the current session to use unchained transaction mode.", a likely cause is that the connection mode (chained or unchained) set up by the JDBC driver is not the same as the mode of the stored procedure (chained or unchained).

Solution B: You can modify the PowerBuilder source code using any of the following workarounds to fix the problem.

- Execute "SET CHAINED OFF" before running stored procedures
- Execute "connection.setAutoCommit(true)" before running stored procedures
- Change the AutoCommit property to true before running each stored procedure
- Use the "sp_procxmode <procname>, anymode" command to set the stored procedure to run in chained or unchained mode.

Cause C: There are various factors that may cause this problem. Some examples include; running an incompatible PowerBuilder version with Appeon, data sources, not running or incorrectly configured, and missing INI files.

Solution C-1: If the application uses an INI file, verify the INI file is added to the Appeon Developer application profile before deployment. Add the necessary INI file and redeploy the application.

Solution C-2: If the problem is occurring with an Appeon provided demo application:

- Verify that the PowerBuilder version meets the requirements specified in Installation Guide for .NET.

- Verify that appeondb is running - a SQL Anywhere icon with the hover text "Appeondb" displays in the Windows Task Bar.
- Verify that EAServer has been started.
- Login to EAServer using EAServer Manager and verify that you can ping both the "appeondb" and "appeonsample" data sources successfully. If the data sources cannot be pinged successfully, refer to [Fail to ping appeondb data source](#) and [Fail to ping appeonsample data source](#) for troubleshooting tips.
- Verify that "<data-cache>appeondb</data-cache>" exists in %JAGUAR%\appeon\repository%\instancename%\config\server-config.xml (Windows) or \$JAGUAR/appeon/repository/\$instancename\$/config/server-config.xml (UNIX).

Solution C-3: If the problem is occurring with all applications except the Appeon demo applications, check the following:

- Verify that the PowerBuilder version meets the requirements specified in Installation Guide for .NET.
- Verify that the database used for your application is running correctly.
- Verify that EAServer is running.
- Log in EAServer using EAServer Manager and verify that pinging the data source is successful. If pinging the data source fails, perform the following steps (see Appeon Server Configuration Guide for J2EE for detailed instructions):
- Verify the data source properties are correctly configured especially the server name, username and password used to connect to the database.
- Make sure the JDBC radio button is checked in the Driver tab of the Data Source Properties
- Make sure that the driver string is entered correctly. The string is case sensitive.
- Make sure that the "enable cache-by-name access" option is checked in the Cache tab.
- For an Oracle database, you may need to add the data source property `com.sybase.jaguar.conncache.check` and have it set to *select 1 from dual*.
- If using a data source with the iAnywhere JDBC driver, refer to Section 4.3.7.1, "Data source parameters for SAP ASA/SQL Anywhere" in *Appeon Server Configuration Guide for J2EE* and double-check the settings created.
- Verify the Transaction Object settings in Appeon Enterprise Manager are correct. For detailed instructions on setting up AEM, refer to Appeon Server Configuration Guide for .NET or Appeon Server Configuration Guide for J2EE.
- Make sure that the application has been added into the application list displayed in **AEM Console > Application > Transactions > Transaction Objects**.

- Make sure that the application has the correct transaction object name(s) listed, and the correct transaction object name(s) mapped to the correct data source(s). The transaction object name is case sensitive.

4.4.3 Database lock

Tables in the database are always locked.

Cause: Because of the inherited features with Web architecture, the chances of the database locking are indeed increased compared to client/server architecture. For example, on the web: If there is too much time from the beginning of Data base operations to Commit, a transaction will consume database resources and increase the chances of the database locking.

Solution:

1. Place the transactions in server NVOs or database procedures for execution.
2. Break the transaction into smaller transactions. Commit each database operations so a transaction does not take too much to Commit.

Refer to the following coding as an example:

```
Window open();
//Profile appeonsample
SQLCA.DBMS = "ODBC"
SQLCA.AutoCommit = "False"
SQLCA.DBParm = "ConnectionString = ??DSN=AppeonSample; UID=dba; PWD=sql"
CONNECT;

Command Button cb_1:
String ls_emplid, ls_emplname
Ls_emplid = sle_1.text
DELETE employee WHERE s_emplid = :ls_emplid;
COMMIT;

DECLARE cur_empl CURSOR FOR SELECT s_emplid, s_emplname from employee; ;
OPEN cur_empl;
FETCH cur_empl INTO :ls_emplid, :ls_emplname;
DO WHILE sqlca.sqlcode=0
    Ddlb_1.additem("[ "+ls_emplid+" ]"+ls_emplname)
    FETCH cur_empl INTO :ls_emplid, :ls_emplname;

LOOP
CLOSE cur_empl;
Ddlb_1.selectitem(1)
Ddlb_1.triggerevent ("eventchanged")
COMMIT;
```

4.4.4 Data missing in some DataWindows

Data is missing from some DataWindows.

Cause: There are retrieval arguments used in DataWindow expressions, which are not supported by Appeon.

Solution: Use Stored Procedure as the DataWindow data source, and put the expression in the Stored Procedure.

4.4.5 DataWindows do not respond

During Web application runtime, DataWindows stop functioning.

Cause: The session has timed out.

Solution: Close the current Internet Explorer browser, open a new Internet Explorer browser and run the demo again. You may want to delay the session timeout or disable session timeout, if the user session times out frequently.

4.4.6 Manipulation on BLOB files

4.4.6.1 Blob data cannot be correctly manipulated if it is over 4MB

The blob data cannot be correctly updated or obtained if it is larger than 4MB.

Cause: By default, the maximum size of the blob data that can be manipulated is 4096 KB, so you cannot manipulate Blob data over 4MB with the default settings.

Solution:

Step 1: Go to %apeon home%\AEM\, and add the following script (in bold) in the **web.config** XML file. By default, the value of the **executionTimeout** is 100 seconds, and the value of the **maxRequestLength** property is 4096 KB. You can use larger value for these two properties according to the specific needs.

```
.....  
<system.web>  
  <httpRuntime executionTimeout="300" maxRequestLength = "10240" />  
<httpHandlers>  
.....
```

If the blob data is over 30MB, then you will also need to make change to the IIS **maxAllowedContentLength** property. The IIS **maxAllowedContentLength** property specifies the maximum length of content in a request, in bytes. The default value is 30000000 bytes (which is about 30MB). In this case, follow steps below:

1. Back up the **applicationHost.config** file which is located in %system32%\inetsrv\config\ (e.g. C:\Windows\System32\inetsrv\config\applicationHost.config).
2. Modify the **applicationHost.config** file.

Change the value of **overrideModeDefault** property from **Deny** to **Allow**, as shown below.

```
<sectionGroup name="security">  
...  
  <section name="requestFiltering" overrideModeDefault="Allow" />  
...  
</sectionGroup>
```

Some PC clients have stringent security rules which prohibit users modifying **applicationHost.config** in %system32%\inetsrv\config\. To workaround this limitation, you can copy the file to another location, make changes, and then copy it back to %system32%\inetsrv\config\ to replace the old file.

3. Modify the **web.config** file in %appeon home%\AEM\. You will need to modify the **maxRequestLength** property and add the **maxAllowedContentLength** property, as shown below.

This is the original script:

```
...
<system.web>
  <httpRuntime executionTimeout="300" maxRequestLength = "10240" />
</httpHandlers>
...
```

This is the modified script which allows operation with blob data of 60MB:

```
...
  <system.webServer>
    <security>
      <requestFiltering>
        <requestLimits maxAllowedContentLength="6291456" />
      </requestFiltering>
    </security>
  </system.webServer>
</system.web>
<httpRuntime executionTimeout="300" maxRequestLength = "61440" />
</httpHandlers>
```

Step 2: Restart the IIS server to make this change take effect.

4.4.6.2 Manipulation on BLOB files for Adaptive Server Enterprise (ASE)

4.4.6.2.1 Blob size

To download BLOB data with a data size greater than 32 KB (the default), do the following:

- On Windows, set **Text Size** on the **Advanced** page of the **Adaptive Server Enterprise ODBC Driver Configuration** window to be greater than the largest expected BLOB.
- On Linux, set the **Text Size** entry in the *obdc.ini* file to be greater than the largest expected BLOB.

4.4.6.2.2 ASE ODBC settings

If your DB is ASE, then you can change the ASE ODBC settings for blob sizing. See the following for more details:

http://dcx.sybase.com/1101/en/mlserver_en11/ml-basics-ase-5159304.html.

4.4.6.3 Manipulation on BLOB files for SQL Anywhere

When working against the SQL Anywhere database, Appeon Server has problems in handling the blob files or retrieving data in CrossTab DataWindow.

Cause: if your DB is SAP SQL Anywhere 12 and you have installed SAP SQL Anywhere 12 on the machine, then when installing Appeon Server, Appeon will use the SAP SQL Anywhere 12 driver to connect to the SQL Anywhere 10/11/12 by default.

Solution: you can use the following ways to switch the driver to the SQL Anywhere 11 database to connect to the SQL Anywhere 10/11/12, or you can uninstall the Appeon Server,

install the SQL Anywhere 11, and then install the Appeon Server with selecting SQL Anywhere 11 driver engine.

Step 1: Backup and delete the following files in *C:\inetpub\wwwroot\appeon\AEM\bin*.

- iAnywhere.Data.SQLAnywhere.dll
- Server.dll
- code.key

Step 2: Make a copy of the files in *C:\inetpub\wwwroot\appeon\AEM\ServerDll\ASAll* and paste the copies to *C:\inetpub\wwwroot\appeon\AEM\bin*.

4.4.7 Fail to parse the result meta of the Select statement

Retrieving data in Crosstab DataWindow fails with an error similar to "Failed to parse the result meta of the Select statement, due to This column's data type cust_id requires the use of an embedded SQL statement."

Cause & Solution: refer to [Manipulation on BLOB files for ASA/SQL Anywhere](#).

4.4.8 Fail to update data

Data in a DataWindow object is retrieved correctly but cannot be updated.

Cause: An older version of Internet Explorer is used on the Client PC.

Solution: Upgrade Internet Explorer to Internet Explorer 8.0 or above.

4.4.9 Fail to update dynamically generated DataWindow

Dynamically generated DataWindow cannot be updated.

Cause: Uses the former version of Microsoft SQL Server 2005 SP1 with MSFT JDBC Driver.

Solution:

Step 1: Replace the former version of Microsoft SQL Server 2005 SP1 with MSFT JDBC Driver with the latest one, which can be downloaded from the Microsoft Website.

Step 2: Execute the stored procedure SQL statement *install_appeon_syntaxfromsql_MSSQL.sql* (located in Appeon installation path *%AppeonHome%/sql/dynamicsql*) in the SQL Server 2005 database server.

Step 3: Restart the application server.

4.4.10 Update error: Failed to update database due to java.sql.SQLException... cannot insert the value NULL...

Updating data fails with an error similar to "Failed to update database due to java.sql.SQLException... cannot insert the value NULL... column does not allow nulls..."

Cause: The number of rows that a trigger in the database counts differs from the number of the rows that the Update operation sends to the JDBC driver.

Solution: For SQL Server and ASE database with JDBC driver, use the "SET NOCOUNT ON" statement before executing SQL statements when you create a trigger object.

For example:

```
CREATE TRIGGER trigger_name
ON { table | view }
[ WITH ENCRYPTION ]
{
{ { FOR | AFTER | INSTEAD OF } { [ INSERT ] [ , ] [ UPDATE ] }
[ WITH APPEND ] [ NOT FOR REPLICATION ]
AS
set nocount on
[ { IF SELECT ( column ) [ { AND | OR } UPDATE ( column ) ] [ ...n ]
| IF ( COLUMNS_UPDATED ( ) { bitwise_operator } updated_bitmask )
{ comparison_operator } column_bitmask [ ...n ]} ]
Xsql_statement [ ...n ]
}
}
```

4.4.11 "Error converting data type A to B"

Executing a certain stored procedure is successful in PowerBuilder but gives an "Error converting data type A to B" error message on the Web, where A and B stands for different data types.

Cause: The procedure contains an output parameter that is A, but the corresponding variable used to call the procedure is a B. JDBC driver may handle such a case differently from the ODBC driver or native driver used in PowerBuilder.

Solution: Make sure the type of the calling variable is exactly the same as the type of the output parameter.

4.4.12 Fail to update DataWindows with newly entered Korean characters

After Korean characters have been entered into a DataWindow the update is not successful. The following error message is displayed "Failed to update primary buffer".

Cause: The length of the Korean characters that are inputted is longer than the length specified for the field in the database table.

Solution: Specify a larger value for the length of the field in the database table.

4.4.13 SelectBlob and UpdateBlob have different results for non-binary fields

The SelectBlob and UpdateBlob functions have different results on the Web from using PowerBuilder, when some non-binary fields are manipulated.

Cause: In some conditions, PowerBuilder automatically removes the spaces before and after the non-binary characters when using SelectBlob and UpdateBlob. However, such operation does not occur to the Web, which leads to different results.

Solution: Apeon recommends you to directly use Select and Update functions to manipulate Blob type fields.

4.4.14 How to solve the messy code issue when retrieving data in Oracle

If you run into the messy code issue when retrieving data in Oracle, please try the solutions below:

Step 1: Set the NLS_LANG (equal to the database server) on the machine where the Apeon Server is installed.

Step 2: Go to the Register on both Oracle Server and the Server on which Apeon Server is installed to check whether the NLS_LANG is the same in the directory of:

```
HKEY_LOCAL_MACHINE>SOFTWARE_ORACLE.
```

Step 3: Try to use the following solution to check whether the Web application can solve the Hebrew data issue.

1. Locate Web.config under C:\inetpub\wwwroot\apeon\AEM on the machine with Apeon Server installed.
2. Open Web.config with notepad and modify in the "globalization" line as shown below.

```
<globalization requestEncoding="utf-8" responseEncoding="utf-8"
  uiCulture="auto" culture="auto" />
```

3. Save the changes to the file.
4. Restart IIS.

4.5 IWA issues

4.5.1 Cannot install IWA app via Microsoft Edge

If you are logged in as a non-administrator user, you may fail to install the IWA app using the Microsoft Edge browser.

Solution: Go to the installation directory of the IWA Runner (such as C:\Users\%username%\AppData\Local\Apeon\Apeon IWA Runner), right click the **CheckNetIsolation.bat** file and then select **Run as administrator** to run this file. After that, try to install the IWA app again.

4.5.2 IWA Runner installation repeatedly occurs

On some particular platforms such as Windows 8 Single Language and Windows 8.1 Pro 32-bit, IWA Runner is repeatedly installed every time when you try to run an IWA app.

Solution: Add the application URL to the trusted sites in Internet Explorer, and then try to run the IWA app again.

4.6 Others


4.6.1 Apeon Performance Analyzer continually popping up

The Performance Analyzer window keeps prompting, saying "Installation Complete. Please Start the Web application", when starting the Apeon Performance Analyzer.

Cause: The enable third-party browser extensions* option of the Internet Options is unavailable.

Solution: To solve this, go to **Internet Explorer > Tools > Internet Options > Advanced**, check the **Enable third-party browser extensions*** check box under **Settings**, and then click **Apply** or **OK** to save the settings, as shown in the figure below.

Figure 4.25: Internet options



It is selected by default; however check to make sure that it is selected before you start the Appeon Performance Analyzer.

4.6.2 ASE Chained mode issue

A PowerBuilder application can execute ASE stored procedures successfully. However, when the PowerBuilder application is converted to the Web, the following error may occur:

"Select error: Stored procedure 'dbo.up_edw001_001' may be run only in unchained transaction mode. The 'SET CHAINED OFF' command will cause the current session to use unchained transaction mode".

Cause: There are three ASE stored procedure (SP) modes: chained, unchained and anymode. There are two ASE transaction modes: chained and unchained. For Web applications:

- 1) If the transaction mode is chained, the SP running mode must be chained or anymode.

- 2) If the transaction mode is unchained, the SP running mode must be unchained or anymode.
- 3) If the transaction mode and SP mode do not match the requirements in 1) or 2), the error occurs.

Solution: Appeon provides two stored procedures that help modify the modes of ASE stored procedures to ensure that the stored procedures meet the requirements in 1) or 2). The following files are located in the "\\sql\asechain_sql" folder under the Appeon Server installation directory.

- readme.txt
- install_appeon_rebuildchainmode.sql: modifies the modes of ASE stored procedures
- uninstall_appeon_rebuildchainmode.sql: restores the original modes of ASE stored procedures

Follow the instructions in the "readme.txt" for the method of modifying the stored procedure modes with the two SQL files.

4.6.3 Windows open relatively slow

While accessing the Web application, Windows open slowly.

Cause: The hardware does not meet the minimum requirements needed to install Appeon.

Solution: Verify that the hardware configuration meets the minimum requirements stated in Chapter 3, *Installation Requirements* in *Installation Guide for .NET*.

4.6.4 Web application is very slow if use SQL Anywhere 10 and Appeon Server for .NET

When using Appeon Server for .NET, SQL Anywhere 10 users will encounter performance difficulty in data manipulation.


Cause: The problem is caused by ADO.NET driver.

Solution: To resolve the performance issue you need to enable ODBC connection pooling in ODBC DataSource Administrator with the instructions below:

Step 1: GO to **Control Panel > Administrative Tools > ODBC DataSource Administrator** and Select the **Connection Pooling** tab page.

Step 2: Select *SQL Anywhere 10* and click the **Enable** option in the **PerfMon** frame.


Figure 4.26: Connection Pooling



Step 3: Click the **Apply** button to make this configuration take effect.

Step 4: Double click the *SQL Anywhere 10* and Enable Pool Connection for this driver as shown below.

Figure 4.27: Set Connection Pooling Attributes



4.6.5 ASA/SQL Anywhere engine crashes when you insert data into AppeonDB

ASA/SQL Anywhere engine crashes when you try to insert data to AppeonDB.

Cause: It may be caused by an SQL Anywhere bug.

Solution: Upgrade your ASA/SQL Anywhere 10 to the build 3835 or above, which you can find at <http://downloads.sybase.com>.

4.6.6 Server NVO cannot be activated when the Web application is running

The server NVO can be successfully activated when it runs in PowerBuilder. However, when the application is converted to the Web, the server NVO cannot be successfully activated.

Cause: This often occurs when the server NVO is being deployed and the Allow NULL values in method parameter option is selected.

Solution: Please follow the steps below:

Step 1: Double click the componentobject and open the Properties pages.

Step 2: In the General tab page, unselect the "Allow NULL values in method parameter" option and redeploy the NVO.

Step 3: Open the EA Server Manager, generate the stub and skeleton for the deployed NVO.

Step 4: Restart the EA Server and rerun the Web application.

Note: Refer to the Migration Guidelines for Apeon Web (Web only) to deploy the server NVO.

4.6.7 An item which usually requires one click must be clicked twice to be selected

When running a Web application, you need to click twice to successfully select an item, such as, selecting a radio button on the download page, which normally should require only one click. This problem occurs only at the first selection and in the following environment: Windows 2003 and Internet Explorer SP2.

Cause: This problem exists with patch kb912945 and patch kb912812 of Internet Explorer SP2.

Solution: Currently there is no better solution than uninstalling patch kb912945 and patch kb912812.

4.6.8 Special characters in URL cause missing parameters when being redirected

If special characters (+, /, #, ?, %, &, etc.) are contained in the URL, parameters after the special character will be lost when the URL is being redirected.

Cause: This problem occurs if index.html is used as the entry of application.

Solution: There are two solutions:

- Use index.htm instead of index.html as the entry of the application. For example, `http://url/index.htm?parameter`. Do not use `http://url/index.html?parameter`, or `http://url/?parameter`.
- Use MSDN to convert the special characters when inputting the URL.

4.6.9 Weblibrary and cedownloadcenter DLLs cannot be updated

After the Apeon EBF 1045 patch is applied to the Apeon Server, for some users, when the Apeon Web application is accessed, the Weblibrary and cedownloadcenter DLL files in the "C:\Windows\Downloaded Program Files" directory are not updated to the Apeon for PowerBuilder 6.5.1045.0 version.

Cause: The application URL must be started by the entry page (index.html or index.htm or /), otherwise, the Apeon plug-in cannot be initialized properly.

Solutions: The problem can be solved by removing 'x32_application.htm' from the URL.

5 Troubleshooting Appeon Server

This section contains general information regarding troubleshooting problems related to Appeon Server and AEM - the Appeon Server Manager. If you cannot resolve the problem using the troubleshooting guide, please contact technical support at <http://www.appeon.com/support>.

5.1 Loading AEM

5.1.1 AEM Web page cannot display or cannot display correctly in IE 9

When IE 9 is running in Compatibility View, AEM Web page displays correctly, but when IE 9 is not running in Compatibility View, AEM Web page cannot display (returning a 406 error) or cannot display correctly.

Cause: The MIME type requested by IE 9 does not match with the MIME type specified in the Web site. For example, in Windows 2003, the default MIME type for IIS is ".* application/octet-stream"; when IE 9 is running in Compatibility View, it requested the MIME type "*/*" when visiting the Web site, so it can successfully displays the Web page, but when IE 9 is not running in Compatibility View, it requested the MIME type "text/css", while this type is not specified in the Web site, so visits to file of this type are rejected.

Solution: Add a MIME type ".css text/css" in the Web site. Detailed steps are: open the **IIS Manager**, right click the default Web site, select **Properties** from the popup menu, then click the **HTTP Headers** tab, and then click the **MIME Types** button to add a MIME type.

5.1.2 Cannot log into AEM in IE 10

When IE 10.0 is running in Compatibility View, AEM Web page displays correctly, but when IE 10.0 is not running in Compatibility View, AEM Web page cannot display correctly after you logged in with the correct user name and password.

Cause: An IE limitation.

Solution A: Run the IE 10 in Compatibility View to log into AEM.

Solution B: Install the following hotfix patch and then try again.

[Click here to download and install the hotfix patch.](#)

5.1.3 Server Error in '/Servlet' Application

AEM does not show up when accessing AEM in Appeon Server, and errors like "Server Error in '/Servlet' Application" occur saying "The file '/servlet/logon.aspx' has not been pre-compiled, and cannot be requested." or "Error occurred when loading c:\inetpub\wwwroot\Appeon\AEM\config\common.comfig file!", as shown in the following figures.

Figure 5.1: Server Error in '/Servlet' Application 1




Figure 5.2: Server Error in '/Servlet' Application 2




Figure 5.3: Server Error in '/Servlet' Application 3





Figure 5.4: Server Error in '/Servlet' Application (configuration error)

Cause A: The user does not have enough permission.

Solution A:

Step 1: Grant proper rights to .Net Framework with the two commands in the CMD window.

1. Navigate to C:\WINDOWS\Microsoft.NET\Framework\v2.0.***.*.
2. Execute the command line "aspnet_regiis -ga users".
3. Execute the command line "aspnet_regiis -i".
4. Restart the IIS (resetiis.exe).

Step 2: Grant Internet Guest Account and IIS Process Account proper rights to manipulate the Web Root folder.

1. Go to the C:\Inetpub folder, then right click the wwwroot folder, and then select the Security tab under the Properties item.
2. Add IIS_WPG group, if it is not listed in the "Group or user names" box.
3. Allow the IIS_WPG group to get the Full Control permission.
4. Restart the IIS.

Step 3: If these errors still occur, please re-install the Apeon Server.

Cause B: The Identity of Process Model of ApeonAppPool in IIS manager is not the LocalSystem.


Solution B: Configure the Process Model settings of the ApeonAppPool in IIS manager.

Step 1: Open **IIS manager**.

Step 2: Click **ApeonAppPool**, and then click **Advanced Settings**.


Step 3: Change the **Process Model** from "NetworkService" to "LocalSystem" as shown in the following figure.

Figure 5.5: Process Model



The changed setting is as shown in the figure below.

Figure 5.6: Process Model - Identity



Cause C: IIS settings should be different according to 32-bit OS or 64-bit OS.

Solution C:

If you are using 32-bit OS, go to **IIS manager > Application Pools > ApppeonAppPool > Advanced Settings**, in the **Advanced Settings** window, make sure the 'Enable 32-bit application' is set to 'True'.

If you are using 64-bit OS, go to **IIS manager > Application Pools > ApppeonAppPool > Advanced Settings**, in the **Advanced Settings** window, make sure the 'Enable 32-bit application' is set to 'False'.

Cause D: The config file is not the machine.config.default (.NET* only).

Solution D:

Step 1: Use the machine.config.default to replace the machine.config. Both of them are located at Windows\Microsoft.NET\Framework\v2.0.xxxx\CONFIG.

Step 2: Login to AEM and do corresponding modification according to the prompts.

Step 3: Delete all files in %Apppeon%/AEM/bin/config.

Step 4: Re-log in to the AEM to make sure the problem is resolved.

Cause E (Figure: Server Error in '/Servlet' Application (configuration error)): The .NET framework version or the ASP.NET version is not matched with the upgraded Apeon for PowerBuilder.

This error probably occurs when you launch AEM or AEM with multiple instances after you upgrade your Apeon for PowerBuilder 6.x to Apeon for PowerBuilder 6.6.x.


Solution E:

- For IIS 7.0 and later:

Step 1: Open IIS Manager by choosing **Start > All Programs > Apeon for PowerBuilder 2016 > Apeon Server for .NET > Internet Information Services (IIS) Manager**.


Step 2: Expand your computer (for example, *WANGMINGLI-PC (wangmingli-pc \wangmingli* in the following figure), and then click **Application Pools**.

Figure 5.7: Application pools



Step 3: Select the application pool in the **Application Pools** panel, and then click **Basic Settings** in the **Actions** panel. The **Edit Application Pool** window appears.

In the **Edit Application Pool** window, select the matched .NET Framework version (*.NET Framework v4.030319*) from the **.NET Frame version** dropdown list box, and then click **OK** to save the changes.

Figure 5.8: Edit application pool


Step 4: Relaunch your AEM.

- For IIS 6.0:

Step 1: Open IIS Manager by choosing **Start > All Programs > Appeon for PowerBuilder 2016 > Appeon Server for .NET > Internet Information Services (IIS) Manager**.

Step 2: Expand your computer (for example, *WANGMINGLI-PC* (*wangmingli-pc* \ *wangmingli* in the following figure), click **Web Sites**, and then select your web site (for example, *web81*).


Figure 5.9: IIS manager



Step 3: Right-click **AEM**, and then select **Properties** from the popup menu.

In the **AEM Properties** window, select the matched ASP.NET version (*4.030319*) from the **ASP.NET version** dropdown list box, and then click **OK** to save the changes.

Figure 5.10: AEM properties




Step 4: Repeat Step 3 to specify the ASP.NET version for **Appeon** and **Serverlet** respectively.

Step 5: Relaunch your AEM.

5.1.4 Object reference not set to an instance of an object

When running AEM, Web page displays the error "Object reference not set to an instance of an object", as shown in figure below.


Figure 5.11: Object reference not set to an instance of an object



Cause: The language settings of IE Internet Options is empty.

Solution: Add a language to the language settings of IE Internet Options, as shown in figure below.

Figure 5.12: Language Preference



5.1.5 Fail to pre-compile AEM

Pre-compiling AEM fails.

Cause & Solution: Refer to [Demo Web application fails to call EJB component](#).

5.1.6 The AEM Web page cannot be displayed

Unable to access AEM's Web page.

Cause A: EAServer is not running

Solution A: Verify that EAServer is running and accepting connections

Cause B: The URL for AEM is incorrect

Solution B: The URL format should be `http://hostname:portnumber/AEM`. Verify that the *hostname* is correct and that the *portnumber* is available. They are specified through the `appeonserverhttp` listener in EAServer Manager.

The `appeonserverhttp` listener and the `appeonserveriiop` listener are created automatically with Apeon Server installation. If they are not created successfully or not configured correctly, they need to be manually added or modified.

If the problem is not resolved, please check whether the Jaguar.log is empty (at %JAGUAR%\bin\ in Windows or \$JAGUAR/bin/ in UNIX). If the Jaguar log is empty, refer to Cause C and Solution C to rectify the problem.

Cause C: there are two possible causes for the problem:

The EAServer hosting AEM is not running correctly.

The application.properties file (at %JAGUAR%\Repository\WebApplication\AEM\WEB-INF\classes\resources\ in Windows or \$JAGUAR/Repository/WebApplication/AEM/WEB-INF/classes/resources/ in UNIX) has not been successfully loaded into the Internet Explorer browser (which usually happens the first time AEM is started).

Solution C: follow the steps below to fix the problem.

Step 1: Restart EAServer and verify that it is accepting connections.

Step 2: Verify that at least one of the Apeon Web demo applications can run correctly.

Step 3: Launch AEM with Internet Explorer. If AEM is not loaded successfully, please click the Refresh button in the browser to load the application.properties file.

5.1.7 Error "500 Servlet jspServlet: ..."

When the user enters the AEM URL in Internet Explorer, an error message box pops up: "500 Servlet jspServlet: unable to service request: Cannot find message resources under key org.apache.struts.action.MESSAGE".

Cause: The AEM program cannot access the URL directly (for example, `http://hostname:portnumber/AEM/logon.jsp`) without initializing .jsp files.

Solution: Access AEM at the URL `http://hostname:portnumber/AEM` (for example, `http://localhost:9988/AEM`).

5.1.8 Fail to log into AEM with the default user name and password

Cannot log into AEM with the default user name and password.

Cause: you may have changed the login username and password of the AEM when you installed Appeon Server.

Solution: Use the username and password specified when you install Appeon Server.

If you want to restore the default settings, follow the two methods below:

1. Reinstall Appeon Server. During the reinstallation, do not change the login username and password of AEM.
2. Revise the aem-config.xml file in the "...\Sybase\EAServer\appeon\repository\%instancename%\config\" folder: replacing the 7th line in the file with the line `<user name="YWRtaW4=" password="YWRtaW4="/>`, then restarting Appeon Server to make the changes take effect.

5.1.9 Security settings in AEM do not take effect

Cause: Configured Security settings in AEM incorrectly.

Solution: The following settings in AEM enable application security so that only assigned users can open the application. Users need to input user name and password when logging into the application.

Step 1 - Go to **AEM > Server > Server Security > User Management** and add User Name and Password.

Step 2 - Go to **AEM > Server > Server Security > Group Management** and add Group and then assign users to the group.


Step 3 - Go to **AEM > Application > Client Security > User Authentication** and click your application. Select "Security On" in User authentication.

Note: Make sure your settings are configured efficiently and clear the history in Internet Explorer before opening the application. Restart EAServer and client machine if necessary.

5.2 Appeon Server

5.2.1 Error 10999 - Failed to start new transaction...

Failed to start new transactions when updating the data by using JBoss as the application server and an error (error 10999) box pops up saying "Failed to start new transaction due to com.appeon.server.controller.ControllerException: javax.naming.NameNotFoundException: TransactionServiceLocal not bound" as shown in the figure below.

Figure 5.13: Error 10999 - failed to start new transaction

Cause: This is a known issue for using JBoss 5. You may encounter the following errors when JBoss is deploying the internal EJB component and saving the configuration files into the internal database localDB.script, which will result in EJB deployment failure, during launching the JBoss. In this situation, you will encounter the above "Error 10999..." error during updating the data in the Apeon application.

```
Caused by: org.hsqldb.HsqlException: length must be specified in type definition:
VARBINARY
    at org.hsqldb.error.Error.error(Unknown Source)
    at org.hsqldb.error.Error.error(Unknown Source)
    at org.hsqldb.ParserDDL.readTypeDefinition(Unknown Source)
    at org.hsqldb.ParserDDL.readColumnDefinitionOrNull(Unknown Source)
    at org.hsqldb.ParserDDL.compileCreateTableBody(Unknown Source)
    at org.hsqldb.ParserDDL.compileCreateTable(Unknown Source)
    at org.hsqldb.ParserDDL.compileCreate(Unknown Source)
    at org.hsqldb.ParserCommand.compilePart(Unknown Source)
    at org.hsqldb.ParserCommand.compileStatements(Unknown Source)
    at org.hsqldb.Session.executeDirectStatement(Unknown Source)
    at org.hsqldb.Session.execute(Unknown Source)
...
DEPLOYMENTS IN ERROR:
  Deployment "<UNKNOWN jboss.j2ee:jar=profileservice-
secured.jar,name=SecureProfileService,service=EJB3>" is in error due to the
following reason(s): ** UNRESOLVED Demands 'jboss.ejb:service=EJBTimerService'
**, ** UNRESOLVED Demands 'jndi:SecureManagementView/remote-
org.jboss.deployers.spi.management.ManagementView' **
  Deployment "jboss.ejb:persistencePolicy=database,service=EJBTimerService" is in
error due to the following reason(s): org.hsqldb.HsqlException: length must be
specified in type definition: VARBINARY, **ERROR**
  Deployment "<UNKNOWN jboss.j2ee:jar=profileservice-
secured.jar,name=SecureManagementView,service=EJB3>" is in error due to the
following reason(s): ** UNRESOLVED Demands 'jboss.ejb:service=EJBTimerService' **
  Deployment "<UNKNOWN jboss.j2ee:jar=profileservice-
secured.jar,name=SecureDeploymentManager,service=EJB3>" is in error due to the
following reason(s): ** UNRESOLVED Demands 'jboss.ejb:service=EJBTimerService' **

2013-05-14 14:37:58,718 INFO [org.apache.coyote.http11.Http11Protocol] (main)
Starting Coyote HTTP/1.1 on http-127.0.0.1-8080
2013-05-14 14:37:58,734 INFO [org.apache.coyote.ajp.AjpProtocol] (main) Starting
Coyote AJP/1.3 on ajp-127.0.0.1-8009
```

```

2013-05-14 14:37:58,734 INFO [org.jboss.bootstrap.microcontainer.ServerImpl]
(main) JBoss (Microcontainer) [5.1.0.GA (build: SVNTag=JBoss_5_1_0_GA
date=200905221053)] Started in 34s:266ms
2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17)
Apeon Server (Apeon for PowerBuilder 2013 Edition) started.

2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Edition: Unlicensed Edition
(Apeon)
2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Universal Product Key: APFA-
DEWN-NTEN-UNTT-TTTT-TTTT-TTTT
2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Universal Maximum Sessions: *

2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Universal Maximum Deployed
Applications: *

2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Days Remaining: 45

2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Number of CPUs Licensed: *
2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Server ID: Kg==

2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Activation Status: UNACTIVATED
2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Support Date:
2012-07-20~2013-07-20
2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Clustering Option: Yes

2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Number of Cores Per CPU: *

2013-05-14 14:37:59,140 INFO [STDOUT] (Thread-17) Type of CPU Licensed: Logic
...

```

Solution: The steps for resolving this issue are pasted below for your convenience. You may also refer to this web page for the complete discussion <https://community.jboss.org/message/585994>.

Step 1: Open the `JBOSS_HOME/server/<servername>/conf/standardjbosscomp-jdbc.xml` in a text editor

Step 2: Search for the "Hypersonic SQL" type-mapping in that file. It will look something like this:

```

<type-mapping>
  <name>Hypersonic SQL</name>
  <row-locking-template/>
  ...
  <mapping>
    <java-type>java.lang.Object</java-type>
    <!-- hsqldb only supports directly serializable objects for sql type OBJECT
-->
    <jdbc-type>VARBINARY</jdbc-type>
    <sql-type>VARBINARY</sql-type>
  </mapping>
  ...
</type-mapping>

```

Step 3: Change the `sql-type` value to 1024.

```

<type-mapping>
  <name>Hypersonic SQL</name>
  <row-locking-template/>
  ...
  <mapping>
    <java-type>java.lang.Object</java-type>
    <!-- hsqldb only supports directly serializable objects for sql type OBJECT
-->

```

```

    <jdbc-type>VARBINARY</jdbc-type>
    <sql-type>VARBINARY(1024)</sql-type>
  </mapping>
  ...
</type-mapping>

```


Step 4: After this change, restart the server and see if it works.

If the above solution cannot solve this issue, please go to Developer > Configure > [your application] > DB Settings tab and uncheck "Start transaction when executing stored procedure" option, then deploy your application and try again.

5.2.2 JBoss console reports "...Stopped deployment apeonserver.jar..." error

The JBoss server console reports the "...Stopped deployment apeonserver.jar..." error (see figure below) during the startup process.

Figure 5.14: Terminal



Cause A: There is not enough space left on the hard drive. Usually this will be explicitly indicated by the following message in the log file:

```
Caused by: java.io.IOException: No space left on device
```

Solution A: Stop JBoss server. Clean up the temporary files under JBoss server (typically, %JBOSS_HOME%\standalone\tmp) or clean up the hard drive to get more available space.

Cause B: The deployment has timed out. Usually you will see the following message in the log file:

```
"Did not receive a response to the deployment operation within the allowed timeout period [60 seconds]."
```

Check the server configuration file and the server logs to find more about the status of the deployment."

Solution B: Increase the timeout value for deployment in WildFly or JBoss EAP by the following steps:

Step 1: Open the %JBOSS_HOME%\standalone\configuration\standalone.xml file in a text editor.

Step 2: Locate and modify the "deployment-timeout" setting under the "subsystem" element. The default value is 60 seconds.

```
<subsystem xmlns="urn:jboss:domain:deployment-scanner:1.0">
    <deployment-scanner name="default" path="deployments"
scan-enabled="true" scan-
interval="5000" relative-to="jboss.server.base.dir" deployment-timeout="600"/>
```

5.2.3 JBoss console hangs during startup process

The JBoss server console hangs during the startup process.

Solution:

Step 1: Go to the %JBOSS_HOME%\standalone\deployments\ folder and delete any file with a .failed extension, for example, apeonserver.ear.failed.

Step 2: Clean up the temporary files under the %JBOSS_HOME%\standalone\tmp\ folder.

Step 3: Restart JBoss server.

5.2.4 "Remote connection failed: java.io.IOException: Message data for non-existent channel"

After you operated on the Transaction Object page in AEM, for example, you clicked the link of the application name or the Update or Test button on the Transaction Object page, you will find the following error displayed in the JBoss console or the JBoss server log file. This is a bug in JBoss AS 7.0.2 (for more, please see <http://community.jboss.org/message/641888#641888>). However, this error will not have any impact to Apeon Server, therefore, you can simply ignore it if you confirmed that this error occurs only after you operate on the **AEM > Transactions > Transaction Objects** page.

```
00:40:53,301 INFO [org.xnio.nio] (pool-4-thread-1) XNIO NIO Implementation
Version 3.0.0.Beta3
00:40:55,219 ERROR [org.jboss.remoting.remote] (XNIO NIO Read 1) JBREM00200:
Remote connection failed:
java.io.IOException: Message data for non-existent channel
00:41:06,290 ERROR [org.jboss.remoting.remote] (XNIO NIO Read 5) JBREM00200:
Remote connection failed:
java.io.IOException: Window open for non-existent channel
00:41:06,606 ERROR [org.jboss.remoting.remote] (XNIO NIO Read 6) JBREM00200:
Remote connection failed:
java.io.IOException: Window open for non-existent channel
00:41:17,287 ERROR [org.jboss.remoting.remote] (XNIO NIO Read 8) JBREM00200:
Remote connection failed:
java.io.IOException: Window open for non-existent channel
```

5.2.5 AEM cannot access WebSphere data sources when global security is on


If the global security mode is turned on in WebSphere, AEM will not be able to access the WebSphere data sources.

Solution: You can take the following steps to work around the problem.

Step 1: Go to the %user.install.root%\properties directory (%user.install.root% indicates the WebSphere instance installation directory, for example, C:\Program Files\IBM\WebSphere\AppServer\profiles\AppSrv01\), open the sas.client.props file in text editor, and modify the following three properties:

- com.ibm.CORBA.loginUserid: set to the WebSphere account username.
- com.ibm.CORBA.loginPassword: set to the WebSphere account password.
- com.ibm.CORBA.securityServerPort: set to the WebSphere IOP port, if it is not the default port 2809. This port number is modified by using the BOOTSTRAP_ADDRESS property in the WebSphere console (as shown below).

Figure 5.15: WebSphere console



Step 2: Save changes in sas.client.props and then restart WebSphere.

Note: After making the above changes, everytime when a data source is created, you will need to restart WebSphere so the new data source is accessible to AEM.

If the global security mode is turned off, you will need to remove settings of com.ibm.CORBA.loginUserid and com.ibm.CORBA.loginPassword from the sas.client.props file.

5.2.6 Appeon Server is dead when dynamically creating a DataWindow

When dynamically creating a DataWindow, the CPU usage in server reaches 100% and the server cannot respond unless it is restarted. The log file records nothing after the message: "[com.appeon.server.command.DynamicDWCommand (execute)] Begin to parse and syntax from sql-statement".

Cause: The Appeon stored procedure "sp_appeon_syntaxfromsql" has a parameter "tableColumnList" with a value of "varchar(4000)", which limits the total length of all

columns to 4000 characters. If the total length exceeds this limit, the stored procedure will be trapped in an endless loop.

Solution:

1) Open the "install_appeon_syntaxfromsql_XXX" file at %appeonserver%\sql\dynamicsql, and locate the following lines of script:

```
create procedure dbo.sp_appeon_syntaxfromsql(  
@tableColumnList varchar(4000),  
@tableList varchar(2000),  
@extraList varchar(40)='1' )
```

2) Set the "tableColumnList" parameter to a proper value, such as "varchar(8000)".

5.2.7 Appeon Server responds to user requests slowly

It takes time to compile at Appeon Web application startup. However, during application runtime, it seems that Appeon Server still responds slowly.

Cause A: An excess of temporary files or very large Appeon log files can slow down Appeon Server's performance.

Solution A: Follow the steps below to fix the problem:

Step 1: In AEM, open **AEM Console > Server > Logging**, and then check whether the **Never replace log files** option is checked. If it is checked, go to the log file directory: \Appeon\Developer2016\Project\ApplicationName\Debug(or Release)\Log\ and manually delete the large log files.

Step 2: Clean up all temporary files in **AEM Console > Server > Resources > Maintenance**.

Cause B: A large number of dead sessions or transactions will consume server resources, and affect performance.

Solution B: Kill the dead sessions and roll back the dead transactions in **AEM Console > Server > Sessions > Active Transactions**.

5.2.8 AEM cannot interface with a particular Appeon Server

Unable to connect to a desired Appeon Server with AEM.

Cause: The Appeon Server has not been added into the Appeon Server Cluster in AEM or has not been configured correctly.

Solution: Follow the steps below to fix the problem.

Step 1: Verify that Appeon Server has been added to the Appeon Server cluster in **AEM Console > Server > Resources > Cluster**.

Step 2: Verify the correct IP Address or Machine Name of the Appeon Server has been entered.

- Use the actual machine name instead of "localhost" for Machine Name.
- In EAServer Manager, choose **EAServer Manager > Servers > AppeonServerName > Listeners**, and verify that an HTTP (or HTTPS) listener profile has been added with "Hostname" set as the IP address or machine name of the Appeon Server.

5.2.9 "Failed to load the remote interface" error

After Appeon Server is installed and started, AEM cannot start, and the Internet Explorer gives the error "Page not found". When launching an Appeon demo application, the Internet Explorer gives the error "Failed to load the remote interface". In Jaguar.log, you will get the error "Unable to service requests for servlet".

Cause: EAServer is corrupt and cannot support the running of servlets.

Solution: Uninstall Appeon Server and EAServer, remove the %JAGUAR% folder completely, and then reinstall EAServer and Appeon Server.

5.2.10 JDBC/ODBC TDS data type discrepancy on SQL Anywhere

With an SAP ASA/SQL Anywhere database using JDBC, the date, time, and TimeStamp data types are treated as one DateTime data type.

Cause: ASA/SQL Anywhere does not distinguish date, time, and TimeStamp for JDBC - this is an unsupported feature. However these data types are fully supported for other database interfaces, such as ODBC. SAP recommends using the provided iAnywhere or a JDBC-ODBC bridge to work around this TDS unsupported feature where JDBC is required.

Solution: Use the iAnywhere JDBC bridge driver supplied with SAP ASA/SQL Anywhere 8.0.2 and above. Make sure you apply the latest EBF for the driver so that the latest bug fixes are installed. Although the SUN JDBC-ODBC bridge driver can also be used to resolve this issue, the iAnywhere JDBC driver is highly recommended since it is designed to provide optimal performance and stability with SAP databases and Appeon Server.

5.2.11 Empty/Null value update error if SQL Anywhere/ASE

If the Web application uses an SAP Adaptive Server Enterprise (ASE) database or an ASA/SQL Anywhere database that is set as ASE-compatible, database updates may fail.

Cause: If the length is 0 or the value of the data is NULL for any data in a database table where the data is of a string type, such as varchar or char data type, the data retrieved from the database through a JDBC driver will have a length greater than 0. Rather than a null value, the data returned will be padded with a series of spaces. As a result of this padding, the database update will fail.

Solution: You can work around this issue in one of two ways:

1. For SAP ASA/SQL Anywhere and ASE databases, Appeon recommends that you do not use a Native-protocol/all-Java JDBC driver. There are a number of JDBC-ODBC bridge drivers that can be used, such as those from SUN or the iAnywhere driver. However, iAnywhere is one of the best performing and most stable bridge drivers available.
2. For SAP ASA/SQL Anywhere, if it is preferential to use a JDBC driver, you will need to adjust the database accordingly. Change the SQL Anywhere database setting so it is set to be incompatible with ASE.

5.2.12 Web application does not run when the database is disconnected by exception

When the database is disconnected by exception, the Web application stops working. Closing and re-opening the application does not fix the problem.

Cause: When the database is disconnected by exception, the status of the data source to the database remains connected in EAServer. When the application is restarted, EAServer will not try to reconnect the database.

Solution: Any of the following operations should resolve the problem.

1. Restart EAServer
2. Refresh the relevant data source using EAServer Manager

5.2.13 "Table or view not found" error

Fail to open the window that contains DataWindows with DB connection.

Causes A: The database does not contain the table mentioned in the error message.

Solution A: Search the table in the database and make sure the table does exist.

Cause B: The configuration for the database connection is incorrect.

Solution B: To solve the problem, verify that you have done all the following configuration steps correctly on Appeon Server machines, Appeon Developer machines, and the Client machines that plan to run the Web application. Please pay special attention to step 1, 4, and 8.

Configurations on Appeon Server machines:

Step 1: Set up a data source for connecting to the application database. Make sure the data source can be pinged successfully.

Step 2: Start the server.

Configuration on Appeon Developer machines

(You can refer to Appeon Developer User Guide for details of the following steps):

Step 3: Load the POWERBUILDER application in PowerBuilder 9 and make sure the full build of the application is successful.

Step 4: Configure an application profile in the Appeon Developer Configuration window. In this configuration, make sure the application DB profile is configured correctly.

Step 5: Configure an Appeon Server profile in the Appeon Developer Configuration window, which connects to "tmk.starshoes.com.mx". Make sure the testing connection is successful.

Step 6: Configure a Web Server profile in the Appeon Developer Configuration window, which connects to the server that you installed "Appeon Server Web Component" too. Make sure the testing connection is successful.

Step 7: Configure a deployment profile in the Appeon Developer Configuration window, which connects to the configured Appeon Server profile and Web Server profile.

Step 8: Access to Appeon AEM via the AEM button in the Appeon Developer toolbar, and set up the transaction object to data source mapping.

Step 9: Deploy your application with the Appeon Deployment Wizard.

Configurations on client machines that runs the Web application:

Step 10: Delete all the temporary files stored in Internet Explorer cache.

Step 11: Delete the Xcelerator plug-in that has been downloaded to the client: delete the files at \WINNT\Downloaded Program Files (Windows 2000) or \WINDOWS\Downloaded Program Files (Windows 2003).

Step 12: Verify the Internet Explorer security settings: for the appropriate zone in the Internet Explorer Security, make sure the security is set to default.

5.2.14 "Table already exists" error

When you execute the SQL file from Appeon using database tools, an error message may pop up saying, "Table already exists".

Cause: The SQL file from Appeon will create five PowerBuilder System Tables: pbcacol, pbcatedt, pbcatfmt, pbcattbl, and pbcavld. If the five tables already exist, the error message will display.

Solution: s Appeon rebuilds the PowerBuilder System Tables to make sure the stored procedures from Appeon Server will be successfully created. You can click No on the message window to use the original system tables, or click Yes to rebuild these tables. Your choice will not affect the execution result.

5.2.15 Appeondb is not started when EAServer starts

After the Appeon Server installation, start EAServer/Appeon Server. EAServer/Appeon Server starts successfully while Appeondb is not started.

Cause & Solution: Refer to [Cannot start EAServer Manager](#).

5.2.16 Fail to ping appeondb data source


When pinging the appeondb data source, no connection is made.

Cause: Pinging appeondb fails because the data source is not configured correctly.

Solution: Follow these steps below to fix the problem.


Step 1: Verify that the Appeondb system DSN exists in the ODBC Data Source Administrator (**Control Panel > Administrative Tools > Data Sources (ODBC)**).

Figure 5.16: ODBC Data Source Administrator



Select **Configure** to open the data source configuration window.

Figure 5.17: Configure data source



Note: ApeonServer.db applies an encrypted password. **Test Connection** on the ODBC tab will not be successful since the encrypted password is not available in Data Source Configuration.


Verify that the Apeondb data source configuration is the same as follows.

- Verify the Apeondb Login (User ID: apeon; Password: *empty*).

Figure 5.18: Configure user ID and password


- Verify the Appeondb Database (Database file: the full path to %JAGUAR%\appeon\db\AppeonServer.db).

Figure 5.19: Configure the database



Step 2: Right-click the appeondb data source in EAServer Manager and select "Properties" to open the Connection Cache Properties window.


Figure 5.20: Select Properties




Verify the properties for the apeondb data source.

- Verify the configuration on the General tab (Server Name: jdbc:odbc:ApeonDB; User Name: apeon). Make sure that the password keeps the default setting. If you have modified the Password, the apeondb data source will not work and you will have to reinstall Apeon Server to restore the default password.

Figure 5.21: Configure general information



- Verify the configuration on the Driver tab. Select JDBC and specify the driver string as sun.jdbc.odbc.JdbcOdbcDriver.

Figure 5.22: Configure Driver

Step 3: Right-click the appeondb data source in EAServer Manager and select "Ping" to test the database connection again.

5.2.17 Fail to ping appeonsample data source


When pinging the appeonsample data source, no connection is made.

Cause: Ping of appeonsample fails because the data source is not established correctly.

Solution: Follow the steps below to fix the problem.


Step 1: Verify that the AppeonSampleForServer system DSN exists in the ODBC Data Source Administrator (Windows **Control Panel** > **Administrative Tools** > **Data Sources (ODBC)**).

Figure 5.23: System DSN



Select **Configure**, and click **Test Connection** on the **ODBC** tab to check ApeonSampleForServer connectivity.


Figure 5.24: Check the data source



If the Apeondb data source does not exist or the connection test fails, try to manually add/configure the data source.


- Configure the Apeondb Login (User ID: dba; Password: sql).

Figure 5.25: Configure user ID and password




- Configure the AppeonSampleForServer Database.

Figure 5.26: Configure database



Step 2: Verify that the appeonsample data source exists in EA Server Manager.


Figure 5.27: Select Properties




Right-click the appeonsample data source and select "Properties" to open the Connection Cache Properties window.

- Check the configuration in the General tab (Server Name: jdbc:odbc:AppeonSampleForServer; User Name: dba; Password: sql).

Figure 5.28: Configure general information



- Check configuration in the Driver tab, and verify that the same settings are used. Select JDBC and specify the driver string as "sun.jdbc.odbc.JdbcOdbcDriver".

Figure 5.29: Configure Driver

Step 3: Right-click the apeonsample data source in EA Server Manager and select "Ping" to test the database connection again.

5.2.18 Fail to ping data sources for SQL Server 2000

Cause A: The data source is not configured to use MS SQL Server Native Driver.

Solution A: Use MS SQL Server Native Driver for this application.

Cause B: The Database Host is incorrectly specified.

Solution B: Use Localhost, IP Address and machine name as the input parameter for the "Database Host".

Cause C: The SQL Server database is not updated.

Solution C: Upgrade to SQL Server 2000 SP3 or above. The latest Service Pack (SP4) for SQL Server is available at <http://www.microsoft.com/downloads/details.aspx?familyid=8e2dfc8d-c20e-4446-99a9-b7f0213f8bc5&displaylang=en>.

5.2.19 "com.sybase.jaguar.util.JException: [Microsoft][SQLServer 2000 Driver for JDBC]Error establishing socket."

Cannot get connection for cache and display the error message "com.sybase.jaguar.util.JException: [Microsoft][SQLServer 2000 Driver for JDBC]Error establishing socket".

Cause: The driver from Microsoft cannot handle windows integrated authentication.

Solution:

Step 1: Make sure that SQL Server is set to mixed authentication. To do this, open enterprise manager, right click on server/properties.

Step 2: Keeping the server properties dialog up, go to the general tab and push the network configuration button. Enable TCP/IP (it is disabled by default).

Step 3: Add an SQL Server login account (not a Windows account).

Step 4: Use the login setup in Step 3.

You can find detailed information from the following Website: <http://support.microsoft.com/default.aspx?scid=kb;en-us;313178>

5.2.20 "java.sql.SQLException:[Microsoft][ODBC SQL Server Driver]Connection is busy with results for another hstmt" Error when using the Microsoft SQLServer database

The data source can be pinged successfully. The DataWindows cannot open when you run the application on the Web. The error messages "java.sql.SQLException:[Microsoft][ODBC SQL Server Driver]Connection is busy with results for another hstmt" displays on the Web.

Cause: Use the JDBC-ODBC bridge driver when setting up the data source for Microsoft SQL Server.

Solution: Use the JDBC driver:

1. Before you configure a JDBC data source, there are a few preparations that need to be done. Refer to Section 4.2.4, "JDBC driver preparation" in *Appeon Server Configuration Guide for J2EE*.
2. If you change any setting of the data source, restart EAServer to apply the changes.

5.2.21 Error converting data type varchar to datetime

If the output parameter of a stored procedure is varchar, when the variable of the datetime type calls the parameter, the following error message displays in the SQLCA Information: "Error converting data type varchar to datetime".

Cause: The varchar parameter fails to be converted to datetime, because the parameter length is too short in the database; for example, varchar(10).

Solution: Modify the code.

Call the varchar parameter with a string variable.

5.2.22 "ORA-01461" error in AEM when test a data source

Failed to test the data source in AEM and prompted with "ORA-01461 error".

Cause: This is an oracle JDBC driver error.

Solution: Update to the latest driver released in Oracle Web site.

5.2.23 "oracle 9i failed: System.Data.OracleClient requires Oracle client software version 8.1.7 or greater"

Failed to test the data source in AEM and prompted with the error messages "oracle 9i failed: System.Data.OracleClient requires Oracle client software version 8.1.7 or greater".

Cause: Oracle 9i Client software requires that the login user have the Authenticated User privilege to the Oracle Home in the client hosting machine.

Solution: You can follow the instruction below to finish the right grant:

Step 1: Login to Windows as a user with Administrator privileges.

Step 2: Launch Windows Explorer from the Start Menu and navigate to the ORACLE_HOME folder. This is typically the "Ora9i" folder under the "Oracle" folder (i.e. D:\Oracle\Ora9i).

Step 3: Right-click on the ORACLE_HOME folder and choose the "Properties" option from the drop down list. Then the Properties window should appear.

Step 4: Click on the Security tab of the Properties window.

Step 5: Click on Authenticated Users item in the Name list.

Step 6: Uncheck the Read and Execute box in the Permissions list under the Allow column.

Step 7: Re-check the Read and Execute box under the Allow column (this is the box you just unchecked).

Step 8: Click the Advanced button and in the Permission Entries list make sure you see the Authenticated Users listed there with:

Permission = Read & Execute

Apply To = This folder, subfolders and files

Double check the Apply onto drop-down box and make sure it is set to This folder, subfolders and files.

Step 9: Click the **OK** button until you close out all of the security properties windows. The cursor may present the hour glass for a few seconds as it applies the permissions you just changed to all subfolders and files.

Step 10: Reboot your computer to assure that these changes have taken effect.

5.2.24 Procedure 'appeon_procdatabjects' not found

Web application cannot run properly on the Web and the "Procedure 'appeon_procdatabjects' not found" error is reported in AppeonServer log file.

Cause: A possible cause of the error is you configured DataWindow data cache in AEM but forgot to execute corresponding SQL to make this feature take effect.

Solution: Execute the corresponding SQL according to the instructions in Section 5.4.8.3, "DataWindow Data Cache" in *Appeon Server Configuration Guide for .NET* or in *Appeon Server Configuration Guide for J2EE*.

5.2.25 EAServer 6.x startup error

The following errors occur when starting EAServer 6.x from the DOS mode.

Figure 5.30:

```

default(jdk1.5)
    at com.appeon.Server.run(Server.java:252)
    at com.appeon.server.controller.ThreadWrapperImpl.run(ThreadWrapperImpl.
java:22)
    at java.lang.Thread.run(Thread.java:595)
log4j:ERROR Ignoring configuration file [F:\Program Files (x86)\Sybase\EAServer6
\bin\..\appeon\repository\testamd64b\config\log4j.properties].
log4j:WARN No appenders could be found for logger (com.appeon.server.services.co
nfigassistant.ConfigAssistantServiceUtils).
log4j:WARN Please initialize the log4j system properly.
Appeon Server started. Version 6.0.0231.00 on 2008-04-30
Accepting Connections: http://testamd64b:8000
Accepting Connections: https://testamd64b:8001
Accepting Connections: https://testamd64b:8002
Accepting Connections: http://localhost:9988
Server Started
The Management Console can be accessed at http://testamd64b:8000/console
The Management Console can be accessed at https://testamd64b:8001/console
java.lang.NullPointerException
    at com.appeon.server.config.ServerConfigFacade.acquireLogDestination(Ser
verConfigFacade.java:412)
    at com.appeon.server.config.AppeonConfig.getLogDestination(AppeonConfig.
java:262)
    at com.appeon.server.log.Log.getLogParentPath(Log.java:515)
    at com.appeon.server.log.Log.initExceptionWriter(Log.java:85)
    at com.appeon.server.log.Log.<clinit>(Log.java:63)

```

Cause: More than one EAServer 6.x instance is running, and the port that Appeon requires is occupied by the running instance, this causes Appeon Server to fail to generate the complete configuration file during startup.

Solution: Please go to {EAServer6}\appeon\repository\{instance_name}\config folder and verify that it contains the following 10 files:

aem-config.xml

aem-mapping.xml

appeoncache.conf

applications-config.xml

cluster-config.xml

threadqueue.xml

server-config.xml

mapping.xml

log4j.properties

cluster-mapping.xml

If any of the above files is missing, please delete the entire {EAServer6}\appeon\repository\{instance_name}\ folder (including files in it) and start EAServer again.

5.2.26 Fail to start Appeon Server on JEUS

Appeon Server cannot be started at the first time.

Cause: The JEUS server is not correctly configured.

Solution:

Step 1: Make sure the node is successfully booted, as shown in the following figure. In the JEUS Web Manager, select the node name in the **JEUS Node Tree** pane, and then click **Control** on the right pane. Select the node name check box in the Boot tab and click **OK**.

Figure 5.31: JEUS Manager - Control






Figure 5.32: Prompt message



Step 2: Make sure the Engine Container is on Running status via clicking the *node name* > **Engine Containers**.

Figure 5.33: Engine Container



5.2.27 Status Monitor exits after restarting Apeon Server for WebLogic in Linux

In Linux environment, when Apeon Status Monitor detects that Apeon Server for WebLogic shuts down, it will restart Apeon Server for WebLogic, but it can only restart Apeon Server for only one time, after that, Status Monitor will stop running, and cannot restart Apeon Server for WebLogic when it shuts down again.

Cause: It is a bug of Apeon Status Monitor.

Solution: Modify the \$apeon/bin/apeonserverstart.bat file, by changing script


```
"$WEBLOGIC/startWebLogic.sh"
```

To

```
gnome-terminal -e "$WEBLOGIC/startWebLogic.sh"
```

5.2.28 The data source test will fail if the Shared memory is checked


If you are running a SQL Anywhere network server engine (for example, using dbsrv11.exe or running a network service), then the ODBC DNS cannot have **Shared memory** checked or else the data source test will fail.

Figure 5.34: Shared memory caused error

Solution: Uncheck the **Shared memory** checkbox on the **Network** tab.

5.2.29 "Library used incorrectly" error

The "Library used incorrectly No transaction is active on this connection" error occurs when performing an update to the apeondb database in the Web application (such as calling SetProfileString to write INI settings to apeondb).

Figure 5.35: Error

And the following message is recorded in the `appeonerror.log` file.

```
2014-05-13 17:58:27.274 : Library used incorrectly
No transaction is active on this connection
System.Data.SQLite.SQLiteTransaction.IsValid(Boolean throwError)
System.Data.SQLite.SQLiteTransaction.Rollback()
Appeon.ApplicationDB.DataAccess.AddInit(Int32 id, String applicationName, String
content)
Appeon.Server.Commands.SaveRegistryIniFileCommand.Execute()
```

Cause: The hard drive where Appeon Server is installed is running out of disk space, which causes Appeon Server to fail to write to the `appeondb` database.

Solution: Free up the hard drive space to have at least 500 MB available space and then restart Appeon Server.

5.3 Appeon Server Cluster

5.3.1 Loading application is slow when Appeon Cluster works in virtual machines

After configuring the Appeon Server cluster to work in virtual machines, it is very slow to open the Web application from the Web Server.

Cause:

When receiving the requests from the client, the Web Server needs to search for the available application servers. During this time if one of the application servers is shut down, then the Web Server will not search for the next application server until the session times out.

Solution A (Recommended):

We strongly recommend clustering Appeon Server across physical machines instead of virtual machines, because physical machine is more stable and faster in performance and network communication.

Solution B:

If Appeon Server cluster must work in virtual machine, please check and make sure all application servers are turned on.

5.3.2 Retrieving data is slow when Appeon Cluster works in virtual machines

After configuring the Appeon Server cluster to work in virtual machines, it is very slow to retrieve data from the database.

Cause: The slowness is caused by the network card "Broadcom" installed to the host server and used by the host server to communicate with the virtual machines.

Solution A (Recommended):

We strongly recommend clustering Apeon Server across physical machines instead of virtual machines; this can avoid communication between the host server and the virtual machines.

Solution B:

Step 1: Change the network card of the host server from Broadcom to Realtek, such as Realtek PCIe GBE Family.


Step 2: (Optional) Disable the "Large Send Offload" property (if available) to further improve the network card performance. This property is available for certain network cards only, not all. See below for detailed steps.

Step 3: (Optional) Change the network card type of the virtual machine to "AMD PCNet Family" to gain further improvements. See below for detailed steps.


To configure the "Large Send Offload" property, follow steps below:

1) In the **Local Area Connection Properties** window, select **Client for Microsoft Networks**, and then click the **Configure** button.

Figure 5.36: Local Area Connection Properties



2) Click the **Advanced** tab, select **Large Send Offload V2 (IPv4)** and set its value to Disabled, and then disable **Large Send Offload V2 (IPv6)** in the same way.

Figure 5.37: Advanced tab

To change the network card type of the virtual machine to "AMD PCNet Family" follow steps below:


For VMWARE 6 and earlier versions:

- 1) Open the .vmx file under the directory which has the virtue machine installed.
- 2) Modify the value of ethernet0.virtualDev to "vlance" ethernet0.virtualDev=" vlance"; or directly delete this parameter.

For VMWARE 7 and later versions:

- 1) Open the .vmx file under the directory which has the virtual machine installed.
- 2) Add all parameters related to ethernet[n] and pciBridge[n], except ethernet[n].generatedAddress. You may need to refer to the .vmx file of VMWARE 6 (as shown below) to find out all the related parameters.

Note: Please do not copy ethernet[n].generatedAddress, because it is used for defining the MAC address.

Figure 5.38: Copy address

```
Windows Server 2003 Enterprise Edition_vmware6.vmx - Notepad
File Edit Format View Help
config.version = "8"
virtualHW.version = "6"
scsi0.present = "TRUE"
scsi0.virtualDev = "lsilogic"
memsize = "384"
scsi0:0.present = "TRUE"
scsi0:0.fileName = "windows Server 2003 Enterprise Edition.vmdk"
ide1:0.present = "FALSE"
ide1:0.fileName = "auto detect"
ide1:0.deviceType = "cdrom-raw"
floppy0.autodetect = "TRUE"
ethernet0.virtualDev = "e1000"
ethernet0.present = "TRUE"
ethernet0.wakeOnPcktrcv = "FALSE"
usb.present = "FALSE"
ehci.present = "TRUE"
sound.present = "FALSE"
sound.fileName = "-1"
sound.autodetect = "TRUE"
svga.autodetect = "TRUE"
pciBridge0.present = "TRUE"
mks.keyboardFilter = allow
displayName = "windows Server 2003 Enterprise Edition"
guestOS = "winnetenterprise"
nvram = "windows Server 2003 Enterprise Edition.nvram"
deploymentPlatform = "windows"
virtualHW.productCompatibility = "hosted"
tools.upgrade.policy = "useGlobal"

floppy0.present = "FALSE"

isolation.tools.hgfs.disable = "TRUE"

ethernet0.addressType = "generated"
uuid.location = "56 4d c5 88 59 16 8c 1c-e2 c7 36 50 a0 18 53 f4"
```

6 Troubleshooting PowerBuilder and EA Server

This section contains information about PowerBuilder and EA Server issues that may typically occur when using them with Appeon. If you cannot resolve the problem with this troubleshooting guide, please contact technical support at <http://www.appeon.com/support>.

6.1 PowerBuilder issues

6.1.1 Nested reports over five pages do not display

Nested reports longer than five pages cannot be displayed in DataWindows in the deployed Web application.

Cause: A PowerBuilder limitation.

Solution: SAP recommends that you view/print the nested reports longer than five pages in PDF format.

6.1.2 Upgrading to a different Build of PowerBuilder

When updating the PowerBuilder version to another Build, objects in the original PowerBuilder application occasionally fail to be automatically migrated to a new Build.

Cause: A PowerBuilder limitation.

Solution: Perform a "Full Build" on existing PowerBuilder applications after a Build upgrade has been made to PowerBuilder.

6.1.3 Data range issue with n-Tier NVOs

If the data used in the PowerBuilder NVO is beyond the range that the corresponding Java code can support, there will be errors when it is deployed to the Web.

Cause: PowerBuilder NVOs and the generated Java components support different data ranges. For example, in PowerBuilder, the supported range for an Unsigned Integer is 0-65,535, whereas the corresponding Java component will only support a range no larger than 32,767.

Solution: Use a different data type, or keep the data value within the scope that both PowerBuilder and Java support.

6.2 EA Server issues

6.2.1 java.io.IOException: Keystore was tampered with, or password was incorrect

When starting EA Server, an error occurs: java.io.IOException: Keystore was tampered with, or password was incorrect.

Solution: Go to %JAGUAR%\Repository\Instance\com\sybase\djcs\server\ApplicationServer, for example, C:\Program Files\Sybase\EA Server6\Repository\Instance\com\sybase\djcs\server\ApplicationServer, open the instance properties file (for example, EA Server.properties) in a text editor, and change the password from * to changeit. There are two areas that should be changed, as shown in the bold text below.

```


#Instance Properties
#Fri Feb 14 13:33:05 CST 2015
keyStorePassword=changeit
systemExcludeModules=none
httpListeners=http1,https1,https2,apeon_http
startResources=none,com.sybase.djc.sql.DataSource\test2
createTables=true
iiopListeners=iiop1,iiops1,iiops2,apeon_iiop
scheduledTasks=AutoDeploy,AutoRefresh,CheckMemoryUsage,LocalRestart,LocalStop
rmiListeners=rmi
excludeModules=none
keyStore=${djc.home}/Repository/Security/keystore.jks
jtdsListeners=jtds
trustStore=${djc.home}/Repository/Security/truststore.jks
ant.project=default-application-servers
startModules=all
serviceComponents=ConnectorWorkManager,HelpServer,MBeanServer,JaguarServer
trustStorePassword=changeit
createTablesOnInit=true

```

6.2.2 "License error: 10999 ..." when starting Apeon Server in 64-bit OS

After installing Apeon Server to EA Server running on 64-bit OS, the following error occurs when Apeon Server starts.

Figure 6.1: License error



```

선택 Start Server (jdk 1.6)
HTTP Listeners: http://STAT:8000,https://STAT:8001,https://STAT:8002,http://loca
lhost:9988
IIOP Listeners: iiop://STAT:2000,iiops://STAT:2001,iiops://STAT:2002,iiop://loca
lhost:9989

Starting services...
Accepting Connections: iiop://localhost:9989
Accepting Connections: iiop://STAT:2000
Accepting Connections: iiops://STAT:2001
Accepting Connections: iiops://STAT:2002
The Statistics URL is http://STAT:8000/wsh/run?command=get-statistics
The Management Console can be accessed at http://STAT:8000/console
The Management Console can be accessed at https://STAT:8001/console
Accepting Connections: http://STAT:8000
Accepting Connections: https://STAT:8001
Accepting Connections: https://STAT:8002
Accepting Connections: http://localhost:9988
Accepting Connections: jtds://STAT:2005
Server Started
Apeon Server started. Version 6.5.0161.00 on 2010-11-11

Apeon Server <6.5.0161.00 edition> failed.

License Error: 10999:Internal error. Please contact the system administrator.

```

Cause A & Solution A: Same as the error "[Cannot find the language resource file \(dblgzh11.dll, dblgen11.dll\)](#)".

Cause B: EA Server is not running in 64-bit mode.

Solution B: See below for how to configure and run EA Server 6.x on a 64-bit OS.

Step 1: Download and install the 64-bit version of JDK.

1. Download `jdk-1_5_0_15-windows-amd64.exe`.
 1. Go to http://java.sun.com/products/archive/j2se/5.0_15/index.html.
 2. Click "Download JDK", and then click "Yes".
 3. Select "Windows x64" platform.
 4. Select "I agree to the Java Development Kit 5.0 Update 15 License Agreement" to continue.
 5. Click "`jdk-1_5_0_15-windows-amd64.exe`" and save the file.
2. Download `jdk-6u10-rc2-bin-b32-windows-amd64-12_sep_2008.exe`.
 1. Go to <http://java.sun.com/javase/downloads/ea/6u10/6u10rcDownload.jsp#6u10JDKs>.
 2. Click "`jdk-6u10-rc2-bin-b32-windows-amd64-12_sep_2008.exe`" and save the file.
3. Install JDK by running the downloaded file: `jdk-1_5_0_15-windows-amd64.exe`, and `jdk-6u10-rc2-bin-b32-windows-amd64-12_sep_2008.exe`

Suppose the installation directory is `%Sybase%\shared\jdk-1_5_0_15`, and `%Sybase%\shared\jdk-1_6_10`.

Step 2: Configure the JDK location in `set-java-home.bat` (or `set-java-home.sh` in UNIX). For example,

```
set DJC_JAVA_HOME_15=%Sybase%\shared\jdk-1_5_0_15
```

or

```
set DJC_JAVA_HOME_16%Sybase%\shared\jdk-1_6_10 3.
```

Step 3: Configure the maximum or minimum heap size in `djc-set-env.bat` (or `djc-set-env.sh` in UNIX). For example,

```
set DJC_JVM_MAXHEAP=1024M
set DJC_JVM_MINHEAP=256M
```

Step 4: If you will always run EA Server in 64-bit mode, set up these flags in `local-setenv.bat` (or `local-setenv.sh` in UNIX). For example,

```
DJC_RT_DEFAULT=15
DJC_JDK_DEFAULT=15
DJC_ARCH_64=true
```

To use JDK 1.6, replace "15" with "16".

Step 5: Start EA Server using the `-arch64` flag. For example,

```
run-server.bat -jdk15 -rt15 -arch64 -jvmtype server
run-server.sh -jdk15 -rt15 -arch64 -jvmtype server (UNIX)
```

or

```
run-server.bat -jdk16 -rt16 -arch64 -jvmtype server
run-server.sh -jdk16 -rt16 -arch64 -jvmtype server (UNIX)
```

6.2.3 Errors occur when calling n-Tier application of EAServer with 64-bit JDK

In the following environment: EAServer 6.3.1.04 with 64-bit JDK + PB 11.5.1 Build 4011, when calling the n-tier application in PB, the ConnectToServer and CreateInstance functions return correct values, but when calling the NVO function, the following error occurs.

```
Error: CORBA System Exception: CORBA_UNKNOWN at line 19 in clicked event of object
cb_1 of w_main.
```

When user runs the "N-Tier Support" feature in the Apeon Code Example demo, the following error occurs.

```
Error -1
Execute component failed. Error message =
java.lang.reflect.InvocationTargetException.
```

Cause: PBVM and component do not support 64-bit Java server.

Solution: Uninstall Apeon Server and EAServer, then install EAServer with 32-bit JDK, and install the 32-bit version of Apeon for PowerBuilder. When installing EAServer, you will be offered to install JDK or use an existing local JDK. If you select to install JDK from EAServer, it will be a 32-bit JDK.

6.2.4 "Cannot find the language resource file (dblgzh11.dll, dblgen11.dll)"

On a 64-bit machine, when starting the 64-bit EAServer which will then automatically start SAP ASA/SQL Anywhere, you receive an error related with SAP ASA/SQL Anywhere "Cannot find the language resource file (dblgzh11.dll, dblgen11.dll)."

Cause: The error is caused by a bug in EAServer. The SAP ASA/SQL Anywhere installed by EAServer has an extra sub-folder called client\lib32, and some DLL files (such as dblgzh11.dll, dblgen11.dll) were placed to this folder instead of the \win32 folder (\win32 is where files are normally placed by the SAP ASA/SQL Anywhere independent setup program). However, when EAServer is starting, it calls files under \win32, not under client\lib32, when it cannot find files under \win32, it reports the error.


Solution: Copy the DLL files from the \ASA110\client\lib32 folder (not \lib64 folder, though \lib64 folder also exists, but copying files from it cannot resolve the error) to the \ASA110\win32 folder.

6.2.5 "Connection failed:..." error when installing EAServer in a 64-bit OS

When installing EAServer 6.3.1 in a 64-bit Windows 2008 OS, error occurs: "Connection failed: dbicu libraries are required but not installed" or "Connection failed: Cannot convert between requested character sets 'GBK' and 'UTF-8'".

Figure 6.2: dbicu libraries error



Figure 6.3: Character error

Solution: Add the following two values to the Path environment variable: %JAGUAR%\ASA110\client\lib32; %JAGUAR%\ASA110\client\lib64.

6.2.6 Cannot start EAServer Manager

Fail to start EAServer Manager.

Cause: EAServer Manager will not start when the CLASSPATH and/or PATH system environment variables are too long. The EAServer batch files (serverstart.bat, jagmgr.bat, etc.) configure the CLASSPATH environment variable. The Appeon installation program adds several entries to these path variables, which can make it too long for EAServer Manager to handle on some system configurations. When the CLASSPATH variable is over 260 characters, the batch files may fail, preventing EAServer Manager from starting properly.

Solution: There are three workarounds, the user can select one:

1. Usually the EAServer installation path is "C:\Program Files\Sybase\EAServer". If the path is shortened (for example, "D:\EAServer"), the CLASSPATH variable length will be reduced.

2. Use the Control Panel to edit the user and system CLASSPATH variables, and remove unnecessary entries:

Step 1: In Windows launch System Properties from the Control Panel and navigate to the Advanced tab.

Step 2: Click **Environmental Variables**, and find the CLASSPATH variable.

Step 3: Edit the CLASSPATH variable and reduce the length of the string to less than 260 characters.

It is recommended that you backup the Variable Value for the CLASSPATH before modifying the variable, as this allows you to restore it later.

Step 4: Restart the computer.

3. Create a batch file for setting the CLASSPATH to include the necessary classes:

Step 1: Create a batch file called user_setenv.bat in the EAServer bin directory (%JAGUAR%\bin). %JAGUAR% indicates the EAServer installation directory, for example, C:\Program Files\Sybase\EAServer\.

Step 2: In this file, set the CLASSPATH to include only those classes that you require and that are not added to CLASSPATH in EAServer batch files.

For more information, refer to SAP's *EAServer Troubleshooting Guide* available at <http://sybooks.sybase.com/nav/base.do>.

6.2.7 Starting EAServer fails

Unable to start EAServer.

Cause: The Message Service is configured in EAServer, but the message service database is not running.


Solution: Either start the message service database, or disable the message service. For more information, refer to the EAServer user documentation.

For more information, refer to SAP's *EAServer Troubleshooting Guide* available at <http://sybooks.sybase.com/nav/base.do>.

6.2.8 EAServer cannot start with the prompt that "the system 'admin' password has not yet been set"

Cause: You must set a valid password for EAServer 6.1, otherwise, errors will occur when EAServer 6.1 is started, because EAServer 6.1 does not allow null password.

Figure 6.4: System password error message



Solution: Take the following steps to set password for EAServer 6.1:


Step 1: Run the following command in the DOS window. Note %EAServer% stands for the installation path of the EAServer.

```
%EA Server%\bin\set-admin-password.bat
```

Step 2: Input a password that has at least six characters combining both letters and numbers.

Step 3: Make sure you get the following message saying that the password is set successfully, as shown in the following figure.

Figure 6.5: Password changed message



```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 5.2.3790]
(C) Copyright 1985-2003 Microsoft Corp.

C:\Documents and Settings\Administrator>"C:\Program Files\Appeon\EA Server\bin\set-admin-password.bat"
New Password:
Verify New Password:
The new password does not match the verification password.
Password not changed for username 'admin@system'.

C:\Documents and Settings\Administrator>"C:\Program Files\Appeon\EA Server\bin\set-admin-password.bat"
New Password:
Verify New Password:
Password changed for username 'admin@system'.

C:\Documents and Settings\Administrator>
```

6.2.9 "Create appeon component failed" error

None of the DataWindows can be retrieved successfully when running the Appeon demos. The error message is displayed as "Create appeon component failed".

Cause: Installing the XML option or EJB option for ASE sets a license restriction to EA Server. If the XML option or EJB option for ASE is installed, when EA Server is started, it shows "SAP Enterprise Application Server (ASE Edition)"; also the Imgrd.log file in the SySAM directory lists ASE_EJB as an included option.

Solution: Remove the ASE_XMLMGMT key from the SySAM license manager and then restart the manager.

6.2.10 Pinging data source fails when using the ASA/SQL Anywhere JDBC driver

A data source is created but fails to function and creates an error beginning with "Ping of Data Source failed;-". The database uses SAP ASA/SQL Anywhere; iAnywhere JDBC-ODBC Bridge Driver is used for the data source.

Cause: The ASA/SQL Anywhere JDBC driver and EA Server possibly fail to locate the dbjodbc8.dll file.

Solution: Follow the suggested steps to rectify your problem.

Step 1: Upgrade ASA/SQL Anywhere to ASA/SQL Anywhere 8.0.2 build 4361 or ASA/SQL Anywhere 9.

Step 2: Navigate to \Sybase\SQL Anywhere 8\java\jodbc.jar, and copy the jodbc.jar file to the %JAGUAR%\java\lib folder (Windows) or \$JAGUAR/java/lib (UNIX).

Step 3: Navigate to \Sybase\SQL Anywhere 8\win32\dbjodbc8.dll, and copy the dbjodbc8.dll file into the directory: \Sybase\Shared\jdkversion\ire\bin\. *Jdkversion* indicates which version of JDK is used, for example, jdk1.2.2_10, jdk1.3.1_06, or jdk1.4.1_03.

Step 4: Restart EA Server.

Step 5: (Assuming that ase_odbc is the data source which is set up in ODBC manager and used to connect to ASE database) The ServerName will be similar to "jdbc:odbc:dsn=ase_odbc"

For more information, refer to SAP's *EA Server Troubleshooting Guide* available at <http://sybooks.sybase.com/nav/base.do>.

6.2.11 Support for non-JDBC drivers

The Web application requires support for non-JDBC drivers.

Cause: Please refer to SAP's *EA Server Troubleshooting Guide* available at <http://sybooks.sybase.com/nav/base.do>.

Solution: Apeon Server uses JDBC. You can also use Apeon Server with ODBC through JDBC via the iAnywhere, Merant, and Sun drivers.

Apeon Server supports ASE & Oracle Native Drivers through n-Tier Apeon Server Components by simply:

Step 1: Create an ASE or Oracle Native Data Source.

Step 2: Code a POWERBUILDER NVO that connects to the Native Data Source.

Step 3: Pass an Apeon Server result set or returning arguments to the Client web application and back via the Apeon DataWindow/DataStore GetFullState, SetFullState, GetChanges, and SetChanges. In string format instead of BLOB format since JavaScript does not support the BLOB format.

For information about other possible solutions, refer to SAP's *EA Server Troubleshooting Guide*.

6.2.12 Failed to create new data sources

Failed to create a new data source in Sybase Management Console, typically prompted with the following error message "An error occurred while creating the new data source. Exception was:javax.management.MBeanException."

Cause: The JDBC driver configuration that you performed before the data source creation cannot automatically take effect if the EA Server is running as service.

Solution A: Use the foreground EA Server which runs in the console window.

Step 1: Stop the EA Server service from **Control Panel > Administrative Tools > Services**.

Step 2: Start the EA Server from the Start button or using command line.

Step 3: Configure the data source again.

Solution B: Reinstall the EA Server service to make the JDBC configuration take effect.

Step 1: Stop the EA Server service

Step 2: Uninstall the EA Server service. Change to the EA Server bin subdirectory, and run service [-servicename service] -remove command, substituting the service name for service. For example,

```
C:\Program Files\Sybase\EA Server\bin service -servicename EA Server -remove
```

Step 3: Install the EA Server service. Stay in the bin folder and run the following command line, and run service [-servicename service] -install command. For example,

```
C:\Program Files\Sybase\EA Server\bin service -servicename EA Server -install
```

Solution C: Manually configure the JDBC driver in the classpath parameter in winservice.ini file. Take configuring oracle JDBC driver as an example.

1. Go to **Administrative Tools > Services**.

2. Find your EA Server service and open the Properties window. You can find the service ini file path from Path to executable. For example,

```
"D:\Program Files\Sybase\EA Server6\bin\jssl.exe" -ini "D:\Program Files\Sybase\EA Server6\bin\..\config\winservice_EA Server.ini"
```

3. Open the INI file directory and add the path of the "ojdbc14.jar" file to the corresponding line. For example,

```
param15 = c:\eas\eas61014\bin\..\lib\eas-server-14.jar;c:\eas\eas61014\bin\..\lib;c:\eas\eas61014\bin\..\ant\lib\ant.jar;c:\eas\eas61014\Shared\jdk1.4.2_10\lib\tools.jar;c:\eas\eas61014\bin\..\lib\fips\jdk14\sslplus_nio.jar;c:\eas\eas61014\bin\..\lib\fips\jdk14\sslplus.jar;c:\eas\eas61014\bin\..\lib\fips\jdk14\EccpressoFIPJca.jar;c:\eas\eas61014\bin\..\lib\fips\jdk14\EccpressoFIPS.jar;d:\jaguar\PowerBuilder\pbjdbc12105.jar;c:\eas\eas61014\PowerBuilder\pbjdbc12100.jar;c:\eas\eas61014\PowerBuilder\pbejbclient100.jar;c:\eas\eas61014\bin\..\genfiles\java\classes;c:\eas\eas61014\bin\..\lib\ext\jconn3.jar;c:\eas\eas61014\bin\..\lib\ext\jTDS3.jar;c:\eas\eas61014\bin\..\lib\ext\pbejbclient100.jar;c:\eas\eas61014\bin\..\lib\ext\pbejbclient105.jar;c:\eas\eas61014\bin\..\lib\ext\pbjdbc12100.jar;c:\eas\eas61014\bin\..\lib\ext\pbjdbc12105.jar;c:\eas\eas61014\bin\..\lib\ext\ojdbc14.jar
```

7 Error Messages

7.1 Error Message Formats

Appeon for PowerBuilder can send error messages, informational messages, warnings, notices, and prompts when you perform the Web deployment and run the Appeon Web applications. The messages will contain the following parts:

- **Error number**
A five-digit number that uniquely identifies the message.
- **Priority**
A one- or two-digit number that indicates the severity of the error condition.
- **Error message**
A string that contains information about the condition that generated the message.
- **Possible Cause**
A string that contains information about the possible cause for the error.
- **Solution**
A string that contains information about the solution. But not all of the errors return the solution.

7.1.1 Error Message Numbers and Descriptions

An error message number is unique in identifying an error message and the error message description reflects the problem. Some error message description includes placeholders for information (such as object names) to be inserted in the error message when it is displayed.

In the Error Message column of the error table, a percent sign (%) followed by a character serves as a placeholder; the specific data is supplied when the error message is generated. The notation %d is a placeholder for a number; %ls (or %.*ls) is a placeholder for a string. For example, the actual error message displayed for error 00053 might be:

Remove the garbage control %1 in the %2 object.

When you report an error to Appeon technical support engineers, it is important to include error numbers, object types, and object names. Otherwise, it can be difficult and time-consuming for the support engineers to render assistance in resolving the error message.

7.1.2 Error Message Priority

The priority of an error message provides an indication of severity level of problem that Appeon has encountered. Appeon divides errors into 4 levels according to their severity:

Table 7.1: Error message properties

Error Level	Severity Description
0	Not severe. The error has little impact to the functions of the application.

Error Level	Severity Description
1	Quite severe. The error is caused by incorrect configuration, and affects the running of the application. For example, no data source is set for the application.
2	Very severe. The error is caused by incompatibility with Appeon product. For example, the specification of invalid Web URL.
10	Most severe. The error reflects a bug in the Appeon product.

7.2 Errors

7.2.1 Error 00001-09999

Table 7.2: Error list

Errors	Priorities	Error Messages
00001	1	Appeon Server profile name is empty.
00002	1	Appeon Server name is empty.
00003	1	Appeon Server port is empty.
00004	1	Appeon Server port is out of range.
00005	1	Failed to parse the source code. Line: %1
00006	1	AEM URL is empty.
00007	1	Deployment user name is empty.
00008	1	Data source name is empty.
00009	1	Data source name already exists.
00010	1	The database server is empty.
00011	1	Transaction object name is empty.
00012	1	No database type is specified for the transaction object.
00013	1	No data source is specified for the transaction object.
00014	1	Web server profile name is empty.
00015	1	Web server name is empty.
00016	1	Web server port is empty.
00017	1	Web server port is out of range.
00018	1	Web root is empty.
00019	1	The FTP server is empty.
00020	1	The Web server profile name already exists.
00021	1	FTP Port is incorrect.
00022	1	FTP Port is invalid.
00023	1	No selected ODBC data source.
00024	1	Failed to log into application server.
00025	2	Failed to get detailed information of the specified cache.

Errors	Priorities	Error Messages
00026	2	Failed to add the transaction object.
00027	2	Failed to edit the transaction object.
00028	2	Failed to delete the data source.
00029	2	Failed to add the data source.
00030	2	Failed to edit the data source.
00031	1	Duplicate transaction object name.
00032	2	Failed to get the cache list from the application server.
00051	1	Failed to get object %1 from the memory stack.
00052	1	The child object %1 of %2 cannot find the parent object %3;æ£æ
00053	2	Remove the garbage control %1 in the %2 object.
00054	1	Cannot find the container object %2 for %1.
00055	1	Cannot find %1 data type of %2 variable in %3.
00056	2	Cannot find the function object in the template using event ID %1.
00057	1	Failed to get Appeon Server information. Please verify Appeon Server is running.
00901	1	Cannot connect to DSN. The database server is %1.
00902	1	Failed to get syntax of %1 DataWindow in %2.
00904	1	Failed to load the file: %1.
00905	1	Failed to save the file: %1.
00906	1	You need to configure a proper DB profile for the application before deploying it.
01001	1	Failed to generate %1 %2.
01002	1	Failed to %1 %2.
01003	1	Failed to analyze %1 %2.
01004	1	It is unsupported to analyze %1 %2.
01005	1	Configuration for Web service object (%1) is incorrect.
01006	1	Error in loading XML file %1.
02002	2	Failed to initialize Appeon Server.
02003	1	Failed to instantiate Appeon Server.
02004	1	Exception: Format returned from Appeon Server is incorrect.
02005	1	Error in deploying %1 file.
02006	1	Failed to delete Web files.
02007	1	Cannot connect to the Web server: %1.
02010	1	Error in generating the WAR file.
02011	1	Unable to find the destination directory.
02012	1	Cannot connect to Appeon Server: %1.

Errors	Priorities	Error Messages
02013	1	Cannot open the connection.
03001	1	File %1 is invalid.
03002	1	File %1 is not found.
03003	1	Invalid registry information!
03004	1	Flow module is already loaded.
03501	1	Cannot find the PBL file.
03502	1	PBL files have been changed. Please re-deploy the application under the debug mode.
03503	1	Files in the Web server are not updated. Please re-deploy the application under the debug mode.
03504	1	The default Web server is not started. Please start Web server.
03505	1	The default Appeon Server is not started. Please start Appeon Server.
03506	1	Web server configuration settings error. Please check and correct the settings.
03507	1	Appeon Server configuration settings error. Please check and correct the settings.
03508	1	No access rights to the Web server. Please check the Web server permission settings.
03509	1	One or more files do not match. Please re-deploy the application under the debug mode.
03510	1	Another Appeon Developer tool is running.
03511	1	The application deployed in the Encrypted mode cannot be debugged.
04001	1	Failed to load the DLL file %1.
04002	1	Cannot find the SRD file %1.
04003	1	Cannot get Web server information from the ADTConfig.xml file.
04004	1	Cannot get Appeon Server information from the ADTConfig.xml file.
04005	10	Failed to open Deploy.dll. Caused failure to load the deploy module.
04006	10	Failed to instantiate the deploy module.
09999	1	(Display the system error message.)

7.2.2 Error 10001-15055

Table 7.3: Error list

Errors	Priorities	Error Messages
10001	1	Cannot find the transaction object named %1 in sessions. Please verify that the request is correct before send it out.

Errors	Priorities	Error Messages
10014	2	Internal error. Please contact the system administrator.
10015	2	Error in connecting to ApeonDB.
10016	2	The running Apeon Server does not support the Apeon Xcelerator deployment option in this version (version %1).
10501	2	Session is terminated by the Apeon system.
10502	2	Session is terminated by AEM.
10504	2	The Web application you attempt to run was removed from the server. It cannot be run.
10505	2	Transaction has timed out. The transaction is rolled back: %1.
10506	2	Session failed.
10507	1	The server status is %1.
10999	1	Keyword not supported: 'dsn'.
10508	1	Session has timed out.
11001	1	Cannot find the cluster service provider!
11002	0	Error in reading the cluster service provider configuration file!
11006	1	A fatal IOException occurred when retrieving the status of the server %1.
11007	0	The Apeon configuration file cannot be empty!
11008	1	A fatal IOException occurred when retrieving the configuration file from the remote server: %1.
11009	0	A ClassNotFoundException occurred when casting the remote Apeon configuration file content to a String array.
11010	0	An unexpected exception occurred when replicating Apeon configuration files!
11011	0	A FileNotFoundException occurred when constructing the FileOutputStream: %1.
11012	0	A SecurityException occurred when denying write access to the file: %1.
11013	1	A fatal IOException occurred when writing %1 to the local disk.
11014	0	An unexpected exception occurred and caused failure to write Apeon configuration files to the local disk!
11015	1	A fatal IOException occurred when communicating with servlet I/O.
11016	0	An unexpected Exception occurred and caused failure to read the local Apeon configuration files!
11017	1	A fatal IOException occurred when reading the specified file: %1.
11020	0	A fatal IOException occurred when synchronizing the method: %1. The remote server called is: %2.

Errors	Priorities	Error Messages
11021	0	An unexpected exception occurred and caused failure to synchronize the method: %1.
11022	1	A fatal IOException occurred when synchronizing method: %1!
11023	0	A ClassNotFoundException occurred when synchronizing method: %1.
11024	0	An unexpected exception occurred and caused failure to synchronize method: %1.
11025	1	A fatal IOException occurred when calling the specified remote server: %1.
11026	0	An unexpected exception occurred and caused the ClusterNotify thread to stop!
11027	1	An unexpected exception occurred and resulted in failure to retrieve status of the server: %1.
11028	10	Application server connection error!
11029	10	Appeon Server is in the process to start. Please wait...
11030	10	The cluster list is empty. Failed to get the cluster information.
11501	0	Failed to clear the cluster configuration information from the specified server %1!
11502	0	Failed to get session information from the specified server %1.
11503	0	Failed to get transaction information from the specified server %1.
11508	0	The Appeon Server is already configured in AEM.
11509	1	AEM could not interface with the specified Appeon Server. Please verify that your Appeon Server is running and that the settings are correct.
11510	0	The specified server has already been in another cluster.
11511	1	Failed to synchronize AEM settings on the following clustered servers: %1. Please restart or remove these servers to ensure the cluster runs normally!
11512	0	Error occurred when updating AEM settings on the local machine. Please read the log for more details.
11513	0	Please add the IP address or name of the local Appeon Server first!
11514	0	Please enter the IP address or machine name of the Appeon Server.
11515	0	Please enter the port number of the Appeon Server.
11516	0	Please input a valid port number with a range from 0 to 65535.
11517	0	IP address or machine name cannot be localhost or 127.0.0.1!
11518	0	Please remove the local Appeon Server from the cluster last!
11519	0	The interval should be a positive integer, greater than 0 and less than 2147483648.

Errors	Priorities	Error Messages
11520	0	You must select one option between "Enable Remote Backup" and "Enable Local Backup".
11521	1	Errors occurred when synchronizing AEM configuration information to the specified remote server: %1. The method is: %2.
11522	1	Errors occurred in calling the remote method. The method is: *; the remote server is: *
11523	2	It exceeds the CPU count in the license.
11524	2	The license of the remote Apeon Server does not match with the license on the local server.
11525	2	The license of the remote Apeon Server is not a cluster version.
12001	10	Failed to get the transaction information from the Apeon Server configuration file (transaction object name = %1). Please make sure you have configured this transaction object in AEM correctly.
12006	1	Failed to load the cluster configuration information from file!
12007	1	Failed to save the cluster configuration information into file!
12008	0	Application name is null.
12009	0	Property %1 has already been defined.
12010	0	Argument cannot be null or empty string.
12011	1	Error occurred when loading the application configuration file!
12012	1	Error occurred when loading the server configuration information!
12013	1	Error occurred when loading %1 file!
12014	1	Error occurred when reading the mapping file: %1!
12015	0	ServerConfig object is null.
12016	0	ApplicationsConfig is null.
12017	1	Errors occurred when writing the server-config.xml.
12018	1	Errors occurred when writing the application-config.xml.
12019	1	Errors occurred when loading application configuration!
12020	1	Failed to load the ServerConfig object!
12021	1	Failed to load the ThreadQueues Config object from file %1!
12022	1	Failed to load the mapping object of cluster-mapping.xml.
12025	1	The selected application %1 does not exist in the Apeon Server.
12026	2	The application number exceeds the license limit %1.
12501	10	Post data is null!
12502	10	Session is not found!
12503	10	Cannot read the Msg's total!
12504	10	Call parseAndExecuteCommand: Cannot read FuctionType!
12505	2	Authority is required!

Errors	Priorities	Error Messages
12506	10	The input function type (%1) is invalid. No code can be found to match this type!
12507	10	%1: Cannot read the parameter count!
12508	10	%1: Parameter count mismatch!
12509	10	%1: Cannot read the parameter length!
12510	10	%1: Cannot read the Parameter value!
12511	10	Appeon Server is in the process to start. Please wait...
13001	0	The original DataWindow parameters are not compatible with the client parameters.
13002	0	Unsupported stored procedure syntax: %1.
13003	10	Unsupported PowerBuilder data type (type=%1).
13004	0	Cannot find the specified argument %1 in the argument list.
13005	0	Stored procedure syntax cannot be empty or null.
13006	0	Failed to analyze the stored procedure syntax, due to %1.
13007	0	Register parameter error: index = %1, jdbcType = %2, value = %3.
13008	0	Client parameter of the UpdateBlob statement cannot be null.
13009	0	Both the PB type and JDBC type of the parameter are invalid.
13010	10	DataObject name cannot be empty.
13011	0	This column's data type %1 requires the use of an embedded SQL statement.
13012	0	User SQL cannot have parameters in Verify SQL Command.
13013	2	Failed to parse the result meta of the Select statement, due to %1.
13014	2	Failed to parse parameter meta of stored procedure, due to %1
13015	10	Failed to get DataWindow SQL from Appeon Server (Application = %1, DataObject = %2, DBType = %3). Please make sure you have deployed your application correctly.
13016	10	Cannot find the following embedded SQL in AppeonDB: ApplicationName =%1 and SQLKey =%2.
13017	10	The value of Application Name is empty or null.
13018	10	The value of DataWindow Name is empty or null.
13019	10	The value of DWSyntaxString is empty or null.
13020	10	Call an unused method.
13021	10	Errors in deleting all DataWindows.
13022	1	The application %1 is being deployed by another user.
13023	10	The value for SqlKey cannot be empty or null.
13024	10	The value for embedded SQL cannot be empty or null.

Errors	Priorities	Error Messages
13025	2	Cannot find the following DataWindow syntax in AppeonDB: ApplicationName =%1 and DataWindowName =%2.
13026	2	Parameter error: the value for %1 is empty or null.
13027	10	Unsupported database type. The DBMS code is %1.
13028	2	Blob or Clob variable for UpdataBlob cannot be empty.
14001	2	License has expired on %1.
14002	2	Unable to validate license key "%1". The number has exceeded the limit of your current license.
14003	2	Error in validating license signature!
14004	2	Missing license file.
14005	2	Invalid software license file %1.
14006	2	Unable to validate the current license file.
14009	2	Error in validating hash code!
14016	2	The license file installed to the machine hosting Appeon Server allows only %1 CPU(s), but %2 CPUs are detected.
14017	2	Appeon Server is configured for the network card with physical address %1, but the network card on the Appeon Server is %2.
14018	2	Your Appeon Server %1-day trial license expired on %2.
14019	2	Cannot connect to AppeonDB. Appeon Server failed to start.
14020	2	The application cannot be run because the product license information cannot be found.
14021	2	An error occurred when validating the license for cluster version.
14022	2	Server failed to start, because the CPU number exceeds the license limit.
14023	2	The remote Appeon Server is not a cluster version.
14024	2	The license of the remote Appeon Server does not match with the license of the local server.
14025	2	The license in use is for the %1 platform.
14026	2	The license is not for the application server %1.
14027	2	The current operating system is %1. But the license is for the platform other than Windows, Solaris, AIX, Red-Linux, and HP-Unix.
14028	2	The remote Appeon Server is a cluster version.
14501	10	System error.
14502	1	The specified HTTP header does not exist.
15001	2	Failed to connect to EAServer. Please check connection settings.
15002	2	Data source name cannot be null.
15003	2	Failed to add/modify data source.

Errors	Priorities	Error Messages
15004	2	Failed to get the specified data source information.
15005	2	Failed to delete the specified data source.
15006	2	Failed to refresh the specified data source.
15007	2	Failed to get all data source names.
15008	2	Failed to connect to WebLogic. Please check the connection settings.
15009	2	Failed to add the data source.
15010	2	Failed to modify the data source.
15011	2	Failed to get the specified data source information.
15012	2	Failed to delete the specified data source.
15013	2	Failed to refresh the specified data source.
15014	2	Failed to get all data source names.
15015	2	Failed to test the data source.
15016	2	Failed to test the data source.
15017	2	Failed to import NVO components.
15018	2	Failed to export NVO components.
15019	2	Failed to get all EAServer packages.
15020	2	Failed to get all components from the specified package.
15021	2	Failed to delete the specified component.
15022	2	Failed to import the AEM configuration settings.
15023	2	Failed to export the AEM configuration settings.
15051	2	Failed to add the transaction object.
15052	2	Failed to delete the transaction object.
15053	2	Failed to modify the transaction object.
15054	2	Failed to get all transaction objects.
15055	2	Failed to get the specified transaction object information.

7.2.3 Error 20001-20035

Table 7.4: Error list

Errors	Priorities	Error Messages
20001	2	RegMultiString, RegLink and RegBinary data are unsupported in the server execution mode of RegistryGet. For more help, please consult the Apeon Help.
20002	2	RegMultiString data are unsupported in the client execution mode of RegistryGet. For more help, please consult the Apeon User Documents.

Errors	Priorities	Error Messages
20003	2	RegMultiString data are unsupported in the client execution mode of RegistrySet. For more help, please consult the Appeon User Documents.
20004	2	The thread pool settings cannot have a value less than zero or a value exceeding the maximum allowed number. For more help, please consult the Appeon User Documents.
20005	2	The specified variable type is incorrect. For more help, please consult the Appeon User Documents.
20006	2	The class name of the object to be created does not exist. For more help, please consult the Appeon User Documents.
20007	2	No transaction object is specified when declaring cursor or stored procedure. For more help, please consult the Appeon user document.
20008	2	when declaring cursor or stored procedure, DynamicStagingArea object is not instantiated. For more help, please consult the Appeon user document.
20009	2	You are not logged into the mail system yet! For more help, please consult the Appeon user document.
20010	2	Transaction object is not connected. For more help, please consult the Appeon user document.
20011	2	Transaction object is already connected. It cannot be connected again. For more help, please consult the Appeon user document.
20012	2	Menu file is invalid. Failed to create the file! For more help, please consult the Appeon user document.
20013	2	Cannot create the WSDLReader object. For more help, please consult the Appeon user document.
20014	2	Failed to load the WSDL file. For more help, please consult the Appeon user document.
20015	2	Cannot get the Service definition from the WSDL file. For more help, please consult the Appeon user document.
20016	2	Cannot get the Port definition from the WSDL file. For more help, please consult the Appeon user document.
20017	2	Cannot get the Operation definition from the WSDL file. For more help, please consult the Appeon user document.
20018	2	Cannot get the Part definition from the WSDL file. For more help, please consult the Appeon user document.
20019	2	Cannot get the definition of SoapClient from the WSDL file. For more help, please consult the Appeon user document.
20020	2	Failed to initialize SoapClient. For more help, please consult the Appeon user document.
20021	2	Failed to load DLL file. For more help, please consult the Appeon user document.

Errors	Priorities	Error Messages
20023	2	DataWindow description file does not exist. For more help, please consult the Appeon user document.
20024	2	Failed to parse the DataWindow description file. For more help, please consult the Appeon user document.
20025	2	Failed to apply data memory. For more help, please consult the Appeon user document.
20026	2	Failed to parse SyntaxFromSQL. For more help, please consult the Appeon user document.
20027	0	Cannot find the image file. For more help, please consult the Appeon user document.
20028	2	Print error. For more help, please consult the Appeon user document.
20029	2	Failed to create RichText DataWindow. Incorrect information of RichText control in the local system. For more help, please consult the Appeon user document.
20030	2	Cannot parse the invalid RTF file. For more help, please consult the Appeon user document.
20031	2	Information of InputField in RichText DataWindow is incomplete. For more help, please consult the Appeon user document.
20032	2	Failed to print RichText DataWindow. No default printer in the local machine. For more help, please consult the Appeon user document.
20033	2	Print Preview failed. No default printer in the local machine. For more help, please consult the Appeon user document.
20034	2	InputField information does not match the DataWindow column information. For more help, please consult the Appeon user document.
20035	2	Settings of InputField location are incorrect. Need to adjust the location. For more help, please consult the Appeon user document.

7.2.4 Solutions

7.2.4.1 Error 00001

Priority1

Error Message

Appeon Server profile name is empty.

Possible Cause

When configuring the Appeon Server profile, no profile name is provided.

7.2.4.2 Error 00002

Priority1

Error Message

Appeon Server name is empty.

Possible Cause

When configuring the Appeon Server profile, no machine name or IP address of the Appeon Server is provided.

7.2.4.3 Error 00003**Priority1****Error Message**

Appeon Server port is empty.

Possible Cause

When configuring Appeon Server profile, no Appeon Server port is provided.

7.2.4.4 Error 00004**Priority1****Error Message**

Appeon Server port is out of the valid range.

Possible Cause

The specified Appeon Server port is not between 1 and 65535.

7.2.4.5 Error 00005**Priority1****Error Message**

Failed to parse the source code. Line: %1

Possible Cause

The PBL list added to the Appeon configuration is incomplete, or the object is defined in the PBD file.

Solution

1) Verify that the application was full built in the PowerBuilder IDE and no errors were reported. 2) Verify that the PBL list added to the **Appeon Developer > Appeon Profile Configuration** window is complete. 3) Verify that no reference is made to the object defined in PBD.

7.2.4.6 Error 00006**Priority1****Error Message**

AEM URL is empty.

Possible Cause

When configuring the Appeon Server profile, the AEM URL is empty.

Solution

Please input the correct URL.

7.2.4.7 Error 00007**Priority1****Error Message**

Deployment user name is empty.

Possible Cause

When configuring the Appeon Server profile, the deployment security is enabled, but no deployment username is provided.

7.2.4.8 Error 00008**Priority1****Error Message**

Data source name is empty.

Possible Cause

When configuring the data source, no data source name is specified.

7.2.4.9 Error 00009**Priority1****Error Message**

Data source name already exists.

Possible Cause

When configuring the data source, the provided data source name already exists in the Appeon Server.

7.2.4.10 Error 00010**Priority1****Error Message**

The database server is empty.

Possible Cause

When configuring the transaction object, no database server address is provided.

7.2.4.11 Error 00011**Priority1****Error Message**

Transaction object name is empty.

Possible Cause

When configuring the transaction object, the transaction object name is not provided.

Solution

Please input the correct name of the transaction object.

7.2.4.12 Error 00012**Priority1****Error Message**

No database type is specified for the transaction object.

Possible Cause

When configuring the transaction object, no database type is specified for it.

7.2.4.13 Error 00013**Priority1****Error Message**

No data source is specified for the transaction object.

Possible Cause

When configuring the transaction object, no data source is assigned to it.

7.2.4.14 Error 00014**Priority1****Error Message**

Web server profile name is empty.

Possible Cause

When configuring the Web server profile, no profile name is specified.

7.2.4.15 Error 00015**Priority1****Error Message**

Web server name is empty.

Possible Cause

When configuring the Web server profile, no machine name or IP address of the Web server is specified.

7.2.4.16 Error 00016**Priority1**

Error Message

Web server port is empty.

Possible Cause

Web server port is not specified when configuring the Web server profile.

Solution

Specify a valid Web server port.

7.2.4.17 Error 00017**Priority1****Error Message**

Web server port is out of range.

Possible Cause

When configuring the Web server profile, the specified port is not between 1 and 65535.

7.2.4.18 Error 00018**Priority1****Error Message**

Web root is empty.

Possible Cause

When configuring the Web server profile, the local file transfer is selected, but no Web root is specified.

7.2.4.19 Error 00019**Priority1v****Error Message**

The FTP server is empty.

Possible Cause

When configuring the Web server profile, the FTP file transfer is selected, but no FTP server is specified.

7.2.4.20 Error 00020**Priority1****Error Message**

The Web server profile name already exist.

Possible Cause

When configuring the Web server profile, the provided profile name already exists.

7.2.4.21 Error 00021**Priority1****Error Message**

FTP Port is incorrect.

Possible Cause

The FTP Port was not specified when configuring the Web server profile.

Solution

Specify a valid FTP port.

7.2.4.22 Error 00022**Priority1****Error Message**

FTP Port is invalid.

Possible Cause

When configuring the Web server profile, the specified FTP port is not between 0 and 65535.

Solution

Specify a valid port ranging from 0~65535.

7.2.4.23 Error 00023**Priority1****Error Message**

No selected ODBC data source.

Possible Cause

No data source is selected when configuring the ODBC interface.

Solution

Select a data source from the list.

7.2.4.24 Error 00024**Priority1****Error Message**

Failed to log into application server.

Possible Cause

The user name and password used to connect to the application server are incorrect.

Solution

Provide the correct user name and password.

7.2.4.25 Error 00025**Priority2****Error Message**

Failed to get detailed information of the specified cache.

Possible Cause

Failed to get the detailed information of the specified cache from the application server.

7.2.4.26 Error 00026**Priority2****Error Message**

Failed to add the transaction object.

Possible Cause

Failed to add a transaction object in the application server.

7.2.4.27 Error 00027**Priority 2****Error Message**

Failed to edit the transaction object.

Possible Cause

Failed to edit a transaction object in the application server.

7.2.4.28 Error 00028**Priority 2****Error Message**

Failed to delete the data source.

Possible Cause

Failed to delete a data source in the application server.

7.2.4.29 Error 00029**Priority 2****Error Message**

Failed to add the data source.

Possible Cause

Failed to add a data source in the application server.

7.2.4.30 Error 00030**Priority 2**

Error Message

Failed to edit the data source.

Possible Cause

Failed to edit a data source in the application server.

7.2.4.31 Error 00031**Priority 1****Error Message**

Duplicate transaction object name.

Possible Cause

A transaction object with the same name already exists.

Solution

Save the new transaction object with a different name.

7.2.4.32 Error 00032**Priority 2****Error Message**

Failed to get the cache list from the application server.

Possible Cause

1) The network connection is unstable. 2) The application server shuts down.

7.2.4.33 Error 00051**Priority 1****Error Message**

Failed to get object %1 from the memory stack.

Possible Cause

1) Appeon Developer failed to export the object. 2) The PBL list added to the Appeon Developer configuration window is incomplete or the object is defined in the PBD file, which causes the object to be ruined.

Solution

1) Verify that the application was full built in the PowerBuilder IDE and no errors were reported. 2) Verify that the PBL list added to the Appeon Developer | Appeon Profile Configuration window is complete. 3) Verify that the script makes no reference to the object defined in the PBD file.

7.2.4.34 Error 00052**Priority 1****Error Message**

The child object %1 of %2 cannot find the parent object %3.

Possible Cause

The PBL list added to the Appeon Developer configuration is incomplete or the script makes reference to the object defined in the PBD file.

Solution

1) Verify that the application was full built in the PowerBuilder IDE and no errors were reported. 2) Verify that the PBL list added to the Appeon Developer | Appeon Profile Configuration window is complete. 3) Verify that the script makes no reference to the object defined in the PBD file.

7.2.4.35 Error 00053**Priority 2****Error Message**

Remove the garbage control %1 in the %2 object.

Possible Cause

PowerBuilder object contains some garbage objects. Appeon Developer will automatically remove these garbage objects. This is only a prompt. It will not affect the parsing result, and you can disregard it.

7.2.4.36 Error 00054**Priority 1****Error Message**

Cannot find the container object %2 for %1.

Possible Cause

1) Appeon Developer failed to export the object. 2) The PBL list added to the Appeon Developer configuration window is incomplete or the script makes reference to the object defined in the PBD file.

Solution

1) Verify that the application was full built in the PowerBuilder IDE and no errors were reported. 2) Verify that the PBL list added to the Appeon Developer | Appeon Profile Configuration window is complete. 3) Verify that the script makes no reference to the object defined in the PBD file.

7.2.4.37 Error 00055**Priority 1****Error Message**

Cannot find %1 data type of %2 variable in %3.

Possible Cause

The PBL list added to the Appeon Developer configuration window is incomplete or the script makes reference to the object defined in the PBD file.

Solution

1) Verify that the application was full built in the PowerBuilder IDE and no errors were reported. 2) Verify that the PBL list added to the **Appeon Developer > Appeon Profile Configuration** window is complete. 3) Verify that the script makes no reference to the object defined in the PBD file.

7.2.4.38 Error 00056**Priority 2****Error Message**

Cannot find the function object in the template using event ID %1.

Possible Cause

The event ID is not defined in the Appeon Developer template.

7.2.4.39 Error 00057**Priority 1****Error Message**

Failed to get Appeon Server information.

Possible Cause

1) Appeon Server is not started. 2) Appeon Server Profile was configured incorrectly.

Solution

1) Start Appeon Server. 2) Verify that the Appeon Server Profile is configured correctly.

7.2.4.40 Error 00058**Priority 1****Error Message**

Cannot find %1's ancestor object %2.

Possible Cause

The PBL list added to the Appeon Developer configuration window is incomplete or the script makes reference to the object defined in the PBD file.

Solution

1) Verify that the application was full built in the PowerBuilder IDE and no errors were reported. 2) Verify that the PBL list added to the **Appeon Developer > Appeon Profile Configuration** window is complete. 3) Verify that the script makes no reference to the object defined in the PBD file.

7.2.4.41 Error 00059**Priority 1****Error Message**

Cache name ""%1"" contains illegal characters.

Possible Cause

Cache name can only contain a combination of letters, underscores ("_"), dot ("."), and numbers.

7.2.4.42 Error 00060**Priority 1****Error Message**

The database port for the data source exceeds the valid range.

Possible Cause

The port must range from 0 to 65535.

7.2.4.43 Error 00901**Priority 1****Error Message**

Cannot connect to DSN. The database server is %1.

Possible Cause

Failed to connect to the database configured for the application.

Solution

Configure the database connection settings correctly and make sure that the connection test is successful.

7.2.4.44 Error 00902**Priority 1****Error Message**

Failed to get syntax of %1 DataWindow in %2.

Possible Cause

1) There are syntax errors in DataWindow. 2) The PBL file version does not match the specified PowerBuilder version.

Solution

1) Full build the application in the PowerBuilder IDE. 2) Fix the syntax errors in DataWindow. 3) Verify that the PBL file version is the same as the specified PowerBuilder version.

7.2.4.45 Error 00904**Priority 1****Error Message**

Failed to load the file: %1.

Possible Cause

1) The file format is corrupt or the file is incomplete. 2) The login account has no read permission on the file.

Solution

1) Delete the file and re-deploy the application. 2) Assign the read permission to the current login user.

7.2.4.46 Error 00905**Priority 1****Error Message**

Failed to save the file: %1.

Possible Cause

1) No disk space is available. 2) The current login user has no write permission on the file.

Solution

1) Prepare enough disk space. 2) Assign the write permission to the current login user.

7.2.4.47 Error 00906**Priority 1****Error Message**

You need to configure a proper database connection for the application before deploying it.

Possible Cause

The application connects to databases and uses DataWindows, but no database connection is configured.

Solution

Configure a proper DB profile in the application profiles configuration page.

7.2.4.48 Error 01001**Priority 1****Error Message**

Failed to generate %1 %2.

Possible Cause

This error is caused by another error which occurred previously.

Solution

Please check the log file and fix the previous error.

7.2.4.49 Error 01002**Priority 1****Error Message**

It is unsupported to generate %1 %2.

Possible Cause

PowerBuilder source code contains some Appeon unsupported features.

Solution

Remove or workaround the Appeon unsupported features in the source code.

7.2.4.50 Error 01003**Priority 1****Error Message**

Failed to analyze %1 %2.

Possible Cause

The PBL list added to the Appeon Developer configuration window is incomplete or the script makes reference to the object defined in the PBD file.

Solution

1) Verify that the PBL list added to the Appeon Developer | Appeon Profile Configuration window is complete. 2) Verify that the script makes no reference to the object defined in the PBD file.

7.2.4.51 Error 01004**Priority 1****Error Message**

It is unsupported to analyze %1 %2.

Possible Cause

The PowerBuilder object contains Appeon unsupported features.

Solution

View the unsupported features in the UFA report and remove or workaround them.

7.2.4.52 Error 01005**Priority 1****Error Message**

Configuration for Web service object (%1) is incorrect.

Possible Cause

1) The Web service was not configured. 2) The WSDL file, service or port for the Web server was configured incorrectly.

Solution

Specify the correct settings for Web service, including the WSDL file, service and port.

7.2.4.53 Error 01006**Priority 1**

Error Message

Error in loading XML file %1.

Possible Cause

The user erroneously modified or deleted the RuleTemplate.xml file under the Appeon Developer directory.

Solution

Please reinstall Appeon Developer.

7.2.4.54 Error 02002**Priority 2****Error Message**

Failed to initialize Appeon Server.

Possible Cause

Failed to open the adtconfig.xml file. adtconfig.xml is corrupt or modified manually.

7.2.4.55 Error 02003**Priority 1****Error Message**

Appeon Server configuration is incorrect.

Possible Cause

adtconfig.xml is corrupt or manually modified.

Solution

Please re-configure the Appeon Server Profile in Appeon Developer.

7.2.4.56 Error 02004**Priority 1****Error Message**

Format returned from Appeon Server is incorrect.

Possible Cause 1:

The Appeon Server version and the Appeon Developer version are not the same.

Solution 1:

Please use Appeon Server and Appeon Developer of the same version.

Possible Cause 2:

Certain DataWindow syntax has not been deployed successfully. This happens only for very large applications with an excessive number of DataWindow SQL (say over 10,000) or embedded SQL (say over 3,000).

Solution 2:

Step 1: Adjust the value of the following parameters in the AppeonDev.ini file (located under C:\Program Files\Appeon\Developer2016\ and will be copied to the "bin" folder of application package by Appeon Package Wizard):

```
[DeployConfig]
BatchDWSynLen= 10000000
BatchDWSynNum= 200
BatchDWSqlNum= 500
BatchESqlNum=500
```

BatchDWSynLen specifies the length (in byte) of the DataWindow syntax, which when reached the deployment tool will commit to Appeon Server at one time.

BatchDWSynNum specifies the number of DataWindow syntax, which when reached the deployment tool will commit to Appeon Server at one time.

BatchDWSqlNum specifies the number of DataWindow SQL, which when reached the deployment tool will commit to Appeon Server at one time.

BatchESqlNum specifies the number of embedded SQL, which when reached the deployment tool will commit to Appeon Server at one time.

By increasing the value of the above parameters (typically BatchDWSqlNum and BatchESqlNum) according to the number of DataWindow SQL and embedded SQL used in your application, this will reduce the server calls so it eliminates the chance of failing to commit certain syntax. If you have no idea of the number of DataWindow SQL and embedded SQL, you can increment the value by 200 each time and then full deploy the application to see if this error disappears.

Step 2: Modify the IIS web.config xml file.

Go to C:\Inetpub\wwwroot\appeon\AEM, and add the following code to the web.config XML file. By default, the value of the Execution Timeout is 100 seconds, and the value of the Max Request Length is 4096K. You can use larger values for these two properties according to the specific needs.

.....

<system.web>

```
<httpRuntime executionTimeout="30000" maxRequestLength = "102400" />
```

<httpHandlers>

.....

Restart the IIS server to make this change take effect.

7.2.4.57 Error 02005

Priority 1

Error Message

Error in deploying %1 file.

Possible Cause

1) The file is not generated or deleted. 2) A file with the same name already exists and is read-only. 3) The file is in use.

Solution

Full deploy the application with the "Full Application Deployment" option in Apeon Developer.

7.2.4.58 Error 02006**Priority 1****Error Message**

Failed to delete Web files.

Possible Cause

1) The files on the Web server were modified to be Read-only. 2) The administrator changed the permission. 3) The Web server is being used. 4) The Application Profile for this application is removed.

Solution

Check that the Web files exist and are not read-only, and that the Web server is not being used and the application profile is not removed from Apeon Developer.

7.2.4.59 Error 02007**Priority 1****Error Message**

Cannot connect to the Web server: %1.

Possible Cause

1) The Web server IP, port, user name or password is incorrect. 2) The Web server Web root is empty.

7.2.4.60 Error 02010**Priority 1****Error Message**

Error in generating the WAR file.

Possible Cause

Apeon Developer is corrupted. Please reinstall Apeon Developer.

7.2.4.61 Error 02011**Priority 1****Error Message**

Unable to find the destination directory.

Possible Cause

Cannot write to the Web server. Please contact the administrator and grant proper rights to the login user.

7.2.4.62 Error 02012**Priority 1****Error Message**

Cannot connect to Appeon Server: %1.

Possible Cause

1) The server name, port or password is incorrect. 2) The Deployment Security setting in AEM is enabled.

Solution

Please check that the Appeon Server server name and port. If deployment security in AEM is enabled, you must also check the deployment username and password.

7.2.4.63 Error 02013**Priority 1****Error Message**

Connection to Appeon Server is terminated.

Possible Cause

If the number of DataWindows exceeds 4000, deploying the DataWindow syntax under Windows XP may encounter connection failure. Appeon Developer will resume the connection after this error and the running of the Web application will not be affected.

Solution

Reducing the number of DataWindows to less than 2000 can totally eliminate this problem.

7.2.4.64 Error 03001**Priority 1****Error Message**

File %1 is invalid.

Possible Cause

The file is destroyed or the file format is incorrect.

Solution

1) Re-deploy the application using the "Full Application Deployment" option in Appeon Developer. 2) Reinstall Appeon Developer.

7.2.4.65 Error 03002**Priority 1****Error Message**

File %1 is not found.

Possible Cause

The specified file does not exist.

Solution

1) Re-deploy the application using the "Full Application Deployment" option in Appeon Developer. 2) Reinstall Appeon Developer.

7.2.4.66 Error 03003**Priority 1****Error Message**

Invalid registry information!

Possible Cause

The registry information is incorrect. For example, the format is incorrect, or the registry information is incomplete.

Solution

Reinstall Appeon Developer.

7.2.4.67 Error 03004**Priority 1****Error Message**

Flow module is already loaded.

Possible Cause

The flow module cannot be loaded repeatedly.

Solution

Close the program that is loading the flow module and then start the program again.

7.2.4.68 Error 03501**Priority 1****Error Message**

Cannot find the PBL file.

Possible Cause

The PBL files have been deleted or moved to a different location.

Solution

Locate the correct PBL files and re-deploy the application.

7.2.4.69 Error 03502**Priority 1****Error Message**

PBL files have been changed. Please re-deploy the application under the debug mode.

Possible Cause

The PBL files on the local machine have been changed. But the files in the Web server are not changed correspondingly and the debug information is not updated with these changes.

Solution

Re-deploy the application under the debug mode.

7.2.4.70 Error 03503**Priority 1****Error Message**

Files in the Web server are not updated. Please re-deploy the application under the debug mode.

Possible Cause

The PBL files on the local machine have been changed. But the files in the Web server are not changed correspondingly and the debug information is not updated with these changes.

Solution

Re-deploy the application under the debug mode.

7.2.4.71 Error 03504**Priority 1****Error Message**

The default Web server is not started. Please start Web server.

Possible Cause

Web server is not started.

Solution

Start Web server.

7.2.4.72 Error 03505**Priority 1****Error Message**

The default Appeon Server is not started. Please start Appeon Server.

Possible Cause

Appeon Server is not started.

Solution

Start Appeon Server.

7.2.4.73 Error 03506**Priority 1****Error Message**

Web server configuration settings error. Please check and correct the settings.

Possible Cause

The port or name settings in the Web server configuration file is incorrect. Please check the settings and test them.

Solution

Correct the configuration settings for the Web server.

7.2.4.74 Error 03507**Priority 1****Error Message**

Appeon Server configuration settings error. Please check and correct the settings.

Possible Cause

The port or name settings in the Appeon Server configuration file is incorrect. Please check the settings and test them.

Solution

Correct the configuration settings for the Appeon Server.

7.2.4.75 Error 03508**Priority 1****Error Message**

No access rights to the Web server. Please check the Web server permission settings.

Possible Cause

The current user account cannot write to the Web server. Please use a different user account or grant Write permission to the current user.

Solution

Enable the Write permission in the Web server.

7.2.4.76 Error 03509**Priority 1****Error Message**

One or more files do not match. Please re-deploy the application under the debug mode.

Possible Cause

The debug information on the local machine do not match with the deployed file or other unknown errors.

Solution

Deploy the application again under the debug mode.

7.2.4.77 Error 03510**Priority 1**

Error Message

Another Appeon Developer tool is running.

Possible Cause

When Appeon Debugger is started, it detects that another Appeon Developer tool is running.

Solution

Close the other Appeon Developer tool and start the Appeon Debugger again.

7.2.4.78 Error 03511**Priority 1****Error Message**

The application deployed in the Encrypted mode cannot be debugged.

Possible Cause

When the application is deployed in the Encrypted mode, it cannot be debugged using the Appeon Debugger.

Solution

Select the Debug mode and deploy the application again.

7.2.4.79 Error 04001**Priority 1****Error Message**

Failed to load the DLL file %1.

Possible Cause

Appeon Developer is destroyed. Please reinstall Appeon Developer.

7.2.4.80 Error 04002**Priority 1****Error Message**

Cannot find the SRD file %1.

Possible Cause

The SRD file for the DataWindow failed to generate.

7.2.4.81 Error 04003**Priority 1****Error Message**

Cannot get Web server information from the ADTConfig.xml file.

Possible Cause

The Web server information in the ADTConfig.xml file is ruined.

7.2.4.82 Error 04004

Priority 1

Error Message

Cannot get Appeon Server information from the ADTConfig.xml file.

Possible Cause

The Appeon Server information in the ADTConfig.xml is ruined.

7.2.4.83 Error 04005

Priority 10

Error Message

Failed to open Deploy.dll, hence failed to load the deploy module.

Possible Cause

The Deploy.dll file does not exist or the file is corrupt.

Solution

Replace with the correct Deploy.dll file. Or reinstall Appeon Developer.

7.2.4.84 Error 04006

Priority 10

Error Message

Failed to initialize the deploy module.

Possible Cause

The EonDeploy.dll file is not found or the file is corrupt.

Solution

Reinstall Appeon Developer.

7.2.4.85 Error 09999

Priority 1

Error Message

Possible Cause

The error messages returned from Windows OS, such as, Insufficient storage space, Insufficient memory, etc.

7.2.4.86 Error 10001

Priority 1

Error Message

Cannot find the transaction object named %1 in the current session.

Possible Cause

The transaction object is not configured in AEM.

Solution

Configure the transaction object in AEM. Refer to Appeon Server Configuration Guide for detailed instructions.

7.2.4.87 Error 10014**Priority 2****Error Message**

Internal error. Please contact the system administrator.

Possible Cause

1) The network environment is unstable, causing data to be incomplete and data protocol errors. 2) Other unknown errors.

Solution

Contact the administrator and check the Appeon Server log files for detailed error information. Or send the log files to Appeon technical support engineers.

7.2.4.88 Error 10015**Priority 2****Error Message**

Error in connecting to AppeonDB.

Possible Cause

The JDK version is not 1.3 or above.

Solution

Check that the JDK version is 1.3 or above.

7.2.4.89 Error 10016**Priority 2****Error Message**

The running Appeon Server does not support Web applications deployed in this version (version = %1).

Possible Cause

The Appeon Server version and Appeon Developer version used to deploy the Web application is not the same.

Solution

1) Use the Appeon Developer of the same version to deploy the application and use the Appeon Server of the same version to run it. 2) Reinstall Appeon 5.0 for PowerBuilder.

7.2.4.90 Error 10017**Priority 2****Error Message**

Failed to connect to data source: %1. The cause is: %2.

Possible Cause

1) The database driver does not exist or the version is incorrect. 2) The settings for connection URL or the driver are incorrect. 3) The user name and password is incorrect.

Solution

1) Check that the database driver exists and the version is compatible. 2) Check in the user documents provided by the database driver vendor that the settings for URL and driver are correct. 3) Check that the user name and password are correct. Specially check the cases and spaces.

7.2.4.91 Error 10501**Priority 2****Error Message**

Session is terminated by the Appeon system.

Possible Cause

The session has timed out. The session is inactive for the specified amount of time.

Solution

Specify a proper timeout period in **AEM > Application > Timeout** settings. A proper timeout period would be 1.5 to 3 times of the operation interval.

7.2.4.92 Error 10502**Priority 2****Error Message**

Session is terminated by AEM.

Possible Cause

The session is deleted in AEM by the system administrator.

Solution

Click Refresh in the IE toolbar and log in to the application again.

7.2.4.93 Error 10504**Priority 2****Error Message**

The Web application you attempt to run was removed from the server. It cannot be run.

Possible Cause

1) The application has been removed from the server. 2) The system is being updated.

7.2.4.94 Error 10505

Priority 2

Error Message

Transaction has timed out. The transaction is rolled back: %1.

Possible Cause

Transaction has timed out, due to a long transaction execution time.

Solution

1) Modify the source code and reduce the transaction execution time. 2) Increase the transaction timeout period in AEM. However, if the time is set too long, the performance will slow down because the database will be locked for a longer time.

7.2.4.95 Error 10506

Priority 2

Error Message

Session failed. Please run the application again.

Possible Cause

1) The server is restarted. 2) The session has timed out.

Solution

Please click Refresh on the IE toolbar and log in to the application again.

7.2.4.96 Error 10507

Priority 1

Error Message

The server status is %1.

Possible Cause

Server is still in the process of starting.

Solution

Please wait until server turns its status to "running".

7.2.4.97 Error 10508

Priority 1

Error Message

Session has timed out.

Possible Cause

The session has been idle for a specified amount of time.

Solution

Increase the session timeout period in AEM, but do not set it too long. A long existing session may cause security problems.

7.2.4.98 Error 10999**Priority 1****Error Message**

Keyword not supported: 'dsn'.

Possible Cause

Appeon does not support using ODBC Driver to connect with the SQL Server database.

Solution

To resolve this, go to AEM, and change the ODBC driver to the Native Driver for SQL server.

7.2.4.99 Error 11006**Priority 1****Error Message**

A fatal IOException occurred when retrieving the status of the server %1.

Possible Cause

1) Cannot have I/O communication with the remote server using HTTP. 2) Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) If both network and Appeon Server are working, send the log files on the local and remote machines to Appeon technical support engineers.

7.2.4.100 Error 11007**Priority 0****Error Message**

The Appeon configuration file cannot be empty!

Possible Cause

The configuration file retrieved from the remote server is empty, due to a file transfer error.

Solution

1) Check that the network connection works normally. 2) Check that the Appeon Server is running. 3) If both network and Appeon Server are working, send the log files on the local and remote machines to Appeon technical support engineers.

7.2.4.101 Error 11008**Priority 1**

Error Message

A fatal IOException occurred when retrieving the configuration file from the remote server: %1.

Possible Cause

1) Cannot have I/O communication with the remote server using HTTP. 2) Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) If both network and Appeon Server are working, send the log files on the local and remote machines to Appeon technical support engineers.

7.2.4.102 Error 11009**Priority 0****Error Message**

Failed to read the Sting array in the configuration file from the remote server.

Possible Cause

Cannot construct the object using the stream.

Solution

1) Check that the network can be connected. 2) Check that Appeon Server is running. 3) If both network and Appeon Server are working, send the log files on the local and remote machines to Appeon technical support engineers.

7.2.4.103 Error 11010**Priority 0****Error Message**

An unexpected exception occurred when replicating Appeon configuration files!

Possible Cause

Failed to replicate the local configuration file due to an unknown error.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) If both network and Appeon Server are working, send the log files on the local and remote machines to Appeon technical support engineers.

7.2.4.104 Error 11011**Priority 0****Error Message**

Cannot find the file: %1.

Possible Cause

The specified file does not exist on the server.

7.2.4.105 Error 11012

Priority 0

Error Message

An exception occurred when denying write access to the file: %1.

Possible Cause

This is a rarely occurred exception caused by enabling the Java security.

Solution

Please send the Apeon Server log files to the Apeon technical support engineers.

7.2.4.106 Error 11013

Priority 1

Error Message

A fatal IOException occurred when writing %1 to the local disk.

Possible Cause

An IOException occurred when reading or writing the specified file.

Solution

1) Check that the specified file is not read-only. If it is read-only, reset it. 2) Please send the log files to the Apeon technical support engineers.

7.2.4.107 Error 11014

Priority 0

Error Message

An unexpected exception occurred and caused failure to write Apeon configuration files to the local disk!

Possible Cause

An unknown error occurred when writing the specified file to the local disk.

Solution

Please send the Apeon Server log files to the Apeon technical support engineers.

7.2.4.108 Error 11015

Priority 1

Error Message

A fatal IOException occurred when communicating with servlet I/O.

Possible Cause

Cannot have I/O communication with the remote server through HTTP.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) Send the log files on the local machine and the remote server to the Appeon technical support engineers.

7.2.4.109 Error 11016**Priority 0****Error Message**

An unexpected exception occurred and caused failure to read the local Appeon configuration files!

Possible Cause

An unknown error occurred when reading the local configuration file.

Solution

Please send the Appeon Server log files to the Appeon technical support engineers.

7.2.4.110 Error 11017**Priority 1****Error Message**

An IOException occurred when reading the file: %1.

Possible Cause

An IOException occurred when reading the local configuration file.

Solution

Please send the Appeon Server log files to the Appeon technical support engineers.

7.2.4.111 Error 11020**Priority 0****Error Message**

An error occurred when synchronizing the method: %1. The remote server called is: %2.

Possible Cause

1. Cannot have I/O communication with the remote server using HTTP. 2. Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1. Check that the server is running and can be connected. 2. Check that Appeon Server residing in the server is started. 3. If both network and Appeon Server work correctly, send the log files on the local and the remote servers to the Appeon technical support engineers.

7.2.4.112 Error 11021**Priority 0**

Error Message

An unexpected exception occurred and caused failure to synchronize the method: %1.

Possible Cause

An unknown error occurred when synchronizing the AEM configuration settings on the local Appeon Server to the remote Appeon Servers.

Solution

Send the Appeon Server log files to the Appeon technical support engineers.

7.2.4.113 Error 11022**Priority 1****Error Message**

A fatal IOException occurred when synchronizing method: %1!

Possible Cause

1) Cannot have I/O communication with the remote server using HTTP. 2) Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) If both network and Appeon Server work correctly, send the log files on the local and the remote servers to the Appeon technical support engineers.

7.2.4.114 Error 11023**Priority 0****Error Message**

A ClassNotFoundException occurred when synchronizing method: %1.

Possible Cause

Cannot construct the object by using the stream from Servlet.

Solution

Send the Appeon Server log files to the Appeon technical support engineers.

7.2.4.115 Error 11024**Priority 0****Error Message**

An unexpected exception occurred and caused failure to synchronize method: %1.

Possible Cause

An unknown error occurred when synchronizing sessions on the local Appeon Server from the remote Appeon Servers.

Solution

Send the Appeon Server log files to the Appeon technical support engineers.

7.2.4.116 Error 11025**Priority 1****Error Message**

A fatal IOException occurred when calling the specified remote server: %1.

Possible Cause

1) Cannot have I/O communication with the remote server using HTTP. 2) Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) If both network and Appeon Server work correctly, send the log files on the local machine and the remote server to the Appeon technical support engineers.

7.2.4.117 Error 11026**Priority 0****Error Message**

An unexpected exception occurred and caused the ClusterNotify thread to stop!

Possible Cause

An unknown error terminated the HTTP communication.

Solution

Send the Appeon Server log files to the Appeon technical support engineers.

7.2.4.118 Error 11027**Priority 1****Error Message**

An unexpected exception occurred and resulted in failure to retrieve status of the server: %1.

Possible Cause

An unknown exception caused the failure to get the server status.

Solution

Please send Appeon Server log files to the Appeon technical support engineers for in-depth investigation.

7.2.4.119 Error 11028

Priority 10

Error Message

Application server connection error!

Possible Cause

The network is disconnected. Or the application server is shut down.

Solution

Check that the network can be connected, and application server can be accessed.

7.2.4.120 Error 11029

Priority 10

Error Message

Appeon Server is in the process to start. Please refresh the page later.

Possible Cause

Appeon Server is in the "process to start" state, not in the "running" state.

Solution

Wait until Appeon Server turns to the "running" state.

7.2.4.121 Error 11502

Priority 0

Error Message

Failed to get session information from the specified server %1.

Possible Cause

1) Cannot have I/O communication with the remote server using HTTP. 2) Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) If both network and Appeon Server work correctly, send the log files on the local and the remote machines to the Appeon technical support engineers.

7.2.4.122 Error 11503

Priority 0

Error Message

Failed to get transaction information from the specified server %1.

Possible Cause

1) Cannot have I/O communication with the remote server using HTTP. 2) Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) Send the log files on the local machine and the remote server to the Appeon technical support engineers.

7.2.4.123 Error 11509

Priority 1

Error Message

AEM could not interface with the specified Appeon Server. Please verify that your Appeon Server is running and that the settings are correct.

Possible Cause

1) Cannot have I/O communication with the remote server using HTTP. 2) Exceptions occurred when calling methods in the remote server, causing failure to return data.

Solution

1) Check that the server is running and can be connected. 2) Check that Appeon Server residing in the server is started. 3) Send the log files on the local machine and the remote server to the Appeon technical support engineers.

7.2.4.124 Error 11512**Priority 0****Error Message**

Error occurred when updating AEM settings on the local machine. Please read the log for more details.

Possible Cause

1) Cannot update the AEM new settings to the server because the configuration file is read-only. 2) Cannot read or write the file because the file is corrupt.

Solution

1) Remove the Read-only property of files in the %Appeon Server%\AEM\config folder. 2) Send the log files to the Appeon technical support engineers.

7.2.4.125 Error 11514**Priority 0****Error Message**

Please enter the IP address or machine name of the Appeon Server.

Possible Cause

The IP address or machine name of the Appeon Server is not specified.

Solution

Input the IP address or machine name of the Appeon Server.

7.2.4.126 Error 11515**Priority 0****Error Message**

Please enter the port number of the Appeon Server.

Possible Cause

The port number of the Appeon Server is not specified.

Solution

Input the port number of the Appeon Server.

7.2.4.127 Error 11516**Priority 0****Error Message**

Please input a valid port number with a range from 0 to 65535.

Possible Cause

The specified port number is out of the invalid range.

7.2.4.128 Error 11517**Priority 0****Error Message**

IP address or machine name cannot be localhost or 127.0.0.1!

Possible Cause

IP address or machine name cannot be localhost or 127.0.0.1!

Solution

Please input the IP address or machine name.

7.2.4.129 Error 11519**Priority 0****Error Message**

The interval should be a positive integer, greater than 0 and less than 2147483648.

Possible Cause

The specified interval is invalid.

Solution

Input the interval between 0 and 2147483648.

7.2.4.130 Error 11520**Priority 0****Error Message**

You must select one option between "Enable Remote Backup" and "Enable Local Backup".

Possible Cause

If Heartbeat Backup is selected, you must select between "Enable Remote Backup" and "Enable Local Backup"

Solution

Select "Enable Remote Backup" or "Enable Local Backup"

7.2.4.131 Error 11521**Priority 1****Error Message**

Errors occurred when synchronizing AEM configuration information to the specified remote server: %1. The method is: %2.

Possible Cause

1) Cannot communicate with the remote server using HTTP protocol. 2) Exceptions in calling methods in the remote server. Data cannot be returned.

Solution

1) Verify that the target server is running and can be connected. 2) Verify that the Appeon Server residing on the target server is running. 3) If both network and Appeon Server work correctly, send log files for the local machine and the target server to the Appeon technical support engineers for in-depth investigation.

7.2.4.132 Error 11522**Priority 1****Error Message**

Errors occurred in calling the remote method. The method is: *; the remote server is: *

Possible Cause

1) Cannot communicate with the remote server using HTTP protocol. 2) Exceptions in calling methods in the remote server. Data cannot be returned.

Solution

1) Verify that the target server is running and can be connected. 2) Verify that the Appeon Server residing on the target server is running. 3) Send log files for the local machine and the target server to the Appeon technical support engineers for in-depth investigation.

7.2.4.133 Error 11523**Priority 2****Error Message**

It exceeds the CPU count in the license.

Possible Cause

The number of CPUs on the current machine exceeds the CPU count specified in the license file.

Solution

Please purchase a new license with more CPUs.

7.2.4.134 Error 11524**Priority 2**

Error Message

The license of the remote Appeon Server does not match with the license on the local server.

Possible Cause

The license of the remote Appeon Server does not match with the license on the local server.

Solution

Replace the license file in the remote Appeon Server with the license file on the local server.

7.2.4.135 Error 12001**Priority 10****Error Message**

Failed to get the transaction information from the Appeon Server configuration file (transaction object name = %1). Please make sure you have configured this transaction object in AEM correctly.

Possible Cause

1) Transaction object is not configured in AEM. 2) The configuration file is corrupt.

Solution

Re-configure the transaction object in AEM.

7.2.4.136 Error 12008**Priority 0****Error Message**

Application name is null.

Possible Cause

The value of application name passed to the method is null.

Solution

1) Check that the network can be connected. 2) Restart Appeon Server. 3) If the error still occurs, send the log files to the Appeon technical support engineers.

7.2.4.137 Error 12009**Priority 0****Error Message**

Property %1 has already been defined.

Possible Cause

The application name passed to the method already exists.

Solution

1) Check that the newly added application does not have the same name with the existing application. 2) The network can be connected. 3) Restart Appeon Server. 4) If the error still occurs, send the log files to the Appeon technical support engineers.

7.2.4.138 Error 12010**Priority 0****Error Message**

Argument cannot be null or empty string.

Possible Cause

The argument passed to the method is empty.

Solution

1) Check that the network can be connected. 2) Restart Appeon Server. 3) If the error still occurs, send the log files to the Appeon technical support engineers.

7.2.4.139 Error 12011**Priority 1****Error Message**

Error occurred when loading the application configuration file!

Possible Cause

Error occurred when loading the application configuration from the configuration file.

Solution

Check that ApplicationsConfig is not corrupt and the format is correct. Delete it if it is corrupt or the format is incorrect.

7.2.4.140 Error 12012**Priority 1****Error Message**

Error occurred when loading the server configuration information!

Possible Cause

Error occurred when loading the server configuration from the configuration file.

Solution

Check that ServerConfig is not corrupt and the format is correct. Delete it if it is corrupt or the format is incorrect.

7.2.4.141 Error 12013**Priority 1****Error Message**

Error occurred when loading %1 file!

Possible Cause

Error occurred when loading the server configuration from the configuration file.

Solution

1. Check that ServerConfig exists and is not corrupt. If it does not exist or it is corrupt, copy it from the other clustered machine. 2. Send the log files to the Appeon technical support engineers.

7.2.4.142 Error 12015

Priority 0

Error Message

ServerConfig object is null.

Possible Cause

The argument passed to the method is empty.

Solution

1) Check that the network can be connected. 2) Restart Appeon Server. 3) If the error still occurs, send the log files to the Appeon technical support engineers.

7.2.4.143 Error 12016

Priority 0

Error Message

ApplicationsConfig is null.

Possible Cause

The argument passed to the method is empty.

Solution

1) Check that the network can be connected. 2) Restart Appeon Server. 3) If the error still occurs, send the log files to the Appeon technical support engineers.

7.2.4.144 Error 12017

Priority 1

Error Message

Errors occurred when writing the ServerConfig file.

Possible Cause

The ServerConfig file is corrupt.

Solution

Check that the file is intact. If it is corrupt, delete it.

7.2.4.145 Error 12018

Priority 1

Error Message

Errors occurred when writing the ApplicationsConfig file.

Possible Cause

The ApplicationsConfig file is corrupt.

Solution

Check that the file is intact. If it is corrupt, delete it.

7.2.4.146 Error 12019**Priority 1****Error Message**

Errors occurred when loading the application configuration.

Possible Cause

Exceptions occurred when loading the application configuration from the file.

Solution

1) Check that the file is not read-only. Reset it if it is read-only. 2) Send the log files to the Appeon technical support engineers.

7.2.4.147 Error 12020**Priority 1****Error Message**

Failed to load the ServerConfig object!

Possible Cause

Errors occurred when loading the server configuration from the configuration file.

Solution

1. Check that ServerConfig exist and is not corrupt. If it does not exist or it is corrupt, delete it. 2. Send the log files to the Appeon technical support engineers.

7.2.4.148 Error 12021**Priority 1****Error Message**

Failed to load the ThreadQueues Config object from file %1!

Possible Cause

Errors occurred when loading the ThreadQueues configuration from the configuration file.

Solution

1. Check that ServerConfig exist and is not corrupt. If it does not exist or it is corrupt, copy it from the other clustered machine. 2. Send the log files to the Appeon technical support engineers.

7.2.4.149 Error 12025**Priority 1**

Error Message

The selected application %1 does not exist in the Appeon Server.

Possible Cause

1) The Web application is undeployed. 2) The Web application is manually removed.

7.2.4.150 Error 12026**Priority 2****Error Message**

The application number exceeds the license limit %1.

Possible Cause

The application number exceeds the maximum number allowed in license.

Solution

Purchase a valid Appeon for PowerBuilder edition.

7.2.4.151 Error 12027**Priority 0****Error Message**

Error: AEMConfig is empty.

Possible Cause

The parameter passed into the method is empty.

Solution

Send the log files to the Appeon technical support engineers.

7.2.4.152 Error 12028**Priority 1****Error Message**

Failed to write the web.config file.

Possible Cause

web.config is corrupt.

Solution

Check that the web.config file is intact. If it is corrupt, delete it.

7.2.4.153 Error 12029**Priority 0****Error Message**

ConnectionCacheConfig is empty.

Possible Cause

Errors in passing the internal parameters.

Solution

Send the log files to Appeon technical support engineers.

7.2.4.154 Error 12030**Priority 1****Error Message**

Errors in writing the data-source.config file.

Possible Cause

The data-source.config file is corrupt.

Solution

Delete the file if it is corrupt.

7.2.4.155 Error 12501**Priority 10****Error Message**

Post data is null!

Possible Cause

Network exceptions caused the data passed by Appeon Developer to be empty.

Solution

1) Re-deploy the application using Appeon Developer. 2) Check that the network is stable.

7.2.4.156 Error 12502**Priority 10****Error Message**

Session is not found!

Possible Cause

1) The Appeon Developer version is different from the Appeon Server version. 2) An invalid user calls the server interface.

Solution

Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.157 Error 12503**Priority 10****Error Message**

Cannot read the Msg's total!

Possible Cause

The data format passed by Appeon Developer is incorrect, because 1) The network error occurred. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the network is stable. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.158 Error 12504**Priority 10****Error Message**

Call parseAndExecuteCommand: Cannot read FuctionType!

Possible Cause

The data format passed by Appeon Developer is incorrect, because 1) The network error occurred. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the network is stable. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.159 Error 12505**Priority 2****Error Message**

Authority is required!

Possible Cause

1) Deployment username and password were not configured in Appeon Developer. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the deployment user name and password are correctly configured in Appeon Developer. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.160 Error 12506**Priority 10****Error Message**

The input function type (%1) is invalid. No code can be found to match this type!

Possible Cause

The data format passed by Appeon Developer is incorrect, because 1) The network error occurred. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the network is stable. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.161 Error 12507**Priority 10****Error Message**

%1: Cannot read the parameter count!

Possible Cause

The data format passed by Appeon Developer is incorrect, because 1) The network error occurred. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the network is stable. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.162 Error 12508**Priority 10****Error Message**

%1: Parameter count mismatch!

Possible Cause

The data format passed by Appeon Developer is incorrect, because 1) The network error occurred. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the network is stable. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.163 Error 12509**Priority 10****Error Message**

%1: Cannot read the parameter length!

Possible Cause

The data format passed by Appeon Developer is incorrect, because 1) The network error occurred. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the network is stable. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.164 Error 12510**Priority 10****Error Message**

%1: Cannot read the Parameter value!

Possible Cause

The data format passed by Appeon Developer is incorrect, because 1) The network error occurred. 2) The Appeon Developer version and the Appeon Server version are different.

Solution

1) Check that the network is stable. 2) Check that the Appeon Developer version and the Appeon Server version are the same.

7.2.4.165 Error 12511**Priority 10****Error Message**

Appeon Server is in the process to start. Please refresh the page later.

Possible Cause

Appeon Server is starting. AEM cannot be accessed.

Solution

Please wait until Appeon Server is started.

7.2.4.166 Error 13001**Priority 0****Error Message**

The original DataWindow parameters are not compatible with the client parameters.

Possible Cause

The number of the original DataWindow parameters is different from the number of the client parameters.

Solution

1) Check that the network can be connected. 2) Check that Appeon Server is started and works properly. 3) If the error still occurs, send the Appeon log files and SQL statements to the Appeon technical support engineers.

7.2.4.167 Error 13002**Priority 0****Error Message**

Unsupported stored procedure syntax: %1.

Possible Cause

1) Errors in parsing the stored procedure. 2) The stored procedure syntax is unsupported.

Solution

Make sure that none of the following script is used: 1) execute sp_test to_date(:ls_date), :li_id ; // Argument contains functions 2) execute sp_test "2001-02-12", :li_id + 100 ; // Argument contains expressions

7.2.4.168 Error 13003**Priority 10****Error Message**

Unsupported PowerBuilder data type: %1.

Possible Cause

Unsupported PowerBuilder data type is used.

Solution

1) Comment out the data type in the PowerBuilder source code. 2) Send the log files to the Appeon technical support engineers.

7.2.4.169 Error 13004**Priority 0****Error Message**

Cannot find the specified argument %1 in the argument list.

Possible Cause

When parsing the argument position in SQL statement, Appeon Developer failed to match the SQL argument name with the argument name passed by the Appeon Xcelerator.

Solution

1) Check that the network is connected. 2) Check that Appeon Server is started and works properly. 3) If the error still occurs, send the Appeon log files and SQL statements to the Appeon technical support engineers.

7.2.4.170 Error 13005**Priority 0****Error Message**

Stored procedure syntax cannot be empty or null.

Possible Cause

The stored procedure syntax passed by Appeon Xcelerator is empty or null.

Solution

Check whether the stored procedure is empty in the PowerBuilder source code. If it is empty, it must be caused by an Appeon internal error, please send the Appeon log files and SQL statements to the Appeon technical support engineers.

7.2.4.171 Error 13006**Priority 0****Error Message**

Failed to analyze the stored procedure syntax, due to %1.

Possible Cause

The stored procedure syntax is invalid or the syntax format is incorrect.

Solution

1) Verify that the stored procedure syntax is correct 2) Verify that the stored procedure is supported by Apeon.

7.2.4.172 Error 13007**Priority 0****Error Message**

Register parameter error: index = %1, jdbcType = %2, value = %3.

Possible Cause

The unsupported data type causes failure to register the parameter.

Solution

1) Check that the parameter type is supported by Apeon. 2) If the parameter type is supported, ask the Apeon technical support engineers for help.

7.2.4.173 Error 13008**Priority 0****Error Message**

Client parameter of the UpdateBlob statement cannot be null.

Possible Cause

The network is unstable or the Apeon Serve encountered exceptions which caused data lost.

Solution

1) Check the network is connected. 2) Check that Apeon Server is started and works properly. 3) If the error still occurs, send the log files to the Apeon technical support engineers.

7.2.4.174 Error 13009**Priority 0****Error Message**

The PB type of the parameter is invalid.

Possible Cause

1) The stored procedure does not exist in the database. 2) The stored procedure parameter uses instance variables.

7.2.4.175 Error 13010**Priority 10****Error Message**

DataObject name cannot be empty.

Possible Cause

Appeon Server failed to get the DataObject name.

Solution

1) Check that the PowerBuilder source code is correct. 2) Check that the network is connected. 3) Check that Appeon Server is starting and works properly.

7.2.4.176 Error 13011**Priority 0****Error Message**

This column's data type %1 requires the use of an embedded SQL statement.

Possible Cause

The column in the SQL statement used to dynamically create a DataWindow contains unsupported data type.

Solution

Check that the column data type can be used to create DataWindows and ensure that it can be executed in the PowerBuilder

7.2.4.177 Error 13012**Priority 0****Error Message**

User SQL cannot have parameters in Verify SQL Command.

Possible Cause

When using SetSQLSelect in the DataWindow to modify the SQL statement, SetSQLSelect cannot contain parameters.

7.2.4.178 Error 13013**Priority 2****Error Message**

Failed to parse the result meta of the Select statement, due to %1.

Solution

Please contact the Appeon technical support engineers and provide them with the log files.

7.2.4.179 Error 13014**Priority 2****Error Message**

Failed to parse parameter meta of stored procedure, due to %1

Solution

Please send log files to the Appeon technical support engineers.

7.2.4.180 Error 13015

Priority 10

Error Message

Failed to get DataWindow SQL from Appeon Server (Application = %1, DataObject = %2, DBType = %3). Please make sure you have deployed your application correctly.

Possible Cause

Failed to get DataWindow SQL from AppeonDB, possibly because 1) AppeonDB is shut down or failed to work. 2) The DataWindow has not been deployed correctly. View the deploy log for the error. 3) The database type used by the PowerBuilder application and the database type used by the Web application are not the same.

Solution

1) Check that AppeonDB is started and works properly. 2) Check that the DataWindow was deployed successfully. 3) Check that the database type selected for deployment in Appeon Developer and the database type selected for running in AEM are the same.

7.2.4.181 Error 13016

Priority 10

Error Message

Cannot find the following embedded SQL in AppeonDB: ApplicationName =%1 and SQLKey =%2.

Possible Cause 1

The AppeonDB database is closed or failed to work.

Solution 1

Verify that AppeonDB works correctly.

Possible Cause 2

The embedded SQL has not been deployed successfully. This happens only for very large applications with an excessive number of DataWindow SQL (say over 10,000) or embedded SQL (say over 3,000).

Solution 2

Step 1: Adjust the value of the following parameters in the AppeonDev.ini file (located under C:\Program Files\Appeon\Developer2016\ and will be copied to the "bin" folder of application package by Appeon Package Wizard):

```
[DeployConfig]
BatchDWSynLen= 10000000
BatchDWSynNum= 200
BatchDWSqlNum= 500
BatchESqlNum=500
```

BatchDWSynLen specifies the length (in byte) of the DataWindow syntax, which when reached the deployment tool will commit to Appeon Server at one time.

BatchDWSynNum specifies the number of DataWindow syntax, which when reached the deployment tool will commit to Appeon Server at one time.

BatchDWSqlNum specifies the number of DataWindow SQL, which when reached the deployment tool will commit to Appeon Server at one time.

BatchESqlNum specifies the number of embedded SQL, which when reached the deployment tool will commit to Appeon Server at one time.

By increasing the value of the above parameters (typically, BatchDWSqlNum and BatchESqlNum) according to the number of DataWindow SQL and embedded SQL used in your application, this will reduce the server calls so it eliminates the chance of failing to commit certain syntax. If you have no idea of the number of DataWindow SQL and embedded SQL, you can increment the value by 200 each time and then full deploy the application to see if this error disappears.

Step 2: Modify the IIS web.config xml file.

Go to C:\Inetpub\wwwroot\appeon\AEM, and add the following code to the web.config XML file. By default, the value of the Execution Timeout is 100 seconds, and the value of the Max Request Length is 4096K. You can use larger values for these two properties according to the specific needs.

.....

```
<system.web>
```

```
<httpRuntime executionTimeout="30000" maxRequestLength = "102400" />
```

```
<httpHandlers>
```

.....

Restart the IIS server to make this change take effect.

7.2.4.182 Error 13017

Priority 10

Error Message

The value for Application Name is empty or null.

Possible Cause

The Application Name argument passed from the client is empty.

Solution

Check that the application name and the deployment configuration are correct.

7.2.4.183 Error 13018

Priority 10

Error Message

The value of DataWindow name is empty or null.

Possible Cause

The DataWindow Name argument passed from the client is empty.

Solution

1) Check that the DataWindow settings in Appeon Developer are correct. 2) Check that Appeon Developer deployment process is successful. 3) Check that the network connection is stable. 4) Check that Appeon Server is running and works properly.

7.2.4.184 Error 13019**Priority 10****Error Message**

The value for DWSyntaxString is empty or null.

Possible Cause

The DWSyntaxString parameter values passed from the client are empty.

Solution

1) Check that the DB settings in Appeon Developer are correct. 2) Check that Appeon Developer deployment process is successful. 3) Check that the network connection is stable. 4) Check that Appeon Server is running and works properly.

7.2.4.185 Error 13020**Priority 10****Error Message**

Call an unused method.

Possible Cause

Call an obsolete method.

7.2.4.186 Error 13021**Priority 10****Error Message**

Errors in deleting all DataWindows.

Possible Cause

Cannot delete the DataWindow syntax, possibly because 1) The AppeonDB database is closed. 2) The parameter passed by Appeon Developer is incorrect.

Solution

1) Check that the network connection is stable. 2) Check that Appeon Server is running and works correctly.

7.2.4.187 Error 13022**Priority 1****Error Message**

The application %1 is being deployed by another user.

Possible Cause

Another user is deploying an application with the same name to the same Appeon Server.

Solution

Please wait until the deployment is finished. If you want to terminate the deployment, delete the deployment session in AEM.

7.2.4.188 Error 13023**Priority 10****Error Message**

The value for SqlKey cannot be empty or null.

Possible Cause

The SQL Key passed from the client is empty.

Solution

1) Check that the Appeon Developer deployment process is successful. 2) Check that the network connection is stable. 3) Check that Appeon Server is running and works correctly.

7.2.4.189 Error 13024**Priority 10****Error Message**

The value for embedded SQL cannot be empty or null.

Possible Cause

Embedded SQL passed from the client is empty.

Solution

1) Check that the Appeon Developer deployment process is successful. 2) Check that the network is stable. 3) Check that Appeon Server is running and works properly.

7.2.4.190 Error 13025**Priority 2****Error Message**

Cannot find the following DataWindow syntax in AppeonDB: ApplicationName =%1 and DataWindowName =%2.

Possible Cause

1) The AppeonDB database is closed. 2) The passed application name and SQLKey is incorrect.

Solution

1) Check that the Appeon Developer deployment is successful. 2) Check that the network is stable. 3) Check that Appeon Server is running and works properly. 4) If the error still persists, ask the Appeon technical support engineers for help.

7.2.4.191 Error 13026**Priority 2****Error Message**

Parameter error: the value for %1 is empty or null.

Possible Cause

The first parameter passed from the client is empty. The application name, version type etc. cannot be empty.

Solution

1) Check that the Appeon Developer deployment is successful. 2) Check that the network is stable. 3) Check that Appeon Server is running and works properly. 4) If the error still persists, ask the Appeon technical support engineers for help.

7.2.4.192 Error 13027**Priority 10****Error Message**

Unsupported database type. The DBMS code is %1.

Possible Cause

Possibly because the database type dynamically set in PowerScript does not conform to the Appeon conventions.

Solution

Refer to the Appeon Help for how to dynamically set database type.

7.2.4.193 Error 13028**Priority 2****Error Message**

Blob or Clob variable for UpdataBlob cannot be empty.

Possible Cause

There is no parameter passed from the client or the passed parameter is null when executing the UpdataBlob statement.

Solution

Verify that the argument is not empty or null.

7.2.4.194 Error 14001**Priority 2****Error Message**

License has expired on %1.

Possible Cause

Trial license has expired.

Solution

Please contact Appeon to purchase a proper license.

7.2.4.195 Error 14002**Priority 2****Error Message**

Unable to validate license key "%1". The number has exceeded the limit of your current license.

Possible Cause

The session number has exceeded the limit specified in the license file.

Solution

Kill other active sessions to make the session number within the license limit or contact Appeon to purchase a more powerful edition.

7.2.4.196 Error 14003**Priority 2****Error Message**

Error in validating license signature!

Possible Cause

The license file is incorrect due to some reasons.

Solution

Please provide us the following information to fix this issue.

1. Click the **Activate** button to generate the license.activation.bin file and send it to us.
2. Provide us the screenshot of the **Licensing** page.
3. Provide us the appeonserver.log and appeonerror.log files, here is the article stating how to generate the log files: <http://support.appeon.com/index.php?/Knowledgebase/Article/View/50/11/what-you-can-provide-to-us-for-further-debugging-when-you-run-into-the-appeon-server-related-issues>.

7.2.4.197 Error 14004**Priority 2****Error Message**

Missing license file.

Possible Cause

The license file is missing. The license file has been moved or deleted.

Solution

1. Please reinstall Appeon.
2. Please apply for a new license.

7.2.4.198 Error 14005**Priority 2****Error Message**

Invalid software license file %1.

Possible Cause

1. The license.appeon file is empty. 2. The license.appeon file is corrupt.

Solution

1. Check that license.appeon exists in the appeon\AEM\bin folder (eg. C:\Inetpub\wwwroot\appeon\AEM) 2. Update the license file. 3. Please reinstall Appeon.

7.2.4.199 Error 14006**Priority 2****Error Message**

Unable to validate the current license file.

Possible Cause

1. The license file is corrupt. 2. The license file is not for this Appeon version.

Solution

1. Please reinstall Appeon Server. 2. Update the license file.

7.2.4.200 Error 14009**Priority 2****Error Message**

Error in validating hash code!

Possible Cause 1

The Appeon file is corrupt.

Solution 1

Please reinstall Appeon.

Possible Cause 2

The Windows system setting "System cryptography: use FIPS compliant algorithms for encryption, hashing and signing" is enabled on the server machine. This setting is available in Windows 7 and Windows Server 2008 only.

Solution 2

Please go to the Windows system setting: Local Security Policy > Security Options, and disable the option "System cryptography: use FIPS compliant algorithms for encryption, hashing and signing".

7.2.4.201 Error 14010**Priority 2**

Error Message

The user (%1) has no access rights to the application (%2).

Possible Cause

The user's access rights to the application were restricted in AEM by the administrator.

Solution

On the **AEM > Application > Client Security** page, assign the user with proper rights to access the application.

7.2.4.202 Error 14016**Priority 2****Error Message**

The license file installed to the machine hosting Appeon Server allows only %1 CPU(s), but %2 CPUs are detected.

Possible Cause

The CPU number on the machine exceeds the maximum allowed number in the license file.

Solution

Please provide us the following information to fix this issue.

1. Click the **Activate** button to generate the license.activation.bin file and send it to us.
2. Provide us the license.appeon file you are currently using.
3. Provide us the screenshot of the **Licensing** page.
4. Provide us the appeonserver.log and appeonerror.log files, here is the article stating how to generate the log files: <http://support.appeon.com/index.php?/Knowledgebase/Article/View/50/11/what-you-can-provide-to-us-for-further-debugging-when-you-run-into-the-appeon-server-related-issues>.

7.2.4.203 Error 14017**Priority 2****Error Message**

The Server ID in your license is not match with the one on your server.

Possible Cause

The server ID does not match the one binding in the license file.

Solution

Case 1: If you transfer to different machine, then you need to follow up the license re-activation process to provide us the license.reactivation.bin file which is generated on the old machine as well as the license.activation.bin file generated on the new machine, after that we will generate the correct permanent license file for your new machine. Here is the help documentation stating the license re-activation process for

your reference: http://www.appeon.com/support/documents/appeon_online_help/2016/server_configuration_guide_for_j2ee/ch04s03s04.html#Re-activation.

Case 2: If you just use the virtual machine which cause the server ID to change or change the network card, then please provide us the following information to move forward.

1. Run 'ipconfig /all' on your machine and then provide us the result.
2. Go to the **Licensing** page and click the **Activate** button to generate the license.activation.bin file and send it to us.

7.2.4.204 Error 14018

Priority 2

Error Message

Your Appeon Server %1-day trial license expired on %2.

Possible Cause

The trial license has expired.

Solution

Please contact Appeon and purchase a proper license.

7.2.4.205 Error 14019

Priority 2

Error Message

Cannot connect to AppeonDB. Appeon Server failed to start.

Possible Cause

1. AppeonDB failed to start.
2. Several AppeonDB (a SQL Anywhere database) will be started as services in EAServer 5.5 Unix or Linux in a LAN. However, it is not allowed to start multiple SQL Anywhere services as the same name in a LAN.

Solution

1. Restart Appeon Server and check whether errors are reported in the log files.
2. (EAServer 5.5 Unix/Linux only) Modify appeondb.sh; appeonSampledb.sh; appeonSample2db.sh at the \$EAServer\$/bin folder, so to change the service name followed after the "-n" parameter to a different one.

For example

//original content

```
if [ "$JAGUAR_ASA9" != "X" ]; then
    if [ -f $JAGUAR_ASA9/bin/asa_config.sh ];then
        . $JAGUAR_ASA9/bin/asa_config.sh
    fi
    $JAGUAR_ASA9/bin/dbsrv9 -x tcpip\(\serverport=6200\) -n appeonserver "$JAGUAR/
appeon/db/AppeonServer.db"
elif [ "$JAGUAR_ASA8" != "X" ]; then
```



```

    if [ -f $JAGUAR_ASA8/bin/asa_config.sh ];then
        . $JAGUAR_ASA8/bin/asa_config.sh
    fi
    $JAGUAR_ASA8/bin/dbsrv8 -x tcpip\(\serverport=6200\) -n appeonserver "$JAGUAR/
appeon/db/ApeonServer.db"
elif [ "X$JAGUAR_ASA7" != "X" ]; then
    if [ -f $JAGUAR_ASA7/bin/asa_config.sh ];then
        . $JAGUAR_ASA7/bin/asa_config.sh
    fi
    $JAGUAR_ASA7/bin/dbsrv7 -x tcpip\(\serverport=6200\) -n appeonserver "$JAGUAR/
appeon/db/ApeonServer.db"
elif [ "X$JAGUAR_ASA90" != "X" ]; then
    if [ -f $JAGUAR_ASA90/bin/asa_config.sh ];then
        . $JAGUAR_ASA90/bin/asa_config.sh
    fi
    $JAGUAR_ASA90/bin/dbsrv9 -x tcpip\(\serverport=6200\) -n appeonserver "$JAGUAR/
appeon/db/ApeonServer.db"
elif [ "X$JAGUAR_ASA80" != "X" ]; then
    if [ -f $JAGUAR_ASA80/bin/asa_config.sh ];then
        . $JAGUAR_ASA80/bin/asa_config.sh
    fi
    $JAGUAR_ASA80/bin/dbsrv8 -x tcpip\(\serverport=6200\) -n appeonserver "$JAGUAR/
appeon/db/ApeonServer.db"
fi

```

//modified content

```

If [ "X$JAGUAR_ASA9" != "X" ]; then
    if [ -f $JAGUAR_ASA9/bin/asa_config.sh ];then
        . $JAGUAR_ASA9/bin/asa_config.sh
    fi
    $JAGUAR_ASA9/bin/dbsrv9 -x tcpip\(\serverport=6200\) -n appeonserver1 "$JAGUAR/
appeon/db/ApeonServer.db"
elif [ "X$JAGUAR_ASA8" != "X" ]; then
    if [ -f $JAGUAR_ASA8/bin/asa_config.sh ];then
        . $JAGUAR_ASA8/bin/asa_config.sh
    fi
    $JAGUAR_ASA8/bin/dbsrv8 -x tcpip\(\serverport=6200\) -n appeonserver1 "$JAGUAR/
appeon/db/ApeonServer.db"
elif [ "X$JAGUAR_ASA7" != "X" ]; then
    if [ -f $JAGUAR_ASA7/bin/asa_config.sh ];then
        . $JAGUAR_ASA7/bin/asa_config.sh
    fi
    $JAGUAR_ASA7/bin/dbsrv7 -x tcpip\(\serverport=6200\) -n appeonserver1 "$JAGUAR/
appeon/db/ApeonServer.db"
elif [ "X$JAGUAR_ASA90" != "X" ]; then
    if [ -f $JAGUAR_ASA90/bin/asa_config.sh ];then
        . $JAGUAR_ASA90/bin/asa_config.sh
    fi
    $JAGUAR_ASA90/bin/dbsrv9 -x tcpip\(\serverport=6200\) -n appeonserver1
"$JAGUAR/appeon/db/ApeonServer.db"
elif [ "X$JAGUAR_ASA80" != "X" ]; then
    if [ -f $JAGUAR_ASA80/bin/asa_config.sh ];then
        . $JAGUAR_ASA80/bin/asa_config.sh
    fi
    $JAGUAR_ASA80/bin/dbsrv8 -x tcpip\(\serverport=6200\) -n appeonserver1
"$JAGUAR/appeon/db/ApeonServer.db"
fi

```

7.2.4.206 Error 14020

Priority 2

Error Message

The application cannot be run because the product license information cannot be found.

Possible Cause

Cannot find the license file.

Solution

Check that the license file exists in the Appeon Server installation directory.

7.2.4.207 Error 14022**Priority 2****Error Message**

Server failed to start, because the CPU number exceeds the license limit.

Possible Cause

The CPU number exceeds the maximum allowed number in the license.

Solution

Purchase a new license with larger CPU number.

7.2.4.208 Error 14024**Priority 2****Error Message**

The license of the remote Appeon Server does not match with the license of the local server.

Possible Cause

The license files on the remote Appeon Server and the local Appeon Server do not match.

Solution

Replace the license on the remote Appeon Server with the license on the local server.

7.2.4.209 Error 14025**Priority 2****Error Message**

The license in use is for the %1 platform.

Possible Cause

Use an incorrect license file. For example, use a license for UNIX in Windows.

Solution

Please contact Appeon to have the correct license.

7.2.4.210 Error 14026**Priority 2**

Error Message

The license is not for the application server %1.

Possible Cause

Use an incorrect license file.

Solution

Please contact Appeon for the correct license.

7.2.4.211 Error 14027**Priority 2****Error Message**

The current operating system is %1. But the license is for the platform other than Windows, Solaris, AIX, Red-Linux, HP-Unix.

Possible Cause

The current platform is Windows, Solaris, AIX, Red-Linux, or HP-Unix. But the license is not for this platform.

Solution

Please contact Appeon for the correct license.

7.2.4.212 Error 14028**Priority 2****Error Message**

The remote Appeon Server is a cluster version.

Possible Cause

The license on the local server is not for cluster version, while the license on the remote Appeon Server is for cluster version.

Solution

To use the Appeon cluster functionality, all servers in the cluster must use the same license. You can replace the local license with the remote license, so all servers use the license for cluster version. If you do not want to use the Appeon cluster functionality, replace the remote license with the local license, so all servers use the license for single server version.

7.2.4.213 Error 14029**Priority 10****Error Message**

The current user has no permission to write the local license file.

Possible Cause

The current login account does not have write permission to files under the system folder.

Solution

Ask the administrator to assign proper rights to the current account or log in to the system using another account with proper rights.

7.2.4.214 Error 14030

Priority 10

Error Message

The local license file has been destroyed.

Possible Cause

Failed to access the local license file, probably because the file does not exist or the user has no permission to access it.

Solution

Ask the administrator to assign proper rights to the current account or log in to the system using another account with proper rights.

7.2.4.215 Error 14031 (.NET only)

Priority 1

Error Message

The license data initialize failed.

Possible Cause

Fail to initialize Apeon license file if the proper permission of using .Net framework and IIS server is not set.

Solution

Step 1: Execute the command line in a Windows prompt window:

```
C:\WINDOWS\Microsoft.NET\Framework\2.0.*** aspnet_regiis -ga users  
C:\WINDOWS\Microsoft.NET\Framework\2.0.*** aspnet_regiis -i
```

Step 2: Grant proper rights to the Internet Guest Account and IIS Process Account so to manipulate the Web Root folder.

1. Right click the C:\Inetpub\wwwroot folder, select the **Properties** items and select the **Security** tab page;
2. Add IIS_WPG group if it is not listed in the box "Group or user names";
3. Grant Full Control permission to the IIS_WPG group.

7.2.4.216 Error 14032

Priority 2

Error Message

Failed to obtain the Server ID. Your Apeon Server will stop working in % days. Please seek technical support in % days to resolve this issue.

Possible Cause

There are two reasons below:

1. Appeon Server failed to find the network interface card address due to the malfunction of the network interface card.
2. The network interface card address and the address in the license file don't match.

Solution

Please check whether the network interface card address and the address in the license file match. If they don't match, please send the network interface card address to Appeon technical support so that they can create a new license for you.

7.2.4.217 Error 14033**Priority 2****Error Message**

Failed to obtain the Server ID. % days remain to fix the problem.

Possible Cause

There are two reasons below:

1. Appeon Server failed to find the network interface card address due to the malfunction of the network interface card.
2. The network interface card address and the address in the license file don't match.

Solution

Please check whether the network interface card address and the address in the license file match. If they don't match, please send the network interface card address to Appeon technical support so that they can create a new license for you.

7.2.4.218 Error 14501**Priority 10****Error Message**

System error.

Possible Cause

1. The application configuration is incorrect.
2. The file is corrupt or the disk space is insufficient.

Solution

1. Check that no Appeon files are missing. Refer to Appeon Help for instructions if you need to configure the application settings again.
2. Reinstall Appeon Server.
3. Check that the available disk space is over 100 M.

7.2.4.219 Error 14502**Priority 1**

Error Message

The specified HTTP header does not exist.

Possible Cause

An incorrect parameter value is specified.

Solution

Verify that the parameter value is correct.

7.2.4.220 Error 15002**Priority 2****Error Message**

Data source name cannot be null.

Possible Cause

Data source name is empty.

Solution

Specify the data source name.

7.2.4.221 Error 15003**Priority 2****Error Message**

Failed to add/modify data source.

Possible Cause

The format of the configuration file for storing the data source information was destroyed.

Solution

Remove the configuration file of the data source.

7.2.4.222 Error 15004**Priority 2****Error Message**

Failed to get the specified data source information.

Possible Cause

The format of the configuration file for storing the data source information was destroyed.

Solution

Remove the configuration file of the data source.

7.2.4.223 Error 15005**Priority 2**

Error Message

Failed to delete the specified data source.

Possible Cause

The format of the configuration file for storing the data source information was destroyed.

Solution

Remove the configuration file of the data source.

7.2.4.224 Error 15006**Priority 2****Error Message**

Failed to refresh the specified data source.

Possible Cause

The format of the configuration file for storing the data source information was destroyed.

Solution

Remove the configuration file of the data source.

7.2.4.225 Error 15007**Priority 2****Error Message**

Failed to get all data source names.

Possible Cause

The format of the configuration file for storing the data source information was destroyed.

Solution

Remove the configuration file of the data source.

7.2.4.226 Error 15009**Priority 2****Error Message**

Failed to add the data source.

Possible Cause

The specified data source settings are incorrect.

Solution

Check that the input data source settings are correct.

7.2.4.227 Error 15010**Priority 2**

Error Message

Failed to modify the data source.

Possible Cause

The specified data source settings are incorrect.

Solution

Check that the input data source settings are correct.

7.2.4.228 Error 15011**Priority 2****Error Message**

Failed to get the specified data source information.

Possible Cause

The specified data source settings are incorrect.

Solution

Check that the input data source settings are correct.

7.2.4.229 Error 15012**Priority 2****Error Message**

Failed to delete the specified data source.

Possible Cause

The specified data source settings are incorrect.

Solution

Check that the input data source settings are correct.

7.2.4.230 Error 15013**Priority 2****Error Message**

Failed to refresh the specified data source.

Possible Cause

The specified data source settings are incorrect.

Solution

Check that the input data source settings are correct.

7.2.4.231 Error 15016**Priority 2**

Error Message

Failed to test the data source.

Possible Cause

The specified data source settings are incorrect.

Solution

Check that the input data source settings are correct.

7.2.4.232 Error 15020**Priority 2****Error Message**

Failed to get all components from the specified package.

Possible Cause

Exceptions occurred when getting all components from the specified package. Appeon Server may encounter runtime errors.

Solution

1. Check that the input package settings are correct. 2. Contact the Appeon Server administrator and make sure that Appeon Server runs correctly.

7.2.4.233 Error 15021**Priority 2****Error Message**

Failed to delete the specified component.

Possible Cause

Exceptions occurred when deleting the specified component. Appeon Server may encounter runtime errors.

Solution

1. Check that the input component settings are correct. 2. Contact the Appeon Server administrator and make sure that Appeon Server runs correctly.

7.2.4.234 Error 15022**Priority 2****Error Message**

Failed to import the AEM configuration settings.

Possible Cause

1) ApplicationsConfig does not exist. 2) ApplicationsConfig has an incorrect file format. 3) ApplicationsConfig does not contain the settings for the current application.

Solution

Check that the application is correctly configured in AEM.

7.2.4.235 Error 15023**Priority 2****Error Message**

Failed to export the AEM configuration settings.

Possible Cause

1) ApplicationsConfig does not exist. 2) ApplicationsConfig has an incorrect file format. 3) ApplicationsConfig does not contain the settings for the current application.

Solution

Check that the application is correctly configured in AEM.

7.2.4.236 Error 15051**Priority 2****Error Message**

Failed to add the transaction object.

Possible Cause

1. ApplicationsConfig has an incorrect XML format. 2. ApplicationsConfig does not contain the information for the current application.

Solution

1. Check that the ApplicationsConfig file is correct and intact. If the file is corrupt, delete it.
2. Provide the log files to the Appeon technical support engineers.

7.2.4.237 Error 15052**Priority 2****Error Message**

Failed to delete the transaction object.

Possible Cause

ApplicationsConfig has an incorrect XML format.

Solution

1. Check that the ApplicationsConfig file is correct and intact. If the file is corrupt, delete it.
2. Provide the log files to the Appeon technical support engineers.

7.2.4.238 Error 15053**Priority 2****Error Message**

Failed to modify the transaction object.

Possible Cause

1. ApplicationsConfig has an incorrect XML format. 2. ApplicationsConfig does not contain the information for the current application.

Solution

1. Check that the ApplicationsConfig file is correct and intact. If the file is corrupt, delete it.
2. Provide the log files to the Appeon technical support engineers.

7.2.4.239 Error 15054**Priority 2****Error Message**

Failed to get all transaction objects.

Possible Cause

ApplicationsConfig has an incorrect XML format.

Solution

1. Check that the ApplicationsConfig file is correct and intact. If the file is corrupt, delete it.
2. Provide the log files to the Appeon technical support engineers.

7.2.4.240 Error 15055**Priority 2****Error Message**

Failed to get the specified transaction object information.

Possible Cause

ApplicationsConfig has an incorrect XML format.

Solution

1. Check that the ApplicationsConfig file is correct and intact. If the file is corrupt, delete it.
2. Provide the log files to the Appeon technical support engineers.

7.2.4.241 Error 20001**Priority 2****Error Message**

RegMultiString, RegLink and RegBinary data are unsupported in the server execution mode of RegistryGet. For more help, please consult the Appeon Help.

Possible Cause

RegMultiString, RegLink and RegBinary data are unsupported in the server execution mode of RegistryGet.

Solution

Use the supported data types, such as RegString, RegExpandString, RegULong, RegULongBigEndian, to save the data.

7.2.4.242 Error 20002**Priority 2**

Error Message

RegMultiString data are unsupported in the client execution mode of RegistryGet. For more help, please consult the Appeon User Documents.

Possible Cause

RegMultiString data are not supported in the client execution mode of RegistryGet.

Solution

Use the supported data types, such as RegString, RegExpandString, RegULong, RegULongBigEndian, or RegBinary, to save the data.

7.2.4.243 Error 20003**Priority 2****Error Message**

RegMultiString data are unsupported in the client execution mode of RegistrySet. For more help, please consult the Appeon User Documents.

Possible Cause

RegMultiString data are not supported in the client execution mode of RegistrySet.

Solution

Use the supported data types, such as eRegString, eRegExpandString, eRegULong, eRegULongBigEndian, eRegBinary, or RegLink to save the data.

7.2.4.244 Error 20004**Priority 2****Error Message**

The thread pool settings cannot have a value less than zero or a value exceeding the maximum allowed number. For more help, please consult the Appeon User Documents.

Possible Cause

The thread number configured in AEM is invalid.

Solution

Configure a proper thread number in AEM. Refer to *Appeon Server Configuration Guide* for help.

7.2.4.245 Error 20005**Priority 2****Error Message**

The specified variable type is incorrect. For more help, please consult the Appeon User Documents.

Possible Cause

When creating the proxy object, the variable type is not set to CORBA or NonVisualObject.

Solution

Specify the variable type to CORBA or NonVisualObject when creating the proxy object.

7.2.4.246 Error 20006**Priority 2****Error Message**

The class name of the object to be created does not exist. For more help, please consult the Appeon User Documents.

Solution

1) Check that class name exists. 2) Check that the component was successfully deployed to the server.

7.2.4.247 Error 20007**Priority 2****Error Message**

No transaction object is specified when declaring cursor or stored procedure. For more help, please consult the Appeon user document.

Possible Cause

1) The transaction object is not specified in the PowerBuilder source code. 2) The Appeon Developer deployment contains errors.

Solution

1) Verify that the transaction object is specified in the PowerBuilder source code. 2) Verify that the Appeon Developer deployment is successful.

7.2.4.248 Error 20008**Priority 2****Error Message**

when declaring cursor or stored procedure, DynamicStagingArea object is not instantiated. For more help, please consult the Appeon user document.

Possible Cause

When using Dynamic SQL Format 4, make sure to instantiate the DynamicStagingArea object before declaring the cursor or stored procedure.

7.2.4.249 Error 20009**Priority 2****Error Message**

You have not been logged into the mail system yet! For more help, please consult the Appeon user document.

Possible Cause

Use functions in the MailSession object when you have not been logged into the system or login failed.

Solution

Use the MailLogon function to log in to the system.

7.2.4.250 Error 20010**Priority 2****Error Message**

Transaction object is not connected. For more help, please consult the Appeon user document.

Possible Cause

Commit or Rollback a transaction when the transaction object is not connected.

Solution

1) Check that the transaction object is connected. 2) Check that the transaction object is configured in AEM.

7.2.4.251 Error 20011**Priority 2****Error Message**

Transaction object is already connected. It cannot be connected again. For more help, please consult the Appeon user document.

Possible Cause

Transaction object has already connected with the database while it is used to connect to the database again.

Solution

Modify the PowerBuilder source code and avoid using a transaction object to connect the database repeatedly.

7.2.4.252 Error 20012**Priority 2****Error Message**

Menu file is invalid. Failed to create the file! For more help, please consult the Appeon user document.

Possible Cause

The menu file is not a valid XML file. It may be corrupt. The Loadxml function failed to work.

Solution

1) Check that the menu file is a valid XML file. 2) Refer to Appeon Help and verify that no unsupported features are used. 3) Re-generate the application and fix the errors if there are any.

7.2.4.253 Error 20013

Priority 2

Error Message

Cannot create the WSDLReader object. For more help, please consult the Appeon user document.

Possible Cause

1) SoapToolkit3.0 is not installed. 2) Memory is insufficient.

Solution

1) Install SoapToolkit3.0. 2) Close the other programs to release memory.

7.2.4.254 Error 20014

Priority 2

Error Message

Failed to load the WSDL file. For more help, please consult the Appeon user document.

Possible Cause

1) The specified WSDL file does not exist. 2) The network is unstable.

Solution

1) Check that the WSDL file is configured before deployment. 2) Check that the WSDL file resides in the corresponding folder on Web server after deployment. 3) Check that the network connection is stable.

7.2.4.255 Error 20015

Priority 2

Error Message

Cannot get the Service definition from the WSDL file. For more help, please consult the Appeon user document.

Possible Cause

1) The WSDL file content is invalid 2) The WSDL file is incomplete.

Solution

1) Check that the WSDL file is correct. 2) Re-deploy the application using Appeon Developer.

7.2.4.256 Error 20016

Priority 2

Error Message

Cannot get the Port definition from the WSDL file. For more help, please consult the Apeon user document.

Possible Cause

1) The WSDL file content is invalid. 2) The WSDL file is incomplete.

Solution

1) Check that the WSDL file is correct. 2) Re-deploy the application using Apeon Developer.

7.2.4.257 Error 20017**Priority 2****Error Message**

Cannot get the Operation definition from the WSDL file. For more help, please consult the Apeon user document.

Possible Cause

1) The WSDL file content is invalid. 2) The WSDL file is incomplete.

Solution

1) Check that the WSDL file is correct. 2) Re-deploy the application using Apeon Developer.

7.2.4.258 Error 20018**Priority 2****Error Message**

Cannot get the Part definition from the WSDL file. For more help, please consult the Apeon user document.

Possible Cause

1) The WSDL file content is invalid. 2) The WSDL file is incomplete.

Solution

1) Check that the WSDL file is correct. 2) Re-deploy the application using Apeon Developer.

7.2.4.259 Error 20019**Priority 2****Error Message**

Cannot get the definition of SoapClient from the WSDL file. For more help, please consult the Apeon user document.

Possible Cause

SoapToolkit3.0 was not installed.

Solution

Install SoapToolkit3.0.

7.2.4.260 Error 20020

Priority 2

Error Message

Failed to initialize SoapClient. For more help, please consult the Appeon user document.

Possible Cause

1) The specified WSDL file does not exist. 2) The specified WSDL file contains incorrect values. 3) The network is unstable.

Solution

1) Check that the WSDL file exists and is correct. 2) Check that the WSDL file is configured before deployment. 3) Check that the network connection is stable.

7.2.4.261 Error 20021

Priority 2

Error Message

Failed to load DLL file. For more help, please consult the Appeon user document.

Possible Cause

1) The DLL files were not deployed when the application was deployed. 2) The DLL file was not downloaded to the correct location.

Solution

1) Check that the DLL files are configured for deployment before deploying the application. 2) Manually copy the file to the correct location.

7.2.4.262 Error 20023

Priority 2

Error Message

DataWindow description file does not exist. For more help, please consult the Appeon user document.

Possible Cause

The DataWindow description file does not exist or the DataWindow description file was removed.

Solution

Re-deploy the application and ensure that the DataWindow description file is correctly deployed.

7.2.4.263 Error 20024

Priority 2

Error Message

Failed to parse the DataWindow description file. For more help, please consult the Appeon user document.

Possible Cause

The DataWindow template is not of the correct version or the DataWindow description file is corrupt.

Solution

Check that the Appeon Developer deployment reports no errors.

7.2.4.264 Error 20025**Priority 2****Error Message**

Failed to apply data memory. For more help, please consult the Appeon user document.

Possible Cause

There are many running programs which occupy large amount of memory. The memory left is insufficient for applying the data memory.

Solution

Close the other programs.

7.2.4.265 Error 20026**Priority 2****Error Message**

Failed to parse SyntaxFromSQL. For more help, please consult the Appeon user document.

Possible Cause

The stored procedure for the corresponding database has not been installed.

Solution

Check that the stored procedure for the corresponding database has been correctly installed before dynamically creating the DataWindow. For detailed instructions, refer to Appeon Server Configuration Guide for .NET or Appeon Server Configuration Guide for J2EE.

7.2.4.266 Error 20027**Priority 0****Error Message**

Cannot find the image file. For more help, please consult the Appeon user document.

Possible Cause

1) The image file was not correctly uploaded to the server. 2) The image file cannot be found on the specified local directory.

Solution

1) Check that the image file location settings in Appeon Developer are correct and that the image file exists on the local machine. 2) Redeploy the application using Appeon Developer.

7.2.4.267 Error 20028

Priority 2

Error Message

Print error. For more help, please consult the Appeon user document.

Possible Cause

No printer is installed on the local machine or the default printer does not work.

Solution

Check that the printer works correctly.

7.2.4.268 Error 20029

Priority 2

Error Message

Failed to create RichText DataWindow. Incorrect information of RichText control in the local system. For more help, please consult the Appeon user document.

Possible Cause

The riched20.dll file does not exist in the system32 folder or riched20.dll is not registered.

Solution

Check that the riched20.dll file exists in the system32 folder and has been registered.

7.2.4.269 Error 20030

Priority 2

Error Message

Cannot parse the invalid RTF file. For more help, please consult the Appeon user document.

Possible Cause

The format file information in the source code of RichText DataWindow has been manually modified.

Solution

Re-create the RichText DataWindow. Avoid manually changing the RTF file in the source code.

7.2.4.270 Error 20031

Priority 2

Error Message

Information of InputField in RichText DataWindow is incomplete. For more help, please consult the Appeon user document.

Possible Cause

The InputField information in the source code of RichText DataWindow has been manually modified.

Solution

Re-create the RichText DataWindow. Avoid manually changing the RTF text in the source code.

7.2.4.271 Error 20032**Priority 2****Error Message**

Failed to print RichText DataWindow. No default printer in the local machine. For more help, please consult the Appeon user document.

Possible Cause

No printer is installed on the local machine or no default printer is set.

Solution

Set a printer as the default printer on the local machine.

7.2.4.272 Error 20033**Priority 2****Error Message**

Print Preview failed. No default printer in the local machine. For more help, please consult the Appeon user document.

Possible Cause

No printer is installed on the local machine or no default printer is set.

Solution

Set a printer as the default printer on the local machine.

7.2.4.273 Error 20034**Priority 2****Error Message**

InputField information does not match the DataWindow column information. For more help, please consult the Appeon user document.

Possible Cause

The InputField information in the source code of the RichText DataWindow has been manually modified.

Solution

Re-create the RichText DataWindow and avoid manually changing the InputField name in RTF in the source code.

7.2.4.274 Error 20035**Priority 2****Error Message**

Settings of InputField location are incorrect. Need to adjust the location. For more help, please consult the Appeon user document.

Possible Cause

The InputField location in the source code of RichText DataWindow has been manually modified. This is an invalid operation.

Solution

Re-create the RichText DataWindow. Avoid manually changing the element location of RTF documents in the source code.

7.2.4.275 Error 20037**Priority 2****Error Message**

Failed to write to the INI file! Verify that the current user account has access to the Windows system directory. For more help, please consult the Appeon user document.

Possible Cause

The current user account has no access right to the Windows system directory.

Solution

Use an account with proper rights to log in to the Windows or ask the administrator to assign proper rights to the current account.

7.2.4.276 Error 20038**Priority 2****Error Message**

RegMultiString, RegLink and RegBinary data is not supported in server execution mode of RegistrySet. For more help, please consult the Appeon user document.

Possible Cause

RegMultiString, RegLink and RegBinary data is not supported in server execution mode of RegistrySet.

Solution

Change the server execution mode to the client mode in AEM.

8 Technical Support

If your Apeon for PowerBuilder copy is directly purchased from Apeon Limited, please contact our Technical Support at support@apeon.com for help. Please be prepared to provide the following files listed in the following table to Apeon Technical Support. This will aid debugging.

Table 8.1: Files for technical support

File Type	File Name
Application Server Configuration File	<p>For EAServer:</p> <p><EASERVER>\Repository\Instance\com\sybase\djc\server\ApplicationServer\{INSTANCE_NAME}.properties</p> <p><EASERVER>\bin\run_server.bat</p> <p><EASERVER>\bin\djc-setenv.bat</p> <p>For WebLogic:</p> <p><WL_Domain>\setEnv.sh</p> <p><WL_Domain>\startWebLogic.sh</p> <p><WL_Domain>\config.xml</p> <p><WL_Domain> indicates the domain path of WebLogic server.</p> <p>For WebSphere:</p> <p><WAS_HOME>\startServer.sh</p> <p><WAS_HOME> indicates the home directory of WebSphere server.</p> <p>For JEUS:</p> <p><JEUS_HOME>\bin\jeus.properties.cmd</p> <p><JEUS_HOME>\jeus.cmd</p> <p><JEUS_HOME>\datasources.xml</p> <p><JEUS_HOME> indicates the installation path of JEUS.</p> <p>For JBoss:</p> <p><JBOSS_HOME>\bin\run.bat</p> <p><JBOSS_HOME>\bin\run.conf</p> <p><JBOSS_HOME>\bin\service.bat</p> <p>All XML files in the <JBOSS_HOME>\server\<instancename>\conf folder.</p> <p><JBOSS_HOME> indicates the home path of WildFly or JBoss EAP application server.</p>
Application server log file	For EAServer:

File Type	File Name
	<p><EASERVER>\logs \ {INSTANCE_NAME} .log</p> <p>For WebLogic:</p> <p><WL_Domain>\mydomain.log and all <WL_Domain>\mydomain.log* files</p> <p>* indicates the sequence number of the log files.</p> <p>For WebSphere:</p> <p>All files in the <WAS_HOME>\logs\server1 folder</p> <p>For JEUS:</p> <p>All files in the <JEUS_HOME>\logs folder.</p> <p>For JBoss:</p> <p>All files in <JBOSS_HOME>\server\<instancename>\log folder.</p>
<p>Appeon Server configuration file</p>	<p>For Appeon Server installed to EAServer, WebLogic, WebSphere, JBoss or JEUS:</p> <p>All files in the <appeonserver>\repository\<instancename>\config folder.</p> <p>For Appeon Server installed to IIS:</p> <p>All files in the <appeonserver>\AEM\config folder.</p> <p><appeonserver> indicates the Appeon Server installation path.</p>
<p>Appeon Server log file</p>	<p><i>For Appeon Server installed to EAServer, WebLogic, WebSphere, JBoss or JEUS:</i></p> <p>All files in the <appeonserver>\repository\<instancename>\log folder.</p> <p>For Appeon Server installed to IIS:</p> <p>All files in the <appeonserver>\AEM\Log folder.</p> <p><appeonserver> indicates the Appeon Server installation path.</p>
<p>Appeon Server Repository DB</p>	<p><i>For Appeon Server installed to EAServer:</i></p> <p><appeonserver>\db\AppeonServer.db</p> <p>For Appeon Server installed to WebLogic, WebSphere, JBoss or JEUS:</p> <p><appeonserver>\repository\<instancename>\db\appeondb.script</p> <p>For Appeon Server installed to IIS:</p> <p>All files in the <appeonserver>\AEM\db folder.</p>

File Type	File Name
	<appeonserver> indicates the Appeon Server installation path.
Appeon license file	Appeon Server installed to EAServer, WebLogic, WebSphere, JBoss, and JEUS: <appeonserver>\license.appeon For IIS: <appeonserver>\AEM\bin\license.appeon
Web Server configuration file	httpd.conf
Web Page file	<i>Web Server path\application name>window name.html</i> Web Server path\application name>window name.js Web Server path\application name\all DataWindows on window.xml Note: If the window named includes inheritance, then also supply all ancestors.html and ancestors.js files.
PowerBuilder exported source code file	PowerBuilder application path\exported window name.srw PowerBuilder application path\exported DataWindow names.srd Note: Exported windows should include exported ancestor windows and exported ancestor user objects.

Index

Symbols

- "ADT is already running" error, [24](#)
- "Are you sure you want to navigate away from this page?" warning message, [67](#)
- "Automation server could not create object" error on some clients, [58](#)
- "Bad interpreter: No such file or directory" error, [20](#)
- "Cannot find the language resource file (dblgzh11.dll, dblgen11.dll)", [130](#)
- "com.sybase.jaguar.util.JException: [Microsoft][SQLServer 2000 Driver for JDBC]Error establishing socket.", [116](#)
- "Component Not Registered" error, [28](#)
- "Connection failed:..." error when installing EAServer in a 64-bit OS, [130](#)
- "Could not Initialize JavaVM!", [65](#)
- "Create appeon component failed" error, [133](#)
- "Create Session failed", [56](#)
- "DLL function call crashed" error when launching an Appeon setup program, [2](#)
- "EonToolset60 Load resource failed", [68](#)
- "Error converting data type A to B", [76](#)
- "Error launching LoadConfig", [25](#), [38](#)
- "Error loading ADTObjectList.xml", [26](#)
- "Error loading command string", [26](#), [39](#)
- "Error occurred while creating an object instance" on the status box, [66](#)
- "Error opening DLL Library adtxml.dll for external function" Error, [28](#)
- "Error: Failure in adding an application to [Server Name]", [40](#)
- "Error: Failure in exporting XML file", [37](#)
- "Error: Unable to upload INI file", [41](#)
- "Exception at: CString CparseEngine...", [39](#)
- "Fail to analyze application" and "Fail to analyze Menu Object A in the B application" Errors, [40](#)
- "Failed to get DataWindow syntax from Appeon Server", [65](#)
- "Failed to get resource from Appeon Server" error, [48](#)
- "Failed to invoke remote procedure" error, [57](#)
- "Failed to load the remote interface" error, [100](#)
- "Failed to transfer command", [39](#)
- "java.sql.SQLException:[Microsoft][ODBC SQL Server Driver]Connection is busy with results for another hstmt " Error when using the Microsoft SQLServer database, [117](#)
- "License error: 10999 ..." when starting Appeon Server in 64-bit OS, [128](#)
- "Load application failed", [57](#)
- "Object doesn't support this property or method" Error, [58](#)
- "ORA-01461" error in AEM when test a data source, [117](#)
- "oracle 9i failed: System.Data.OracleClient requires Oracle client software version 8.1.7 or greater", [118](#)
- "Predefined error_message pfc_dwdberror", [67](#)
- "Remote connection failed:
java.io.IOException: Message data for non-existent channel", [97](#)
- "Script Debugger Component Not Found" error, [28](#)
- "Script Debugger Disabled" error, [29](#)
- "Stack overflow error", [65](#)
- "Table already exists" error, [102](#)
- "Table or view not found" error, [101](#)
- "The XML page cannot be displayed" when opening a UFA report, [25](#)
- "This application has requested the Runtime to terminate it in an unusual way" error, when you deploy or analyze an application, [27](#)
- "Unable to cast object of type 'System.String' to type 'System.Byte[]'", [42](#)
- "Unable to validate current license file. Please reinstall Appeon Server", [50](#)

A

- AEM cannot access WebSphere data sources when global security is on, [97](#)
- AEM cannot interface with a particular Appeon Server, [99](#)
- AEM Web page cannot display or cannot display correctly in IE 9, [82](#)
- An item which usually requires one click must be clicked twice to be selected, [81](#)
- Appeon Debugger, [28](#)
- Appeon Developer Configuration, [25](#)

Appeon Developer toolbar does not respond when run by a non-administrator, [24](#)
Appeon File Server Installation Incomplete, [20](#)
Appeon Performance Analyzer continually popping up, [77](#)
Appeon Server, [93](#)
Appeon Server Cluster, [123](#)
Appeon Server is dead when dynamically creating a DataWindow, [98](#)
Appeon Server responds to user requests slowly, [99](#)
Appeondb is not started when EAServer starts, [102](#)
ASA/SQL Anywhere engine crashes when you insert data into AppeonDB, [80](#)
ASE Chained mode issue, [78](#)

B

Blob data cannot be correctly manipulated if it over 4MB, [73](#)

C

Cannot connect to DSN, [34](#)
Cannot log into AEM in IE 10, [82](#)
Cannot start EAServer Manager, [131](#)
Cannot update Transaction Objects for WebLogic servers, [63](#)
Corrupt Chinese characters are displayed in a DataWindow, [59](#)

D

Data missing in some DataWindows, [72](#)
Data operation, [69](#)
Data range issue with n-Tier NVOs, [127](#)
Database lock, [72](#)
DataWindows do not respond, [73](#)
Demo Web application fails to call EJB component, [67](#)
Demo Web applications do not load in Internet Explorer, [53](#)
Deployment Performance, [32](#)
Display errors, [59](#)
Distributed DataWindows are not displayed, [59](#)
DropDownDataWindow value incorrectly selected, [67](#)
DropDownListBox does not display completely, [60](#)

E

EAServer 6.x startup error, [118](#)
EAServer cannot be started after Appeon Server install, [16](#)
EAServer cannot start with the prompt that "the system 'admin' password has not yet been set", [132](#)
EAServer issues, [127](#)
Empty/Null value update error if SQL Anywhere/ASE, [100](#)
Enable 32-bit .NET framework on 64-bit Windows, [13](#)
Error "500 Servlet jspServlet: ...", [92](#)
Error "Connect EAServer failed" when loading Appeon demo applications, [54](#)
Error "Could not read object", [40](#)
Error "Create instance failed" when loading n-Tier NVO Web applications, [55](#)
Error 00001-09999, [137](#)
Error 10001-15055, [139](#)
Error 10999 - Failed to start new transaction..., [93](#)
Error 10999 - Keyword not supported: 'dsn', [62](#)
Error 1155, [2](#)
Error 14004 "The license file is missing", [21](#)
Error 1607 or 1628, [1](#)
Error 20001-20035, [145](#)
Error 404 - File or directory not found, [63](#)
Error converting data type varchar to datetime, [117](#)
Error Message Formats, [136](#)
Error Message Numbers and Descriptions, [136](#)
Error Message Priority, [136](#)
Error occurs when running Distributed DataWindow in Appeon Code Examples Demo, [68](#)
Errors occur when calling n-Tier application of EAServer with 64-bit JDK, [130](#)
Exiting Appeon Developer completely after an error, [25](#)
Extra space or padding between MDI client area and toolbar, [61](#)

F

Fail to log into AEM with the default user name and password, [92](#)

Fail to parse the result meta of the Select statement, [75](#)

Fail to ping appeondb data source, [102](#)

Fail to ping appeonsample data source, [109](#)

Fail to ping data sources for SQL Server 2000, [116](#)

Fail to pre-compile AEM, [92](#)

Fail to start Apeon Server on JEUS, [119](#)

Fail to update data, [75](#)

Fail to update DataWindows with newly entered Korean characters, [76](#)

Fail to update dynamically generated DataWindow, [75](#)

Failed to create new data sources, [134](#)

Failed to deploy applications, [32](#)

Failed to deploy applications in server console, [33](#)

Failed to deploy Web applications in 64-bit JEUS server, [34](#)

Failed to generate DWSQL, [34](#)

Failed to initialize Apeon Weblibrary Component, [52](#)

Failed to install the Download Center plugin, [51](#)

Failed to manually download Apeon ActiveX, [51](#)

Failed to update database due to java.sql.SQLException... cannot insert the value NULL..., [75](#)

Failure in Incremental Deployment, [38](#)

Feature Analysis, [25](#)

Feature Analysis and deployment freezes, [40](#)

Feature analysis or deployment comes to a standstill, [27](#)

Frequently Asked Questions, [21](#)

Full access rights to IIS Web root, [11](#)

H

How much better is the performance when multiple instances are used?, [22](#)

How to bind server instance to CPU?, [21](#)

How to create EAServer instances?, [22](#)

How to install Apeon Server to multiple EAServer instances?, [21](#)

How to locate problematic objects in an application, [36](#)

How to solve the messy code issue when retrieving data in Oracle, [76](#)

How to start the server instance?, [22](#)

Http 404 not found error occurs when using WebSphere as the Application Server, [64](#)

I

IE 7 reports "Internet Explorer cannot open the Internet site. Operation aborted." Error, [48](#)

IE browser fails to open Web applications, [53](#)

IE shows "done" status and then stays blank, [43](#)

IIS 6.0, [4](#), [15](#)

IIS 7.0 or 7.5, [3](#), [13](#)

IIS configuration, [3](#)

Install Apeon File Server, [20](#)

Install Apeon Server to .NET IIS, [3](#)

Install Apeon Server to EAServer, [16](#)

Install Apeon Server Web Component, [20](#)

Install Apeon Workspace, [17](#)

InstallShield Errors, [1](#)

IWA issues, [77](#)

J

JBoss console hangs during startup process, [97](#)

JBoss console reports #...Stopped deployment appeonserver.jar...# error, [96](#)

JDBC/ODBC TDS data type discrepancy on SQL Anywhere, [100](#)

L

Launch Web applications, [43](#)

Library used incorrectlyLibrary used incorrectly, [122](#)

Loading AEM, [82](#)

Loading application is slow when Apeon Cluster works in virtual machines, [123](#)

M

Manipulation on BLOB files, [73](#)

Manipulation on BLOB files for Adaptive Server Enterprise (ASE), [74](#)

Manipulation on BLOB files for SQL Anywhere, [74](#)

MDI windows do not display in full, [61](#)

N

Nested reports over 50 rows do not display, [60](#)

Nested reports over five pages do not display, [60](#), [127](#)

O

Object reference not set to an instance of an object, [90](#)

Others, [77](#)

P

Package Tool, [29](#)

Pinging data source fails when using the ASA/SQL Anywhere JDBC driver, [133](#)

PowerBuilder issues, [127](#)

Procedure 'apeon_procdatabjects' not found, [118](#)

R

Receiving "Server busy" error, [66](#)

Retrieved data does not display in DataWindows, [69](#)

Retrieving data is slow when Apeon Cluster works in virtual machines, [123](#)

Runtime issues, [62](#)

S

Security settings in AEM do not take effect, [93](#)

SelectBlob and UpdateBlob have different results for non-binary fields, [76](#)

Server Error in '/Servlet' Application, [82](#)

Server NVO cannot be activated when the Web application is running, [80](#)

Source Code Export process aborts with a fatal error, [36](#)

Special characters in URL cause missing parameters when being redirected, [81](#)

Starting EAServer fails, [132](#)

Status Monitor exits after restarting Apeon Server for WebLogic in Linux, [121](#)

Support for non-JDBC drivers, [134](#)

T

Task 1: Application Source Code Export, [34](#)

Task 2: Application File Generation, [38](#)

Task 3: Application Deployment, [40](#)

Testing connection fails during DB Type Profile configuration, [25](#)

Text displays in large size and is cut off, [62](#)

Text does not display or text is grayed out, [60](#)

The AEM Web page cannot be displayed, [92](#)

The data source test will fail if the Shared memory is checked, [121](#)

The SQL statement cannot perform correctly when the Web server is separated from the Apeon Server, [68](#)

Third-party Web Server problems with the SAP Sybase redirector plug-in, [20](#)

Troubleshooting Apeon Developer, [24](#)

Troubleshooting Apeon Install, [1](#)

Troubleshooting Apeon Server, [82](#)

Troubleshooting PowerBuilder and EAServer, [127](#)

Troubleshooting Web Applications, [43](#)

Troubleshooting Web Deployment, [32](#)

Truncated display of data or controls in a DataWindow or Window, [61](#)

U

Unable to display the double-byte characters, [62](#)

Unable to retrieve data from database, [70](#)

Unable to write to FTP Server: "Error:

Unable to find the destination directory", [41](#)

Unusual deployment duration, [32](#)

Upgrade Installation, [20](#), [24](#)

Upgrading to a different Build of PowerBuilder, [127](#)

W

Warning 61537, [38](#)

Web application deployment to remote servers does not work, [41](#)

Web application does not run when the database is disconnected by exception, [100](#)

Web application is very slow if use SQL Anywhere 10 and Apeon Server for .NET, [79](#)

Web applications do not load in Internet Explorer, [53](#)

Weblibrary and cedownloadcenter DLLs cannot be updated, [81](#)

Window loses focus of I-beam cursor, [66](#)

Windows open relatively slow, [79](#)