

Getting Started

**Appeon InfoMaker®**

2017

DOCUMENT ID: DC37788-01-1700-01

LAST REVISED: July 2017

Copyright © 2017 by Appeon Limited. All rights reserved.

This publication pertains to Appeon software and to any subsequent release until otherwise indicated in new editions or technical notes. Information in this document is subject to change without notice. The software described herein is furnished under a license agreement, and it may be used or copied only in accordance with the terms of that agreement.

Upgrades are provided only at regularly scheduled software release dates. No part of this publication may be reproduced, transmitted, or translated in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without the prior written permission of Appeon Limited.

Appeon and other Appeon products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Appeon Limited.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP and SAP affiliate company.

Java and all Java-based marks are trademarks or registered trademarks of Oracle and/or its affiliates in the U.S. and other countries.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.

All other company and product names mentioned may be trademarks of the respective companies with which they are associated.

Use, duplication, or disclosure by the government is subject to the restrictions set forth in subparagraph (c)(1)(ii) of DFARS 52.227-7013 for the DOD and as set forth in FAR 52.227-19(a)-(d) for civilian agencies.

Appeon Limited, 1/F, Shell Industrial Building, 12 Lee Chung Street, Chai Wan District, Hong Kong.

# Contents

<b>About This Book .....</b>	<b>i</b>	
<b>CHAPTER 1</b>	<b>Welcome to InfoMaker .....</b>	<b>1</b>
	What you make with InfoMaker .....	2
	Starting InfoMaker .....	7
	Using the tutorials .....	9
	InfoMaker samples .....	9
<b>LESSON 1</b>	<b>InfoMaker Basics Tutorial .....</b>	<b>11</b>
	Start InfoMaker .....	12
	Access objects and painters .....	13
	Use toolbars .....	18
	Use views .....	23
	Use pop-up menus .....	25
	Use the mouse with controls .....	29
<b>LESSON 2</b>	<b>Form Tutorial .....</b>	<b>35</b>
	Create the basic form .....	36
	Preview (run) the form .....	42
	Save the form .....	44
	Add buttons to the form .....	46
	Enhance the form .....	51
	Add a title .....	51
	Change the border for data .....	53
	Move the buttons .....	55
	Add a report .....	55
	Use the form to update the database .....	59
<b>LESSON 3</b>	<b>Report Tutorial .....</b>	<b>65</b>
	Create the basic report .....	66
	Preview the report .....	74
	Save the report .....	76

	Set up the design environment .....	78
	Define sorting and grouping .....	80
	Enhance the report.....	84
	Rearrange controls.....	84
	Add a title and date .....	90
	Add page numbers .....	94
	Add a count of the total number of contacts.....	95
	Save the report as a PDF file .....	99
	Print the report .....	101
<b>LESSON 4</b>	<b>Table Tutorial .....</b>	<b>103</b>
	Create the database table.....	104
	Define the columns in the table .....	104
	Save the table .....	110
	Define a primary key .....	111
	Enter comments to document the table.....	112
	Define extended attribute information .....	113
	Define a DropDownList edit style for the title column.....	114
	Change the column header, label, and display width of title .	120
	Assign a DropDownDataWindow edit style and initial value to state	
	123	
	Define an Edit Mask edit style for phone and fax .....	129
	Add data to the table .....	133
<b>LESSON 5</b>	<b>Query Tutorial .....</b>	<b>135</b>
	Select columns.....	137
	Save the query .....	142
	Specify row selection criteria.....	144
	Specify sorting for the rows.....	147
	Create a report using the query .....	149
<b>LESSON 6</b>	<b>Graph Tutorial .....</b>	<b>155</b>
	Open the report to contain the graph .....	156
	Create the basic graph.....	159
	Save the graph (report).....	165
	Enhance the graph.....	167
	Resize and reposition the graph.....	167
	Add a title .....	168
	Change the graph type.....	168
	Print the graph (report).....	172
<b>LESSON 7</b>	<b>Environment Tutorial.....</b>	<b>173</b>

	Open forms, reports, and queries .....	174
	Create a new library .....	178
	Copy forms, reports, and queries .....	179
	Create a new report from an existing one .....	181
<b>LESSON 8</b>	<b>Application Tutorial .....</b>	<b>187</b>
	Create the application .....	189
	Create a shortcut to the application .....	197
	Start the application .....	201
	Use the Data button .....	203
	Use the By Job button .....	207
	Use the Ad Hoc button .....	208
	<b>Index .....</b>	<b>217</b>



# About This Book

## Audience

This book is for new InfoMaker users.

## How to use this book

This book introduces InfoMaker and provides a tutorial for learning to use InfoMaker. The lessons teach InfoMaker basics and how to create forms, reports, queries, and graphs. The last lesson puts everything into an InfoMaker application.

## Related documents

When you have a question about using InfoMaker, you can access its online Help system or consult one of the following books:

Book	Description
<i>Installation Guide</i>	Provides instructions for installing InfoMaker
<i>Getting Started</i>	Introduces you to InfoMaker and provides a tutorial you can step through to learn the basics
<i>User's Guide</i>	Tells how to use InfoMaker to create reports, work with databases, transfer data between databases, create forms to update data, create queries to retrieve data automatically, and create applications to package reports and forms
<i>Connecting to Your Database</i>	Tells how to connect to a database from InfoMaker; describes how to set up, define, and manage database connections accessed through a standard database interface (such as ODBC or JDBC) or one of the InfoMaker native database interfaces

## Other sources of information

Use the Product Manuals web site to learn more about your product. The Product Manuals web site is accessible using a standard Web browser.

To access the Product Manuals web site, go to [Product Manuals at https://www.appeon.com/developers/library/product-manuals-for-im](https://www.appeon.com/developers/library/product-manuals-for-im).

## If you need help

All customers are entitled to standard technical support for reproducible software defects. You can open a standard support ticket at the Appeon support site: <https://www.appeon.com/standardsupport/> (login required).

If your organization has purchased a premium support contract for this product, then the designated authorized support contact(s) may seek assistance with your technical issue or question at the Appeon support site: <https://support.appeon.com> (login required).





# Welcome to InfoMaker

InfoMaker is a powerful yet easy-to-use reporting and data maintenance tool that lets you work with data in the Windows environment.

With InfoMaker you can create sophisticated forms, reports, graphs, crosstabs, and tables, as well as applications that use these as building blocks. You can also move data between databases using the InfoMaker data pipeline.

This chapter describes:

- What you make with InfoMaker
- Starting InfoMaker
- Using the tutorials
- InfoMaker samples

# What you make with InfoMaker

## Forms

**Employee Data**

Employee ID: 102      Birth Date: 06/05/1966  
Manager ID: 501      Soc. Sec. No.: 017-34-9033  
Emp. First Name: Fran      Salary: \$45,700.00  
Emp. Last Name: Whitney      Start Date: 02/26/1994  
Department ID: 100      Termination Date: 00/00/0000  
Street: 49 East Washington Street      Status:  Active  
City: Needham       Terminated  
State: MA       On Leave  
Zip Code: 02192-      Health Insurance:   
Phone: (617) 555-3985      Life Insurance:   
Sex:  Male      Day Care:   
 Female

## Reports

**Total Compensation Report**  
Salary Plus Benefits

Value of health ins. = \$4,800  
Value of life insurance = \$(5.43 x salary)/1,000  
Value of day care = \$5,200

Page 2 of 1  
2017/6/24

Department ID	Employee ID	Employee First Name	Employee Last Name	Salary	Health Ins.	Life Ins.	Day Care	Salary Plus Benefits
200	902	Judy	Snow	\$87,500	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$92,775
	913	Ken	Martel	\$55,700	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$56,002
	930	Ann	Taylor	\$46,890	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$57,145
	949	Pamela	Savarino	\$72,300	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$77,483
	1021	Paul	Sterling	\$64,900	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$75,252
	1039	Shih Lin	Chao	\$33,890	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$39,274
	1101	Mark	Preston	\$37,803	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$42,806
	1142	Alison	Clark	\$45,000	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$50,444
	1162	Kevin	Goggin	\$37,900	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$42,906
	1446	Caroline	Yeung	\$32,300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$32,475


Crosstabs

Number of employees by department and salary 30,000 includes up to 39,999	Dept Id					Total number of employees making the salary	
	Salary	100	200	300	400		500
20000					2	5	7
30000	3	8	2	5	2	20	
40000	6	5	2	5	1	19	
50000	4	3	3	2	1	13	
60000	4	1		2		7	
70000	2	1	1			4	
80000	2	1				3	
90000	1					1	
130000			1			1	
<b>Total number of employees in the department</b>	22	19	9	16	9		

Reports with nested reports

2/21/2001		Customers and Orders							
Customer Information			Order History						
<b>Customer ID:</b>	105		<b>Sales Order ID</b>	<b>Order Date</b>	<b>Sales Rep ID</b>	<b>Line #</b>	<b>Product ID</b>	<b>Quantity</b>	<b>Date Shipped</b>
<b>First Name:</b>	Laura		2006	09/28/98	299	1	300	48	09/28/98
<b>Last Name:</b>	McCarthy		2344	03/30/98	195	1	501	36	03/31/98
<b>Address:</b>	1210 Highway 36		2454	06/16/98	299	1	501	36	06/17/98
<b>City:</b>	Carmel		2568	09/21/98	856	1	600	36	09/22/98
<b>State:</b>	IN					2	601	36	09/22/98
<b>Zip Code:</b>	46032-								
<b>Phone Number:</b>	(317) 555-8437								
<b>Company Name:</b>	Arno & Sons								

Composite reports



Forms with reports

Maintain Contact Information

**Id:**

**Last Name:**

**First Name:**

**Job Role:**

**Street:**

**City:**

**State:**


**Zip:**

**Phone:**


**Fax:**

Id	Last Name	First Name	Job Role
1	Hildebrand	Jane	Marketing
2	Simmon	Larry	Sales
3	Critch	Susan	Product developme
4	Lambert	Terry	Administration
5	Sullivan	Dorothy	Customer support
6	Pauli	Rose	Finance
7	Glassmann	Beth	Product developme
8	Powell	Gene	Training
9	Fish	Jeffrey	Marketing
10	Clarke	Molly	Sales
11	Kelley	William	Documentation
12	Lyman	Thomas	Customer support




Graphs




Reports with graphs



Labels

 <p>Alex Ahmed 114 Cushing Street Needham, MA 02192</p>	 <p>Joseph Barker 58 West Drive Bedford, MA 01730</p>	 <p>Irene E 37 Gle: Bedfon</p>
 <p>Jeannette Bertrand 209 Concord Street Acton, MA 01720</p>	 <p>Janet Bigelow 84 Lunda Street Waltham, MA 02154</p>	 <p>Barbar 66 Bea Needh</p>
 <p>Jane Braun 45 Wood Street Cambridge, MA 02140</p>	 <p>Robert Breault 58 Cherry Street Milton, MA 02186</p>	 <p>Matthev 57 Tayl Lexingt</p>
 <p>Joyce Butterfield 119 Adams Street Cambridge, MA 02140</p>	 <p>Shih Lin Chao 59 Holyoke Street Lexington, MA 02173</p>	 <p>Doug t 57 Wet Concor</p>

## Applications



## Starting InfoMaker


These instructions assume that you have already installed InfoMaker.

For information, see the *Installation Guide*.

❖ **To start InfoMaker using the Windows Start menu:**

- Display the Start menu and select Programs, then Apeon, then InfoMaker 2017, and then InfoMaker. The initial InfoMaker screen displays.

The initial screen includes the PowerBar, which has buttons for creating new objects and accessing existing objects.





## Using the tutorials

### Requirements

To use the InfoMaker tutorials, you need to:

- Be connected to the Demo Database
- Have the sample library named *tutor\_im.pbl* open

### If you do not have SQL Anywhere

This tutorial uses the PB Demo Database database that installs with InfoMaker. This is an SQL Anywhere database and requires an SQL Anywhere engine.

- If you do not already have SQL Anywhere on your local machine or server, you must install it now. You can download and install SQL Anywhere from the SAP web site. If you installed InfoMaker in a nondefault location, you must make sure that the *odbc.ini* registry entry defining the Demo Database as a data source points to the correct location of the SQL Anywhere engine.

### Approximate times

Tutorial	Lesson	Minutes
InfoMaker Basics	1	15
Form	2	45
Report	3	45
Table	4	45
Query	5	15
Graph	6	30
Environment	7	30
Application	8	30

## InfoMaker samples


The InfoMaker sample library named *tutor\_im.pbl* is the library you use in the tutorials. The *tutor\_im.pbl* library includes sample reports, forms, a sample query, and a sample pipeline. After you have finished with the tutorials, you might want to look at these samples to learn more. Many of the samples are discussed in the *InfoMaker User's Guide*.



# InfoMaker Basics Tutorial

The InfoMaker world is a friendly and efficient environment in which to work. It provides features such as movable toolbars, pop-up menus, views, and more.

In this tutorial you learn the basic skills you need for working in InfoMaker.



## How long does this tutorial take?

About 15 minutes.

## Start InfoMaker

---


### Where you are

- > Start InfoMaker
    - Access objects and painters
    - Use toolbars
    - Use views
    - Use pop-up menus
    - Use the mouse with controls
- 

Now you start InfoMaker.

- 1 Display the Windows Start menu.**
- 2 Select Programs, then Appeon, then InfoMaker 2017, and then InfoMaker.**

The InfoMaker initial screen displays. It includes the PowerBar, which has buttons for various InfoMaker activities.



## Access objects and painters

---

### Where you are


- Start InfoMaker
  - > Access objects and painters
  - Use toolbars
  - Use views
  - Use pop-up menus
  - Use the mouse with controls
- 

### What click means

The word click is used throughout these tutorials to mean move the pointer somewhere and press the left (primary) mouse button. For example, click the Open button.


---

#### 1 Click the *Open* button in the PowerBar.



Your toolbar might not be showing text on the buttons. You learn how to display text in a few minutes.

The Open dialog box displays. It lists the objects in the current library, which is the library named *tutor\_im.pbl*. This library includes samples that come with InfoMaker; it is the library you use for the tutorials.




---

**If the current library is not *tutor\_im.pbl***

If the current library is not *tutor\_im.pbl*, you need to change it. Select File>Select Library and use the Browse page to navigate to *tutor\_im.pbl* in the *Tutorial* folder (in the folder structure where InfoMaker is installed). Then click the Open button in the PowerBar.

---

- 2 Select **Reports** as the Object type at the bottom of the dialog box. Click **expenses** (scroll the list until you see the report named **expenses**) and then click **OK**.



InfoMaker connects to the Demo Database and the report displays in the Report painter. You learn about the Report painter in the Report tutorial. For now you learn basic skills.

First you are going to make a few settings in your working environment.

- 3 If InfoMaker does not fill your screen, click the maximize box in the upper-right corner of the InfoMaker frame.


InfoMaker fills the screen.

- 4 Select **View>Layouts>(Default)** from the menu bar.

InfoMaker displays the Report painter default layout of views. (Your views may already have been set to the default. Now you know how to get back to the default anytime you want to.)

Now you close the tabbed view at the bottom right of the screen since you are not going to be using those views.

- 5 Move the pointer to a position just above the up-arrow (at the lower right edge to the right of DB Name) until the title bar of the view drops (displays).




- 6 Continue moving the pointer until it is over the *Close* button (the button with the *X* in it) and click it.

The tabbed view closes and the Export/Import XML Template view (originally positioned on the bottom left) displays in the full horizontal space.

- 7 Now close the Export/Import XML Template view using the same process you used with the tabbed view.



Your screen should look something like this now. Because InfoMaker offers so much flexibility in arranging your work area, your screens may not match many of the pictures in the remaining lessons. It does not matter as long as you are getting the correct results.



# Use toolbars

## Where you are

- Start InfoMaker
- Access objects and painters
- > Use toolbars
- Use views
- Use pop-up menus
- Use the mouse with controls


InfoMaker comes with several toolbars: the PowerBar, three PainterBars, and the StyleBar. You can control whether individual toolbars display and where they display. You can also choose whether to display text in the toolbars.

In this exercise you learn how to use toolbars.

(You can also create your own toolbars and customize toolbars, but this tutorial does not cover these advanced activities.)

- 1 Move the pointer to the toolbar area.  
Click the right mouse button.**

The pop-up menu for the toolbars displays.



### About the pop-up menu

Throughout InfoMaker, pop-up menus provide a fast way to do things. The right mouse button accesses the pop-up menu. The menu changes depending on the painter you are in and where you are when you click the right mouse button.


### 2 Select *Floating* from the pop-up menu.

The PainterBar changes to a floating toolbar.

### 3 Move the pointer to the title bar and drag the floating toolbar to another location.

### How to drag the toolbar

Press and hold the left mouse button. While holding the button, move the mouse (an outline displays to show the current location of the toolbar). When the toolbar is where you want it, release the mouse button.



You can put toolbars in different locations: left, top, right, bottom, and floating.

**4** Select *Tools>Toolbars* from the menu bar.


---

**About the notation *Tools>Toolbars***

Throughout the tutorials, commands issued from the menu are shown as a sequence of choices separated by arrows. For example, to select *Tools>Toolbars* means to select *Tools* from the menu bar and then *Toolbars* from the menu items.

---


The Toolbars dialog box displays. Notice that the PowerBar is highlighted. If the PowerBar is currently displayed, the middle button says Hide.



**5** Click *PainterBar1* and then click the *Bottom* button.

The PainterBar displays at the bottom of the InfoMaker screen.

- 6 Click *Show Text* to make text display on the buttons.  
Click the *Close* button to close the dialog box.




- 7 Move the pointer over one of the toolbar buttons.

After a couple of seconds, the PowerTip that tells what the button does displays.

## 8 Click the small black triangle next to the *Text* button in the PainterBar.

The Objects drop-down toolbar displays. It holds buttons for the controls you can add to reports. (A text control is one type of control you can add to a report.) Several buttons on other PainterBars have small black triangles. These buttons belong to other drop-down toolbars (such as the Border drop-down toolbar).



## 9 Click in the white space to the right of the toolbar to make the Objects drop-down toolbar close.

Now you know several ways to move the toolbars and you know how to turn text display on and off.

For the rest of these tutorials, you should move the toolbars where you like to have them. Your screen may not match the pictures in this book, depending on where and how you display toolbars.

## Use views


### Where you are

- Start InfoMaker
- Access objects and painters
- Use toolbars
- > Use views
- Use pop-up menus
- Use the mouse with controls

InfoMaker provides a number of views in each painter to make it easier for you to work. The View menu in each painter lists the views available to you. You can use the View menu items to display and close the various views. In this exercise you learn how to manage views.

- 1 **Move the pointer to the upper-left corner of one of the views. When the bar drops and the pushpin displays, click the pushpin. Repeat this for the other two views.**


Now the three views have title bars that identify the Design view, the Preview view, and the Properties view.



- 2 Move the pointer to the Preview view's title bar and press the right mouse button.  
Select *Float* from the pop-up menu.

Now the view is floating. You can drag it wherever you want it and resize it as needed.

- 3 Display the pop-up menu on the Preview view's title bar and select *Dock*.



The view goes back to where it was. There are more options for moving views around, including dragging them and overlaying one view on top of another to make tabbed views. You can read about these in the InfoMaker *User's Guide*.



## Use pop-up menus


### Where you are

- Start InfoMaker
- Access objects and painters
- Use toolbars
- Use views
- > Use pop-up menus
- Use the mouse with controls

Now you take a look at pop-up menus and the Properties view.


- 1 **Move the pointer to the words *Expenses for*. Click the right mouse button.**

The pop-up menu for a piece of text (also called a text control) displays. Whenever you position the pointer on something that has a pop-up menu and click the right mouse button, the appropriate menu items display.



- 2 If the Properties view is not currently displayed, select *Properties* from the pop-up menu.  
Look at the contents of the Properties view.

The Properties view displays the properties of the *Expenses for* text control because the text control is currently selected. For a text control, the Properties view has five tabs, which identify five pages of information. The General page is on top.



---

### About the Properties view


The Properties view displays a collection of information about a control or the report object itself. You use the Properties view to find out and set properties.

For example, a text control has properties such as font, font size, location, border, and so on. You can see the current settings for these properties on the control's property sheet. You can also change them there.

---


### 3 Position the pointer on the word *description* and click.

The Properties view now displays information for the data column (Column control) called *description*. The property pages and options are different from those for the text control.




### 4 Click the word *Font* on the Font tab.

The Font page comes to the front of the Properties view.



**5 Select the font size 14 from the drop-down list in the Size box.**

The font size of the text control changes to 14 in the Properties view, the Design view, and the Preview view.



**6 Select the font size 10 from the drop-down list in the Size box.**

The font size of the text control changes back to 10.

## Use the mouse with controls


### Where you are

- Start InfoMaker
- Access objects and painters
- Use toolbars
- Use views
- Use pop-up menus
- > Use the mouse with controls

Now you move some of the controls in the report. Be sure not to save the changed report, because you will use the original report later. When you leave the Report painter, you are prompted to save changes. The instructions remind you to say no.


### 1 Select *Design>Options* from the menu bar.

The Report Options property sheet displays.




In this property sheet, you turn on some design options that make it easier to work with controls in reports.

- 2 **Select the *Show Grid* check box.**  
**Select the *Show Ruler* check box.**  
**Select the *Show Edges* check box.**




- 3 **Click *OK*.**

Now edges display around the controls, and a grid and ruler display in the Report painter Design view.




- 4 Click the text control with the text *Expenses for*.

Black boxes in the corners mean the control is selected.




- 5 Press and hold the Ctrl key.  
Click the *year* box and the *Amount in thousands* box.  
Release the Ctrl key.

Now you have selected all three controls.




- 6 Press and hold the Left Arrow key until the controls are on the far left of your screen.

**Release the key.**




- 7** Move the pointer to the word *Expenses*.  
Make sure the controls are still selected.  
Press and hold the left mouse button.  
Drag all the controls to the right.  
Release the mouse button.

While you are dragging, gray boxes show the current position of the controls.




When you release the mouse button, you drop the controls where the pointer is currently positioned. Notice that the controls are still selected as indicated by the little black boxes.




- 8** Click in an unused area to deselect the controls.

The controls are no longer selected (the black boxes are gone).






- 9 Move the pointer to the position shown here by the big black dot.




- 10 Press and hold the left mouse button.  
Drag the mouse diagonally down and to the right until the box surrounds or touches all three controls.




- 11 Release the mouse button.

All the controls are selected. This is called **lasso selection**. You can use this lasso technique to select many controls quickly. Then you can move them all together or change something about them all at once.




- 12 Press the Delete key.

The three selected controls are deleted, but you really did not mean to delete them.



- 13 Select *Edit>Undo Control Delete* from the menu bar.

The deletion is reversed.



---


### About Undo

You can undo as many operations as necessary.

---

#### 14 Select *File>Close* from the menu bar.

InfoMaker displays a message box to see whether you want to save the changes you have made to the *expenses* report. You do not want to save changes. You use this report later in the Graph tutorial.



#### 15 Click *No*.

The Report painter closes. Now you are ready to learn how to create a form.

# Form Tutorial

---

## This tutorial requires the Form painter


The Form painter component of InfoMaker is optional; you must have installed it to do this tutorial.

---

Forms display data and provide a way to interact with the database. You can use forms to view information and change it.

In this tutorial you create a form that updates the `contact` table. The form includes:

- All columns in the `contact` table
- Buttons for maintaining contact information
- A report that provides access to all information in the `contact` table



Id	Last Name	First Name	Job Role
1	Hidebrand	Jane	Marketing
2	Simmon	Larry	Sales
3	Critch	Susan	Product developme
4	Lambert	Terry	Administration
5	Sullivan	Dorothy	Customer support
6	Paull	Rose	Finance
7	Glassmann	Beth	Product developme
8	Powell	Gene	Training
9	Fish	Jeffrey	Marketing
10	Clarke	Molly	Sales
11	Kelley	William	Documentation
12	Lyman	Thomas	Customer support

---

## How long does this tutorial take?

About 45 minutes.

---

## Create the basic form


---

### Where you are

- > Create the basic form
  - Preview (run) the form
  - Save the form
  - Add buttons to the form
  - Enhance the form
  - Use the form to update the database
- 

Now you create the basic form. To do this you select a predefined InfoMaker form style and the data to be displayed in the form.

### 1 Click the *New* button in the PowerBar.




The New dialog box displays.

### 2 Select the *Object* tab if it is not already on top.

The Object tab page contains the icon for creating any type of new form and icons for the various report presentation styles.

### 3 Select the *Form* icon and click *OK*.

The New Form dialog box displays. It contains the data sources and form styles you can choose.



---

#### About data sources

**Quick Select** is simply for choosing columns and specifying selection criteria and sorting, which is what you want for this tutorial.

**SQL Select** is for using other **SQL** options not available with Quick Select.

**Query** is for specifying the name of a query that describes the data source. You define queries in the Query painter.

---


#### About form styles

A form style is a predefined way of presenting and processing information on the form. Usually the style includes the common database functions (insert, delete, and update).

InfoMaker comes with a set of form styles. PowerBuilder users at your site can create additional styles, which also display in the New Form dialog box.


---

- 4 Click **Quick Select** and **Free Form** to select them (the words are highlighted).




- 5 Click **OK**.

The Quick Select dialog box displays. In this dialog box you select the table to use and the columns you want to include in the form.




**6 Click *contact* in the *Tables* box.**

The columns for the *contact* table display. You include all columns in the form.



**7 Click the *Add All* button.**

All columns are selected. They display in a grid at the bottom of the dialog box.




You could reorder columns and enter sorting and selection criteria in this grid. For your form you do not need to do any of these things.



## 8 Click **OK**.

Your form displays. It uses the columns and form style you selected. The text labels come from the extended attribute system tables. Instead of data, the names of the database columns appear where the data values will be displayed.



The screenshot shows a window titled "(Untitled) \* - Form" containing a contact form. The form consists of the following fields:

- Id:** contact
- Last Name:** contact\_last\_name
- First Name:** contact\_first\_name
- Job Role:** contact\_title
- Street:** contact\_street
- City:** contact\_city
- State:** contact
- Zip:** contact\_zip
- Phone:** contact\_phone
- Fax:** contact\_fax

### The extended attribute system tables

The extended attribute system tables store information about data such as labels and display formats. When you create forms and reports, InfoMaker uses extended attribute information to create the basic form or report.

You put information into the extended attribute system tables using the Database painter. For example, in the Table tutorial you define the label *Job Role:* for the **title** column. Then when you use the **title** column in a form or report, InfoMaker uses the label *Job Role:*.

## Preview (run) the form

---

### Where you are

- Create the basic form
  - > Preview (run) the form
  - Save the form
  - Add buttons to the form
  - Enhance the form
  - Use the form to update the database
- 

Now you preview the form. Running the form is the way you preview it while you are designing it and the way you use it when you have finished designing it.



### 1 Click the *Run* button in the PainterBar.

InfoMaker runs your form, which includes going to the database and retrieving data.

Notice that real values have replaced the column names in the form.

Untitled

**Id:**

**Last Name:**

**First Name:**

**Job Role:**

**Street:**

**City:**

**State:**


**Zip:**

**Phone:**

**Fax:**

The PainterBar now has buttons that let you view and change data. Now you view the data using the form.

- ### 2 Click the *Next* button. Click the *Last* button. Click the *First* button.



This moves you among the rows. Later in this tutorial you insert a new row.



**3 Click the *Close* button in the PainterBar.**

You return to the Form painter Layout view.

## Save the form

---

### Where you are

- Create the basic form
  - Preview (run) the form
  - > Save the form
  - Add buttons to the form
  - Enhance the form
  - Use the form to update the database
- 

Now you save the form and give it a name.




- 1 Click the **Save** button in the PainterBar.

The Save Form dialog box displays with the pointer positioned for you to type a name for the form.

- 2 Type *contact\_maintenance*.

- 3 Click in the **Comments** box and type *This form updates my contact table*.



- 4 Click **OK**.

InfoMaker saves your form. Anytime you have completed a unit of work, you should save. To save, select File>Save from the menu bar or click the Save button.


## Add buttons to the form

---

### Where you are

- Create the basic form
  - Preview (run) the form
  - Save the form
  - > Add buttons to the form
  - Enhance the form
  - Use the form to update the database
- 

Now you add three buttons to the form. Later when you run the form, you can click the buttons to add and delete contacts.



---

### About controls

The items you see on a form are called controls. For example, a button is a type of control. The controls you can use on a form are listed in the Insert menu on the menu bar.

---


- 1 Select **Insert>CommandButton** from the menu bar.
  - 2 Move the pointer to an empty area of the form and click.  
If you need to move the button, drag it.
- 

### How to drag

Position the pointer over an object, and press and hold the left mouse button. While pressing the button, move the mouse until the object is where you want it. Then release the mouse button.

---

A button with the text *none* displays. The text *none* also displays in a text box in the StyleBar.




### If the text box does not display

This means the button is not selected. To select the button, click it. Small black boxes in the corners mean it is selected.

- 3 **Make sure the button is still selected.**  
Type *Add a contact*.

The text displays on the button as you type and in the text box in the StyleBar.

- 4 **Click *B* (for bold) on the StyleBar.**



The text displays in bold. Next you make the button work. To do this you associate an InfoMaker action with the button.


### Using the StyleBar

You can use the StyleBar to change text fonts, font size, and font style (bold, italic, and underline). You can also use it to specify text alignment (left-aligned, centered, and right-aligned).


To use options on the StyleBar, you select a control with text and then click the appropriate button on the StyleBar.

---

- 5 Move the pointer to the **Add a contact** button.  
Press the right mouse button to display the pop-up menu for the button.  
Select **Action** from the pop-up menu.



The Select Action dialog box displays. It lists the actions you can assign to the button.






### About InfoMaker actions

An action is what you want to have happen when the button is clicked.

Whenever you associate an InfoMaker action with a button, InfoMaker creates the code to enable the button to perform the action. You do not see the code. All you have to do is select the action for the button.

InfoMaker comes with predefined actions. PowerBuilder users at your site can create additional actions, which also display in the Select Action dialog box.


## 6 Scroll through the list of actions and double-click *Insert\_Row*.



InfoMaker creates the code that enables your *Add a contact* button to display a blank form so that you can add information for a new contact. You will see the button work later.


Now you add two more buttons.

- 7 **Select *Insert>CommandButton* from the menu bar.**  
**Move the pointer below the *Add a contact* button and click.**  
**Type *Delete a contact*.**  
**Display the *Delete a contact* button's pop-up menu and select *Action*.**  
**Select the action *Delete\_Row* from the *Select Action* dialog box.**  
**Click *OK*.**



- 8 Select *Insert>CommandButton* from the menu bar. Move the pointer below the *Delete a contact* button and click. Type *Save changes*. Display the *Save changes* button's pop-up menu and select *Action*. Select the action *Update\_Row* from the *Select Action* dialog box. Click *OK*.

Now you have three buttons. InfoMaker has created the code that enables the buttons to work.



## Enhance the form

---

### Where you are

- Create the basic form
  - Preview (run) the form
  - Save the form
  - Add buttons to the form
  - > Enhance the form
  - Use the form to update the database
- 


In this exercise you:

- Add a title
- Change the border for data
- Move the buttons
- Add a report

## Add a title

- 1 Move the pointer to an unused area of the form and click.**  
This causes the Properties view to display the form's properties.
- 2 Type *Maintain Contact Information* in the *Title* box.**


The title does not display now. When you run the form, the title displays.



## Change the border for data


Now you change the border for all data values. This improves the form's appearance. You use lasso select to select the data.

- 1 **Move the pointer near the bottom of the data and on the right.**
- 2 **Press and hold the left mouse button and drag diagonally to the left and up until the box (the lasso) touches all the data.**




- 3 **Release the mouse button.**

All the objects inside the box are selected. Black boxes display in all the corners.



- 4 Select *Lowered* or whatever value you want from the Border drop-down list on the General page in the Properties view.

All the areas on the form used to display data values now have your selected border.




## Move the buttons

Now you move the buttons to make room for the report you are about to add.

### 1 Select a button.

You can use lasso select or click one. Small black boxes in the corners mean it is selected.

### 2 Drag the button to the top of the form. Select and drag the other two buttons until your form looks like this.



Now the buttons are near the top of the form. There is more room for the report you are about to add.

## Add a report


Now you add a report to provide information when you are working with the form. You can scroll in the report while you are filling out the form for a new contact. This means, for example, that you can look up an area code or zip code if it is already present for another contact.

### 1 Select *Insert>Report* from the menu bar. Move the pointer into the workspace.

Your next click positions the report that you are adding to the form.

### 2 Move the pointer to the empty space on the right part of the form and click.


Four dots marking the corners of the box that will hold the report display on the form.



Now you use the Properties view to specify a few things about the report. First you are going to select the report whose contents display in the box.

- 3 Click the **Browse** button (the button with three dots on it) next to the **DataObject** field on the **General** page in the **Properties** view.


The **Open** dialog box displays. It lists the reports (**DataWindows**) in *tutor\_im.pbl*, the current library.



- 4 Scroll the list of reports, select *contactgrid*, and click **OK**.




The **contactgrid** report displays in the form, and its name displays in the DataObject field in the Properties view.



Next you specify that the report is to have the StyleBox border and scroll bars.

- 5** Make sure the **BorderStyle** selection is **StyleBox**.  
Select the **HScroll Bar**, **VScroll Bar** and **Border** check boxes.




When you run the form, the report displays as a window with horizontal and vertical scroll bars. This gives you flexibility in looking at data while working on the form.

**6 Resize the report to show more data.**

To resize, move the pointer near an edge until the pointer becomes a double-pointed arrow. Then press the left mouse button, hold, and drag.

When you finish resizing, the report should look something like this.



## Use the form to update the database

### Where you are

- Create the basic form
- Preview (run) the form
- Save the form
- Add buttons to the form
- Enhance the form
- > Use the form to update the database

Now you use the form to add a new contact to the database.




### 1 Click the *Run* button.

Your finished form displays with data in place. The report on the form gives you a way to see all your contact data.

Id	Last Name	First Name	Job Role
1	Hildebrand	Jane	Marketing
2	Simmon	Larry	Sales
3	Critch	Susan	Product developme
4	Lambert	Terry	Administration
5	Sullivan	Dorothy	Customer support
6	Pauli	Rose	Finance
7	Glassmann	Beth	Product developme
8	Powell	Gene	Training
9	Fish	Jeffrey	Marketing
10	Clarke	Molly	Sales
11	Kelley	William	Documentation
12	Lyman	Thomas	Customer support

**2 Click the *Add a contact* button in the form.**

An empty form displays. You use this form to enter a new contact.




The cursor is in the Id box, but you do not know the next available number. You look in the report to see what number was used last.

**3 In the report window, use the scroll bar to scroll down to the last row of the report and check the value in the *Id* column.**

If the data has not been changed since installation, the value is 60, so the next available number is 61.

Id	Last Name	First Name	Job Role	
51	Trayers	Ken	Sales	234
52	Long	Peter	Training	78
53	Tippet	Debbie	Customer support	85
54	Hodson	Jack	Customer support	69
55	Kosko	Kim	Product development	334
56	McEvoy	Jim	Sales	23
57	Goodall	Sandra	Sales	56
58	Elkins	John	Training	899
59	Masalsky	Kurt	Customer support	29
60	Collins	MaryBeth	Administration	56

**4 Click the *Id* column and type 61.**




- 
- 5 Press Tab and type *Carter* for Last Name.  
Press Tab and type *Jimmy* for First Name.  
Press Tab.

At this point you are on the Job Role box. In this box you cannot type. You must select a job role from a list of possible ones.

In the Database painter, the column was defined to be associated with a DropDownListBox edit style. The extended attribute system tables store this and other information about data.

- 6 Click the down arrow on the drop-down list to display the choices.



Maintain Contact Information


Id: 61

Last Name: Carter

First Name: Jimmy

Job Role: [dropdown arrow]

- 7 Select *Marketing*.



Maintain Contact Information

Id: 61

Last Name: Carter

First Name: Jimmy

Job Role: Marketing

Street: Administration

City: Customer support

State: Documentation

Zip: Finance

Phone: Human resources


Fax: ( ) -

- 8 Press Tab and type *Peanut Way* for Street.
- 9 Press Tab and type *Atlanta* for City.
- 10 Press Tab and type *G* to select *GA* for State (another drop-down list).

**11 Press Tab.**

To determine what to enter for Zip, scroll the report until you find another *Atlanta* entry.

Then click the *Zip* box in the form and type the zip code you see in the report.




**12 Press Tab and type 4045557833 for Phone.**

Notice that you type only the digits. The form formats the phone number. An Edit Mask edit style was defined for this column to handle the formatting. This edit style is stored in the extended attribute system tables.

**13 Press Tab and type 4045554291 for Fax.**

This is what your screen should look like now.



- 
- 14 Click the *Save changes* button in the form to update the database with the new contact.**

The database is updated.

Note that the report always displays the information from the database when you start running the form. If you update the database, the report does not show the updates. To update the report, you return to the workspace and rerun the form.



- 15 Click the *Close* button in the PainterBar to return to the Form painter workspace.**



- 16 Click the *Run* button again and scroll the report to the 61st row in the report.**

Notice that your report has been updated.



- 17 Click the *Close* button in the PainterBar to return to the Form painter workspace.**

- 18 Select *File>Close* from the menu bar.**

If you have not already saved the current version of the form, you are prompted to save changes.

- 19 Click *Yes*.**

The Form painter closes.

*Use the form to update the database*

---



# Report Tutorial

Reports display and summarize data. You can view reports on the screen, save reports to a file, and print them on the printer.

In this tutorial you create a report using the data in the **contact** table. The report you create groups contacts by job role and lists phone and fax numbers for each contact.

This is what the report looks like when you have finished.

2017/6/23		My Contacts		
	Last Name	First Name	Phone	Fax
<i>Administration</i>				
	Brier	Michael	(617) 555-2398	(617) 555-3337
	Collins	MaryBeth	(617) 555-1199	(617) 555-9586
	Lambert	Terry	(617) 555-2246	(617) 555-3692
	Romeo	John	(310) 555-4533	(310) 555-1233
<i>Customer support</i>				
	Calkins	Paul	(617) 555-2398	(617) 555-3337

---

### How long does this tutorial take?

About 45 minutes.

---

## Create the basic report


---

### Where you are

- > Create the basic report
  - Preview the report
  - Save the report
  - Set up the design environment
  - Define sorting and grouping
  - Enhance the report
  - Save the report as a PDF file
  - Print the report
- 

Now you create the basic report. To do this you select a report style and the data to be used for the report.


- 1 Click the **New** button in the PowerBar.



The New dialog box displays.

- 2 Select the **Object** tab if it is not already on top.

The Object tab page contains the icon for creating any type of new form and icons for the various report presentation styles.

**3** Select the *Tabular* presentation style and click *OK*.


The wizard for creating tabular reports (also called DataWindows) starts up.

**About report presentation styles**

A report presentation style is a predefined way of presenting information in a report.

**4** Select the *Quick Select* data source.

Make sure the *Retrieve on Preview* check box is selected and click *Next*.



---

#### About data sources

**Quick Select** is simply for choosing columns and specifying selection criteria and sorting, which is what you want for this tutorial.

**SQL Select** is for using other **SQL** options not available with Quick Select.


**Query** is for specifying the name of a query that describes the data source. You define a query in the Query painter.

**External** is for specifying data that comes from a source other than a database.


**Stored Procedure** is for specifying data using a stored procedure.

---

The Quick Select dialog box displays. In this dialog box you select the table to use and the columns you want to include in the report.


**5** Click *contact*.

The columns for the **contact** table display. For this report you select five columns.




- 6 Click *last\_name*, *first\_name*, and *title*.  
 Use the scroll bar to scroll the list of columns.  
 Click *phone* and *fax*.

InfoMaker moves the selected columns to the grid at the bottom. You can use this grid for reordering columns and for providing sort and selection criteria. For this report you do not need selection criteria, and you specify sorting later.




7 Click **OK**.

The Select Color and Border Settings dialog box displays. You are going to accept the defaults.



8 Click **Next**.


A dialog box summarizing all your specifications displays.




9 Look over your specifications and then click **Finish**.



Your report displays in several views in the Report painter. It uses the columns and report style you selected.



The Design view is where you do much of your work perfecting the report. The text for the column headers comes from the extended attribute system tables. The names of the columns appear where the data values will be displayed.



### The extended attribute system tables

The extended attribute system tables store information about data such as labels and display formats. When you create forms and reports, InfoMaker uses extended attribute information to create the basic form or report.

You put information into the extended attribute system tables using the Database painter. For example, in the Table tutorial you define the label *Job Role:* for the *title* column. Then when you use the *title* column in a form or report, InfoMaker uses the label *Job Role:*.


## Preview the report

### Where you are


- Create the basic report
- > Preview the report
- Save the report
- Set up the design environment
- Define sorting and grouping
- Enhance the report
- Save the report as a PDF file
- Print the report

In this exercise you look at the Preview view of your report to see what it looks like when you print it.

- 1 Position the pointer in the upper-right corner of the Preview view (this drops the title bar) and click the *maximize* button.




The Preview view becomes large and overlays all the other views. Notice that it includes the header information for the report and information from the database. InfoMaker retrieves information for all contacts and displays as many as fit in the Preview view.



The screenshot shows a window titled "(Untitled) \* - Report" with a sub-window titled "Preview - (untitled)". The preview displays a table with the following columns: Last Name, First Name, Job Role, Phone, and Fax. The data is as follows:

Last Name	First Name	Job Role	Phone	Fax
Simmon	Larry	Sales	(713) 555-8960	(713) 555-9265
Critch	Susan	Product development	(508) 555-4829	(508) 555-3025
Lambert	Terry	Administration	(617) 555-2246	(617) 555-3692
Sullivan	Dorothy	Customer support	(508) 555-3925	(508) 555-9931
Paul	Rose	Finance	(617) 555-6392	(617) 555-1495
Glassmann	Beth	Product development	(617) 555-0273	(617) 555-9933
Powell	Gene	Training	(617) 555-3528	(617) 555-9563
Fish	Jeffrey	Marketing	(617) 555-3528	(617) 555-9563
Clarke	Molly	Sales	(617) 555-4325	(617) 555-7638
Kelley	William	Documentation	(617) 555-8474	(617) 555-2594
Lyman	Thomas	Customer support	(510) 555-5378	(510) 555-3372
Davidson	Joann	Marketing	(510) 555-7363	(510) 555-9278
Pettengill	Mark	Sales	(510) 555-3533	(510) 555-1146
Moore	Dawn	Sales	(404) 555-4834	(404) 555-8291
Lencki	John	Customer support	(617) 555-5348	(617) 555-4619
Kaplan	Burt	Sales	(617) 555-3887	(617) 555-2398

- 2 Use the scroll bar on the right side of the window to see more data. Use the command *File>Print Preview Rulers* to turn the display of rulers on and off.
- 3 Click here in the upper-right corner to return the Preview view to its original size and location.



## Save the report

---

### Where you are

- Create the basic report
  - Preview the report
  - > Save the report
  - Set up the design environment
  - Define sorting and grouping
  - Enhance the report
  - Save the report as a PDF file
  - Print the report
- 


Now you save the report and give it a name.

**1** Select *File>Save* from the menu bar.

The Save Report dialog box displays, with the pointer positioned for you to type a name for the report.

**2** Type *contacts\_by\_jobrole*.

**3** Click in the *Comments* box and type *This report shows my contacts grouped by job role*.



**4** Press the Enter key.

InfoMaker saves your report. Anytime you have completed a unit of work and are satisfied, you should save your work.

## Set up the design environment

---

### Where you are

- Create the basic report
  - Preview the report
  - Save the report
  - > Set up the design environment
    - Define sorting and grouping
    - Enhance the report
    - Save the report as a PDF file
    - Print the report
- 

In this exercise you set up the design environment to make it easier to work. To do this, you:

- Show the edges of controls
- Display the grid and ruler

Control edges show how big the controls are. By displaying control edges, you can easily check for overlapping and make sure the spacing around controls is what you want. Displayed edges are a design aid only; they do not appear in the report.

The InfoMaker grid and ruler help you align controls.

---

### If you completed Lesson 2


The design options you set here may already be set correctly.

---


#### 1 Select *Design>Options* from the menu bar.

The Report Options property sheet displays.

- 2 Make sure the *Show Grid* option, *Show Ruler* option, and *Show Edges* option are selected. Make sure *Snap to Grid* is not selected. Click *OK*.



The Design view shows a dotted grid and a ruler. Text and columns show edges.



## Define sorting and grouping

---


### Where you are

- Create the basic report
  - Preview the report
  - Save the report
  - Set up the design environment
  - > Define sorting and grouping
  - Enhance the report
  - Save the report as a PDF file
  - Print the report
- 

Now you specify sorting and grouping. You want the report to group contacts by title. This means you need to sort by title and then specify grouping by title.

#### 1 Select *Rows>Sort* from the menu bar.


The Specify Sort Columns dialog box displays.





- 2 Move the pointer to the word *title* in the Source Data box and drag it to the *Columns* box.

(To drag, press and hold the left mouse button, move the mouse, then release the mouse button.)




### Ascending and descending

Ascending and descending are options for sorting. Since you are alphabetizing in this tutorial, you want to sort in ascending (from A to Z) order. Ascending is the default, so you do not have to do anything.

You have specified the sorting required to group by title.

Next you specify sorting by last name and then by first name. This alphabetizes your contacts within each group.

- 3 Drag *last\_name* and *first\_name* to the *Columns* box.




**4 Click OK.**

The sorting definition is complete.


**5 Select *Rows>Create Group* from the menu bar.**

The Specify Group Columns dialog box displays. You are going to group on the **title** column. All contacts with the same title will be grouped together.

**6 Drag *title* to the *Columns* box and click OK.**



The grouping definition is completed. You have two new bands for the group in the report. You learn about bands in the next exercise.



7 Look at the Preview view.

You see the report and its data. Notice that the data is sorted. You do not see the groups yet. In a few minutes you will make some changes so the groups appear.

Last Name	First Name	Job Role	Phone	Fax
Brier	Michael	Administration	(617) 555-2398	(617) 555-3337
Collins	MaryBeth	Administration	(617) 555-1199	(617) 555-9586
Lambert	Terry	Administration	(617) 555-2246	(617) 555-3692
Romeo	John	Administration	(310) 555-4533	(310) 555-1233
Cobb	Paul	Customer support	(404) 555-2239	(404) 555-8111
Cohen	Paul	Customer support	(617) 555-8883	(617) 555-4499
Goggin	Kevin	Customer support	(713) 555-3340	(713) 555-9211
Hayne	William	Customer support	(508) 555-7780	(508) 555-4422
Hodson	Jack	Customer support	(508) 555-2998	(508) 555-0022
Lencki	John	Customer support	(617) 555-5348	(617) 555-4619
Lyman	Thomas	Customer support	(510) 555-5378	(510) 555-3372
Masalsky	Kurt	Customer support	(404) 555-5111	(404) 555-8347
Reeves	Scott	Customer support	(603) 555-0988	(603) 555-5556
Short	Russell	Customer support	(617) 555-0993	(617) 555-1170
Sullivan	Dorothy	Customer support	(508) 555-3925	(508) 555-9931
Tippet	Debbie	Customer support	(706) 555-8227	(704) 555-8474

## Enhance the report

---

### Where you are

- Create the basic report
  - Preview the report
  - Save the report
  - Set up the design environment
  - Define sorting and grouping
  - > Enhance the report
  - Save the report as a PDF file
  - Print the report
- 

You can enhance reports in many ways. In this exercise you:


- Rearrange controls
- Add a title and date
- Add page numbers
- Add a count of the total number of contacts

## Rearrange controls

To rearrange controls, you:

- Put the job role into the group header and change its display font
- Move the remaining columns to close the gap left by moving the column

This is what the Design view looks like when you have finished rearranging the controls.



**About report bands**

The design version of the report that you see in the Design view divides the report into bands of information.

The **header band** contains heading information and is located at the top of each page.


The **detail band** contains the retrieved data.

The **summary band** contains summary information that applies to the entire report and is located at the end of the report.

The **footer band** contains information to be located at the bottom of every page, such as a page number.


For groups, the **group header band** and **group trailer band** contain information for the group.

- 1 Move the pointer to the gray bar entitled *1: Header group title* until you see a double-pointed arrow




**2 Drag the band down about 4 to 6 grid dots.**


(To drag, press and hold the left mouse button, move the mouse, then release the mouse button.)



**3 Move the pointer to the *title* column and drag it into the band for the group header. Put it near the bottom of the band as shown.**




- 4 With the *title* column still selected, click **B** for bold and *I* for italic on the StyleBar.



This makes the job role (title) stand out in the report.

- 5 Look at the Preview view.


You see the report and its data.




Notice that the value of the *title* column appears only once for each group. This is because the *title* column is now located in the group header band.

The Preview view is helpful for identifying problems. Notice that the header Job Role is still present even though there is no longer a column in the detail band. Next you delete the header.


6 Click the text *Job Role* in the header band.



7 Press the Delete key.





8 Drag the *First Name* and *Last Name* text boxes in the header band to the right to fill the empty space.





- 9 Drag the *first\_name* and *last\_name* columns in the detail band to the right to fill the empty space.




You make one final visual improvement now by left-aligning the text in the column headers.

- 10 Choose *Edit>Select>Select Text* from the menu bar.

This selects all the headers. It might be difficult to see that they are selected because the band is so narrow.

- 11 Click the *left justification* button on the StyleBar. If your headers are not already bold, click the *Bold* button.

All the headers become left justified (and bold).




## 12 Look at the Preview view.

	Last Name	First Name	Phone	Fax
<b>Administration</b>				
	Brier	Michael	(617) 555-2398	(617) 555-3337
	Collins	MaryBeth	(617) 555-1199	(617) 555-9586
	Lambert	Terry	(617) 555-2246	(617) 555-3692
	Romeo	John	(310) 555-4533	(310) 555-1233
<b>Customer support</b>				
	Cobb	Paul	(404) 555-2239	(404) 555-8111
	Cohen	Paul	(617) 555-8883	(617) 555-4499
	Goggin	Kevin	(713) 555-3340	(713) 555-9211
	Hayne	William	(508) 555-7780	(508) 555-4422
	Hodson	Jack	(508) 555-2998	(508) 555-0022

## Add a title and date

Now you add a title and date to the header band. They will be at the top of each page.

- 1 Move the pointer to the gray bar marked *Header* and drag it down about 10 grid dots.




- 2 Choose *Edit>Select>Select Text* from the menu bar (or use lasso selection).

This selects all the headers.


- 3 Drag all the headers down close to the gray band.

This leaves room for the title.




- 4 Click the **Text** button in the Objects drop-down toolbar in the PainterBar (or select **Insert>Control>Text** from the menu bar). Move the point of the pointer above the **First Name** box and down one grid dot from the top of the page. Click the left mouse button.

This positions the text box for the title.




5 Type *My Contacts*.

Select **14** from the Size drop-down list on the *Font* tab in the Properties view to make the title bigger (enlarge the text box if necessary).




The title is now enlarged.



- 6 Select **Insert>Control>Today()** from the menu bar. Move the point of the pointer to the upper-left corner. Click.

This places a computed field in the report. The computed field is for today's date.



- 7 Look at the Preview view.

Your report now has a title and today's date.

	Last Name	First Name	Phone	Fax
<i>Administration</i>				
	Brier	Michael	(617) 555-2398	(617) 555-3337
	Collins	MaryBeth	(617) 555-1199	(617) 555-9586
	Lambert	Terry	(617) 555-2246	(617) 555-3692
	Romeo	John	(310) 555-4533	(310) 555-1233
<i>Customer support</i>				
	Collins	Paul	(617) 555-2398	(617) 555-3337


## Add page numbers

Now you put page numbers in the footer band.

- 1 Move the pointer to the gray bar marked *Footer* and drag it down about 4 grid dots.


If necessary, use the scroll bar to make room at the bottom of the Design view.

Dragging down the footer bar makes space for the page number in the footer band. The page number is another computed field.




- 2 Select *Insert>Control>Page n of n* from the menu bar. In the footer band, move the pointer to the center and down 2 grid dots. Click. Select a different font size (10) in the Properties view, Font page.

This places a computed field for page numbers.



- 3 **Look at the Preview view.**  
**Click the scroll bar until you move to the bottom of the page.**

You now have a page number on your report.




## Add a count of the total number of contacts

Now you add a count of the total number of contacts you have to the end of the report. You put the information in the Summary band, which means it prints at the end of the report.


Like the date and page number, the count is a computed field, only this time, you create it yourself.

- 1 **Move the pointer to the gray strip marked *Summary* for the summary band and drag it down about 6 grid dots.**

This makes space for the total number of contacts, which is a computed field.




- 2 Select **Insert>Control>Computed Field** from the menu bar. In the summary band, move the point of the pointer to the center and down 4 grid dots. Click.



This sets the position for a computed field that you use for the total number of contacts. The Modify Expression dialog box displays.

- 3 In the **Functions** box, click **count(#x for all)**.


Your dialog box should look like this. The placeholder for what to count is highlighted.






4 In the **Columns** box, click **last\_name**.

This selects the **last\_name** column to apply the count function to. You are going to count all the last names to find out how many contacts you have in the report.




5 Click **Verify**.

You should get the message box stating that your expression is valid.




6 Click **OK** to close the message box.  
Click **OK** to complete the definition of the expression for the computed field.

The computed field is in place.



- 7 Select *Insert>Control>Text* from the menu bar.  
Position the pointer to the right of the computed field and click.  
Type *contacts in all*.  
Drag the text box to line it up with the computed field.




- 8 Select the computed field and the text using lasso selection.  
On the Font page of the Properties view (or on the StyleBar), select **10** for a font size and click *I* for italic and **B** for bold.

---

#### How to use lasso selection


Position the pointer, press and hold the left mouse button, and drag the lasso around everything you want to select. Then release the mouse button.

---



- 9 Look at the Preview view.  
Use the scroll bar until you see the end of your report.

The summary band of your report now shows the total number of contacts in the report. The number you see may not be 61. The number depends on the contacts currently in *your* database.



## Save the report as a PDF file

---

### Where you are

- Create the basic report
  - Preview the report
  - Save the report
  - Set up the design environment
  - Define sorting and grouping
  - Enhance the report
  - > Save the report as a PDF file
  - Print the report
- 

You can save the data in a report in many different formats, including XML, HTML, Microsoft Excel, and PDF.

---

### Saving as PDF

Before you can save the data in a report object to a PDF file, you must install GNU Ghostscript on your computer. For information about using the GNU Ghostscript distiller, see the *User's Guide*.

---


Now you save the report as an XML file.

**1 Select the Preview view by clicking it.**

This ensures that the Preview view is the current view.

**2 Select *File>Save Rows As* from the menu bar.**

Select **XML** from the Save as Type drop-down list.



3 Type a name for the file and click **Save**.

---

## Print the report

---

### Where you are


- Create the basic report
  - Preview the report
  - Save the report
  - Set up the design environment
  - Define sorting and grouping
  - Enhance the report
  - Save the report as a PDF file
  - > Print the report
- 

### 1 Select the Preview view by clicking it.

This ensures that the Preview view is the current view.

### 2 Select *File>Print Report* from the menu bar.

The Windows Print dialog box displays.



### 3 Click *OK*.

### 4 Select *File>Close* from the menu bar. If you are prompted to save changes, click *Yes*.

The Report painter closes.



# Table Tutorial

---

**This tutorial requires the Database painter**

The Database painter component of InfoMaker is optional; you must have installed it to do this tutorial.

---

Tables are the way relational databases organize information. To take full advantage of InfoMaker's ability to create forms and reports, you should learn how to create and work with database tables.

InfoMaker is installed with an SQL Anywhere database. You can create and work with tables in the SQL Anywhere database and in any other database you have access to.

After you create a table, you can display its columns on a form and use the form to add information into the database. For a final printed copy of the data in your tables, you can create and print reports.

In this tutorial you:

- Create a database table
- Define extended attribute information
- Add data to the table

When you are finished, you can create forms to view and update information, and you can create and print reports using information in the table.

---

**How long does this tutorial take?**

About 45 minutes.

---

## Create the database table

---

### Where you are


- > Create the database table
  - Define extended attribute information
  - Add data to the table
- 

To create the database table, you:

- Define the columns in the table
- Define a primary key
- Enter comments to document the table
- Save the table


## Define the columns in the table

- 1 Click the *Database* button in the PowerBar.







The Database painter workspace displays. It contains many views for working with database information. If your workspace does not look like this, you may want to select View>Layouts>(Default).



- 2 Position the pointer on the **Tables** folder in the **PB Demo DB V2017 IM** database and select **New Table** from the pop-up menu.



The view in which you define the columns in the table displays. The cursor is in the Column Name box for the first column.



### 3 Type *id* and press Tab.

The cursor moves to the Data Type box. The default datatype (*char*) is highlighted. The datatype for the *id* column needs to be *integer*.

#### About default datatypes


Char is the default datatype for the first column. The default datatype for subsequent columns is the type of the previous column.

### 4 Click the arrow to the right of the word *char* and select *integer* from the drop-down list of available datatypes.

This changes the datatype.

**5 Press Tab three times.**

This moves you past the setting of No for the column labeled Null. No means you do not want to allow the column you are defining to be empty (to have a null value). Since you always want a value for *id*, you leave the value No. You also move past the column labeled Default. You are not going to specify a default.



**6 Type *last\_name* and press Tab.**

The cursor moves to the Type column. The most recently used datatype (integer) is highlighted. The *last\_name* column should be type *char*, so you change the datatype.

**7 Type *c* and press Tab.**


Typing *c* is a shortcut for choosing *char* quickly. The cursor moves to the Width column.

**8 Type *15*.**

This allows 15 characters for the last name instead of 10.

**9 Press Tab three times.**

This moves you past the setting of No for the column labeled Null to the Name box for the next column. No is what you want (name cannot be empty). You move past the column labeled Default again.




**10 Finish entering information about the table columns.**

The following table shows all the values needed to define the columns in the `contact` table. You have already entered values for the first two columns (`id` and `last_name`).

Name	Type	Width	Dec	Null	Default
id	integer			No	(None)
last_name	char	15		No	(None)
first_name	char	15		No	(None)
title	char	2		No	(None)
street	char	30		No	(None)
city	char	20		No	(None)
state	char	2		No	(None)
zip	char	5		No	(None)
phone	char	10		Yes	(None)
fax	char	10		Yes	(None)

When you have finished, the Columns view should look like this.



## Save the table


You have now entered all of the column information needed. Now you finish creating the table.

**1** Select *File>Save* from the menu bar.

The Create New Table dialog box displays.


You leave the owner as dba (database administrator) and enter a name for the table.

**2** Type *contact1* in the *Table Name* box.  
Click *OK*.



InfoMaker passes the **SQL** needed to create the table to the SQL Anywhere DBMS, which creates the table.

InfoMaker displays a representation of the table in the Database painter Object Layout view.




The list of columns displays. The scroll bar on the right side means that there are more columns than can be displayed at once. To see the other columns, you can click the down arrow at the bottom of the scroll bar.

## Define a primary key


A primary key uniquely identifies each row. In your `contact` table, `id` is the unique identifier of each row of data.

- 1 Select **Object>Insert>Primary Key** from the menu bar. (If the menu item is grayed out, click the **Object Layout** view to make it current and then select the menu item from the menu bar.)

The Primary Key property sheet displays in the Object Details view. Here you can pick one or more columns as the primary key.




- 2 Click **id** in the list of columns.



- 3 Select **File>Save** from the menu bar.

This defines id as the primary key for your table. Notice that the representation of the table now includes a symbol for the primary key of the table.



Next you define a comment for the table.


## Enter comments to document the table

Although not required, comments can be helpful in identifying tables.

- 1 **Position the pointer on the title bar of the representation of the contact1 table, display the pop-up menu, and select *Properties*.**

The Table Properties property sheet displays in the Object Details view.

- 2 **Click in the *Comments* box and type *This is the sample table for the tutorial created by [your name]*.**



This associates the comments with the table you are creating.

- 3 **Select *File>Save* from the menu bar.**



## Define extended attribute information

### Where you are

- Create the database table
- > Define extended attribute information
- Add data to the table

Now you extend the basic definitions of the columns in the table.

The following table summarizes how you extend the column definitions of the `contact1` table columns.


Column name	What you do to extend its definition
<code>id</code>	Nothing.
<code>last_name</code> <code>first_name</code>	
<code>title</code>	Define a DropDownListBox edit style of job roles, change the column header and label to Job Role, and enlarge the display width of the column to 1.5 inches (3.81 cm).
<code>street</code> <code>city</code>	Nothing.
<code>state</code>	Assign the DropDownDataWindow edit style for state to the <code>state</code> column. Set the default value of <code>state</code> to MA.
<code>zip</code>	Nothing.
<code>phone</code> <code>fax</code>	Define an Edit Mask edit style for a phone number and apply it to <code>phone</code> and <code>fax</code> .

### About extended attribute information


InfoMaker stores extended attribute information in the extended attribute system tables and uses it to display and validate data in forms and reports. In the Report painter or Form painter, you can override whatever you specified in the Database painter, which is where you are now.

## Define a DropDownListBox edit style for the title column


Now you define a DropDownListBox edit style that has the valid job roles for the **title** column. When you have finished, this is what it looks like in a form.



- 1 Select **View>Layouts>(Default)** from the menu bar.
- 2 Click the **Extended Attributes** tab to bring the view to the front.
- 3 In the Extended Attributes view, display the pop-up menu for **Edit Styles** and select **New**.




The Edit Style dialog box displays.



- 4** Enter the name *JobRoles1*.  
Select *DropDownListBox* in the *Style* box next to *Edit Style*.  
Check *Sorted* to alphabetize your entries.


Check **Vertical Scroll Bar** to display a vertical scroll bar on your list.



- 5 Enter the **Display Values** and **Data Values** shown in the table below. Be sure to use lowercase for the data values. To enter each pair of values, type the values and press the **Tab** button. For the last pair of values, do not click **Tab**.

Display Value	Data Value
Sales	sa
Customer support	cs
Product development	pd
Administration	ad
Training	tr
Documentation	do
Marketing	ma
Human resources	hr
Finance	fi
Other	ot

When you finish entering values, the Edit Style dialog box looks like this.



### About display values and data values


Display values show in forms and reports. Data values are stored in the database. Display values should be meaningful—such as *Human Resources*. In contrast, data values are often codes that are short—such as *hr*. Short codes conserve space in the database.

- 6 Click **OK** to accept the definition of the **DropDownListBox** Edit Style named *JobRoles1*.

InfoMaker adds the *JobRoles1* edit style to the extended attribute system tables in the database and lists it as one of the available edit styles in the Extended Attributes view.

- 7 Expand the tree view of Edit Styles by clicking the plus (+) sign.


Use the scroll bar to scroll down to the JobRoles1 Edit Style.




Now that JobRoles1 is defined in the extended attribute system tables, you can use it for any appropriate column in any table in the database. You are going to assign it to the **title** column in the **contact1** table.

- 8 Expand **PB Demo DB V2017 IM** in the Objects view to display **Tables** and then the Columns in the **contact1** table. Display the pop-up menu for the **title** column and select **Properties**.

The Object Details view now includes the property sheets for the **title** column.



- 9 If the **Edit Style** tab is not visible, use the arrows in the upper-right corner of the **Object Details** view to display the **Edit Style** tab. Click the **Edit Style** tab to bring it to the front.



- 10 Scroll the list of edit styles until **JobRoles1** displays. Click it to apply the edit style **JobRoles1** to the **title** column. Select **File>Save** from the menu bar.

## Change the column header, label, and display width of title

Now you change the label and header text for the **title** column. The text you supply appears on forms and reports you create.


The column name is **title**, but the text you want to display is **Job role**. Also, you change the display width to 1.5 inches (3.81 cm). The internally stored data value is only two characters, but the values you intend to display are longer.

- 1 The **title** column should still be current (if not, display its pop-up menu and select **Properties**). Click the **Headers** tab to bring the Headers property page for the title column to the front in the Object Details view.




All the extended attribute information for a column is definable using the various pages in the Object Details view.

- 2 Type *Job Role* in the *Label* box.  
Type *Job Role* in the *Heading* box.



- 3 Click the *Display* tab to bring the *Display* page to the front.  
Type *1.5* in the *Display Width* box.




- 4 Select *File>Save* from the menu bar.

InfoMaker adds the extended attribute information for the column to the extended attribute system tables.


## Assign a DropDownDataWindow edit style and initial value to state

For the **state** column, you assign an edit style that includes all the state names (as well as the provinces of Canada). Then when you enter information into this field, you pick from a list of states. You also set the initial value to MA, since many of your contacts are in Massachusetts.

- 1 In the Extended Attributes view, display the pop-up menu for *Edit Styles* and select *New*.




The Edit Style dialog box displays.



- 2** Type *StateCode1* in the *Edit Style* box.  
Select *DropDownDW* from the *Style* drop-down list.  
Click the ellipsis next to the *DataWindow* drop-down list.  
The Open dialog box displays.  
Select *d\_dddw\_states* and click OK.

The StateCode1 edit style uses a report (DataWindow) named `d_dddw_states`. The report gets its values from the `state` table.




**About DropDownDataWindow edit styles**

A DropDownDataWindow edit style gets its values from a report that it references. The report gets its values from the database.

This is what the `d_dddw_states` report looks like.


ID	Name	Country
AB	Alberta	CAN
AK	Alaska	USA
AL	Alabama	USA
AR	Arkansas	USA
AZ	Arizona	USA
BC	British Columbia	CAN
CA	California	USA
CO	Colorado	USA
CT	Connecticut	USA
DC	District of Columbia	USA

- 3 Select *state\_id* from the list for *Display Column* and for *Data Column*.  
Type *550* for the *Width of DropDown*.  
Select *Vertical Scroll Bar*.  
Click *Save* to accept the definition of the *StateCode1* edit style.




InfoMaker adds the *StateCode1* edit style to the extended attribute system tables, where it is available to be assigned to any appropriate column in the database. Now you assign it to the *state* column in the *contact1* table.

- 4 Display the pop-up menu for the *state* column in the *contact1* table and select *Properties*.



- 5 In the Column Properties view, select the *Edit Style* tab. Select *StateCode1* for the edit style to assign to the *state* column. (If the *StateCode1* edit style is not listed, select *View>Reset View*. This refreshes the list of edit styles.)



This assigns the *StateCode1* edit style (which includes 63 entries—states, territories, and possessions of the United States and provinces of Canada) to the *state* column in the *contact* table. The values that this edit style displays and the values that it stores are state postal abbreviations (such as MA for the state of Massachusetts).

- 6 Click the *Validation* tab.  
Make sure the **Validation Rule** setting is *(None)*.  
Type *MA* in the *Initial Value* box.

This assigns an initial value of MA to the *state* column.



The Validation page lets you create and assign a validation rule to a column and enter an initial value for the column.

You are not going to assign a validation rule. You have handled validation by forcing the user to select from exactly 63 valid values presented in the States drop-down DataWindow.

---

#### About column validation rules

You can use column validation rules to express requirements for entries in a column. For example, you could define a rule for a *salary* column that requires salaries to be greater than \$15,000 and less than \$100,000.

When you assign a column validation rule to a column, no one can enter a value that breaks the rule.

---

- 7 Select *File>Save* from the menu bar.


InfoMaker saves the extended attributes you just defined for the *state* column in the extended attribute system tables.




## Define an Edit Mask edit style for phone and fax

Now you define an Edit Mask edit style to display phone and fax numbers for both viewing and editing.

- 1 In the Extended Attributes view, display the pop-up menu for *Edit Styles* and select *New*.




The Edit Style property displays.



- 2 **Type *TelephoneNumber1* in the *Edit Style* box.**  
**Select *EditMask* in the *Style* drop-down list.**  
**Delete *xxx* and type *(###) ###-####* in the *Mask* box.**

This specifies the edit mask.




The pound signs (#) in the Mask box are placeholders for numbers. Only numbers 0 through 9 can be entered in each of these positions. Parentheses, the hyphen, and the space are where you want them to display.


- 3 **Click *Save* to accept the definition of the *Edit Mask* edit style named *TelephoneNumber1*.**

InfoMaker adds the TelephoneNumber1 edit style to the extended attribute system tables in the database and lists it as one of the available edit styles in the Extended Attributes view.

- 4 **Display the pop-up menu for the *phone* column and select *Properties*.**



- 5 In the Object Details view, click the *Edit Style* tab, then scroll the list and select the *TelephoneNumber1* edit style.




This assigns the TelephoneNumber1 edit style to the **phone** column. Now you use the same edit style with the **fax** column. Once you have created an edit style, it is available for any column.

- 6 Display the pop-up menu for the **fax** column and select *Properties*.

InfoMaker prompts you to save the changes you just made in assigning the TelephoneNumber1 edit style to the **phone** column.

- 7 Select *Yes*.

- 8 In the Object Details view for the fax column, select the *Edit Style* tab and the *TelephoneNumber1* edit style. Select *File>Save* from the menu bar.



Now you have finished extending the definitions of your columns. Next you add data to the table.

---

## Add data to the table

---


### Where you are

- Create the database table
  - Define extended attribute information
  - > Add data to the table
- 


To add data to your table, you import a text file of tab-separated values. Importing the file quickly adds 60 rows of data.

Typically you create a form to add data to the database. In the form tutorial you saw how to add data using a form.

### 1 Display the pop-up menu for *contact1* and select *Edit Data>Grid*.



The Results view shows column headers but no data. This view lets you view, add, modify, and delete data.




### 2 Select *Rows>Import* from the menu bar.

The Select Import File dialog box displays. You might need to change to the Tutorial folder, which contains the file you use.

- 3 If necessary, change to the *Tutorial* folder.  
Double-click the *contact.txt* file.**

InfoMaker imports the data into the Results view (the data is not yet in the database).



Id	Last Name	First Name	Job Role	Street	City
1	Hildebrand	Jane	Marketing	1280 Washington St.	Emeryville
2	Simmon	Larry	Sales	34 Granville St.	Houston
3	Critch	Susan	Product developmen	45 Center St.	Danvers
4	Lambert	Terry	Administration	204 Page St.	Canton

- 4 Select *Rows>Update* from the menu bar.**

This adds 60 rows of data to the database. To be sure that the data is in the database, you retrieve it from the database.

- 5 Select *Rows>Retrieve* from the menu bar.**

InfoMaker retrieves all the contact data from the database and displays the data in the Results view.

- 6 Select *File>Close* from the menu bar.**

This closes the Database painter.

You have created a new database table, complete with extended attribute information and data.

# Query Tutorial

A query is a **SQL SELECT** statement created with the Query painter and saved with a name so that it can be used repeatedly to define data requirements. A **SQL SELECT** statement is the way you tell the DBMS exactly which rows and columns to retrieve.

Queries save time because you can use them to define all your data retrieval needs. For example, you can specify the columns and rows to select, as well as the sorting requirements. Then you specify the query as the data source whenever you create forms and reports that use the data the query is intended to retrieve.

---


### How long does this tutorial take?

About 15 minutes.

---

## About the query

The query you create retrieves financial data. When you have finished, the query returns data from the database that is similar to this.



The screenshot shows a window titled "SQL Preview" containing a table with the following data:

Year	Quarter	Amount in thousands	Type	Description
2004	Q1	643	expense	Services
2004	Q2	687	expense	Services
2004	Q3	898	expense	Services
2004	Q4	923	expense	Services
2005	Q1	921	expense	Services
2005	Q2	975	expense	Services
2005	Q3	984	expense	Services
2005	Q4	982	expense	Services
2003	Q1	1437	expense	Sales & Marketing

The financial data is stored in two tables: the **fin\_data** and **fin\_code** tables.

The following illustration shows the two tables with some data. The code value in the `fin_data` table gets its meaning from the `fin_code` table.

Year	Quarter	Code	Amount in thousands
1997	Q1	r2	1839
1997	Q2	e1	204
1997	Q2	e2	975
1997	Q2	e3	4500
1997	Q2	e4	1472
1997	Q2	e5	983
1997	Q2	r1	10988
1997	Q2	r2	2011
1997	Q3	e1	214
1997	Q3	e2	984
1997	Q3	e3	4532
1997	Q3	e4	1439
1997	Q3	e5	956
1997	Q3	r1	13567
1997	Q3	r2	2897
1997	Q4	e1	231
1997	Q4	e2	982
1997	Q4	e3	5298

Code	Type	Description
e1	expense	Fees
e2	expense	Services
e3	expense	Sales & Marketing
e4	expense	R & D
e5	expense	Administration
r1	revenue	Fees
r2	revenue	Services

For example, the `r1` circled in the `fin_data` table means the row reports a revenue amount for fees.




## Select columns

### Where you are


- > Select columns
- Save the query
- Specify row selection criteria
- Specify sorting for the rows
- Create a report using the query

#### 1 Click the *New* button in the PowerBar.




The New dialog box displays.

#### 2 Select the *Database* tab and the *Query* icon. Click *OK*.




The Select Tables dialog box displays. In this dialog box you can select one or more tables to use.




You are going to use two of the tables.

**3** Click the tables named *fin\_code* and *fin\_data*.



#### 4 Click Open.

The `fin_code` and `fin_data` tables display. Both tables have a `code` column. The tables are joined on the `code` column.




The `fin_data` table has a code value in each row to indicate what the row of data applies to (for example, *rl* means revenue from fees).

The `fin_code` table stores information about codes, including the actual values (such as *rl* and *e4*), the type of each code (revenue or expense), and a description of each code.

Next you select columns from the tables.


- 5 Click *year* in the *fin\_data* table.  
Click *quarter* in the *fin\_data* table.  
Click *amount* in the *fin\_data* table.  
Click *type* in the *fin\_code* table.  
Click *description* in the *fin\_code* table.

When you click each column, it is highlighted in the table and added to the selection list above the tables.



**6 Select *Design>Preview* from the menu bar.**

You can see the results of your query. InfoMaker uses your query as it is currently defined to access the database and retrieve data.



Year	Quarter	Amount in thousands	Type	Description
2003	Q1		101 expense	Fees
2003	Q2		93 expense	Fees
2003	Q3		129 expense	Fees
2003	Q4		145 expense	Fees
2004	Q1		153 expense	Fees
2004	Q2		149 expense	Fees
2004	Q3		157 expense	Fees
2004	Q4		163 expense	Fees
2005	Q1		198 expense	Fees
2005	Q2		204 expense	Fees
2005	Q3		214 expense	Fees
2005	Q4		231 expense	Fees
2003	Q1		403 expense	Services
2003	Q2		459 expense	Services
2003	Q3		609 expense	Services
2003	Q4		632 expense	Services
2004	Q1		643 expense	Services

**7 Use the scroll bar to view the data.**

Each row has either the word *expense* or the word *revenue* in the Type column. First you save the query and then you use the value in the Type column to select rows for the query.

**8 Select *File>Close* from the menu bar.**

You return to the workspace.

## Save the query

---

### Where you are

Select columns

> Save the query

Specify row selection criteria

Specify sorting for the rows

Create a report using the query

---


Now you save the query and give it a name.

**1 Make sure you are back in the workspace.**


Select **File>Save** from the menu bar.

The Save Query dialog box displays with the pointer positioned for you to type a name for the query.

**2 Type *q\_expenses*.**



- 3 **Click in the Comments box and type** *This query retrieves financial data from the fin\_data and fin\_code tables. The query selects expense rows and sorts rows by year, description, and quarter.*



- 4 **Press Enter.**

InfoMaker saves your query.

## Specify row selection criteria

### Where you are


- Select columns
- Save the query
- > Specify row selection criteria
- Specify sorting for the rows
- Create a report using the query

Now you select the rows to include in the query. To do this you specify selection criteria.

The query you are creating is for expenses, so the rows you need are those whose type is expense. You do not need the rows whose type is revenue.



- 1 Click the *Where* tab at the bottom of the workspace if it is not in front.

The Where tab comes to the front. In the Where tab you specify selection criteria for retrieving rows.






- 2 Click the first space under *Column* and then click the arrow to display a list of columns.  
Click the column named "*fin\_code*".*type*" in the list of columns.




The equal sign (=) displays by default in the Operator box. This is what you want.

- 3 Move the pointer over the *Value* box.  
Press the right mouse button to display the pop-up menu.  
Select *Value*.




When you select Value, InfoMaker lists the values in the "*fin\_code*".*type*" column, which are *expense* and *revenue*.



**4 Select *expense* and click the *Paste* button.**

The selection criteria are complete. Notice that the value *expense* is surrounded with single quotes. These are required. If you type the value here rather than choosing it, you need to type the single quotes.



Notice that the Logical box displays at the end of the line. This box is for choosing a logical connector such as AND so that you can specify more than one selection requirement. You do not need to use this box for this query.

**5 Select *Design>Preview* from the menu bar. Use the scroll bar to view the data.**

Now all rows have expense in the Type column. Rows with revenue in the Type column are not retrieved.

Year	Quarter	Amount in thousands	Type	Description
2003	Q1	101	expense	Fees
2003	Q2	93	expense	Fees
2003	Q3	129	expense	Fees
2003	Q4	145	expense	Fees
2004	Q1	153	expense	Fees
2004	Q2	149	expense	Fees
2004	Q3	157	expense	Fees
2004	Q4	163	expense	Fees
2005	Q1	198	expense	Fees
2005	Q2	204	expense	Fees
2005	Q3	214	expense	Fees
2005	Q4	231	expense	Fees
2003	Q1	403	expense	Services
2003	Q2	459	expense	Services

**6 Select *File>Close* from the menu bar.**

You return to the workspace.

## Specify sorting for the rows


### Where you are

- Select columns
- Save the query
- Specify row selection criteria
- > Specify sorting for the rows
- Create a report using the query

Now you specify sorting for the rows. When you specify sorting, you also enable grouping. Before you can define a group, the rows have to be sorted so that the data can be grouped.

#### 1 Click the **Sort** tab at the bottom of the workspace.


The Sort tab comes to the front. In the Sort tab, you specify one or more columns to use for sorting the rows.



#### 2 Scroll the list as needed to drag and drop column names.


- Drag and drop ***"fin\_data". "year"*** from the left box to the right box.
- Drag and drop ***"fin\_code". "description"*** from the left box to the right box.
- Drag and drop ***"fin\_data". "quarter"*** from the left box to the right box.

In all cases Ascending is what you want. Ascending means years and quarters are ordered by increasing values and descriptions are alphabetized from A to Z.



- 3 Select *Design>Preview* from the menu bar.  
Use the scroll bar to view the data.

First the rows are sorted by year. All the 2003 information is first. Then they are sorted by description so that expenses of the same category are together. Finally the rows are sorted by quarter so that the data is always time-sequenced.



The screenshot shows a window titled "SQL Preview" containing a table with the following data:

Year	Quarter	Amount in thousands	Type	Description
2003	Q1	381	expense	Administration
2003	Q2	402	expense	Administration
2003	Q3	412	expense	Administration
2003	Q4	467	expense	Administration
2003	Q1	101	expense	Fees
2003	Q2	93	expense	Fees
2003	Q3	129	expense	Fees
2003	Q4	145	expense	Fees
2003	Q1	623	expense	R & D
2003	Q2	784	expense	R & D
2003	Q3	856	expense	R & D
2003	Q4	1043	expense	R & D

- 4 Select *File>Close* from the menu bar.

You return to the workspace.

- 5 Select *File>Close* from the menu bar.  
If prompted to save changes, click *Yes*.

The Query painter closes.


## Create a report using the query

### Where you are

- Select columns
- Save the query
- Specify row selection criteria
- Specify sorting for the rows
- > Create a report using the query


Now you use the query to create a new report.

- 1 Click the **New** button in the PowerBar.  
Select the **Object** tab.  
Select the **Tabular** presentation style.  
Click **OK**.




The wizard for creating tabular reports displays.

- 2 Select the *Query* data source.**  
**Make sure the *Retrieve on Preview* check box is selected and click *Next*.**




The Select Query dialog box displays. In this dialog box you specify the query to use. You are going to use the query you just created as the data source.

- 3 Click the button to the right of the Specify Query box.**




The Open dialog box displays.




**4** Click *q\_expenses* and click *OK*.

The query *q\_expenses* displays in the Specify Query box.



**5** Click *Next*.

The Select Color and Border Setting dialog box displays. You are going to accept the defaults.




**6** Click *Next*.

A dialog box summarizing all your specifications displays.


**7** Look over your specifications and then click *Finish*.

Your report displays in the Report painter. This is the Design view.





InfoMaker uses the query you created to retrieve data from the database. Because the query includes selection criteria and sorting requirements, the database returns only the data you selected, in the sort order you specified. Here is the report in the Preview view.




Year	Quarter	Amount in thousands	Type	Description
2003	Q1	381	expense	Administration
2003	Q2	402	expense	Administration
2003	Q3	412	expense	Administration
2003	Q4	467	expense	Administration
2003	Q1	101	expense	Fees
2003	Q2	93	expense	Fees
2003	Q3	129	expense	Fees
2003	Q4	145	expense	Fees
2003	Q1	623	expense	R & D
2003	Q2	784	expense	R & D
2003	Q3	856	expense	R & D
2003	Q4	1043	expense	R & D
2003	Q1	1437	expense	Sales & Marketing
2003	Q2	2033	expense	Sales & Marketing
2003	Q3	2184	expense	Sales & Marketing

At this point you could continue designing and improving your report, but for this tutorial, you leave the Report painter now. You do not save the report.

**8** Select *File>Close* from the menu bar.

This Message Box displays to see if you want to save your report.



**9** Click *No*.


The Report painter closes.



# Graph Tutorial

Graphs present data in a visual way so that you can interpret it more easily. You can use graphs to supplement the numbers in a report or you can replace numbers with a graph. InfoMaker provides a variety of graph styles and options.

The graph you create in this tutorial uses financial data (the same data as the Query tutorial). You start with a report that is already created and add a graph to the report. When you have finished, the report and the graph look like this:




---

**How long does this tutorial take?**  
About 30 minutes.

---

## Open the report to contain the graph


---

### Where you are

- > Open the report to contain the graph
  - Create the basic graph
  - Save the graph (report)
  - Enhance the graph
  - Print the graph (report)
- 

First you open a report that has been created for you. This report provides the data for your graph.


- 1 Click the *Open* button in the PowerBar.




The Open dialog box displays. It lists objects in the current library (*tutor\_im*). You will be using the report named expenses.

- 2 Select the *Reports* object type at the bottom of the dialog box. Click *expenses* (scroll the list).

Click **OK**.



The report displays in the Report painter. Here is the Design view.



### 3 Look at the Preview view.

InfoMaker retrieves information from the database and displays as much as fits on the screen.

		Amount in thousands
<i>Administration</i>	Q1	381
	Q2	402
	Q3	412
	Q4	467
		<hr/>
		1662
<i>Fees</i>	Q1	101

### 4 Use the scroll bar on the right edge of the report to see more data.

The entire report consists of three pages: one for 2003, one for 2004, and one for 2005.


## Create the basic graph

### Where you are

- Open the report to contain the graph
- > Create the basic graph
- Save the graph (report)
- Enhance the graph
- Print the graph (report)

The report you are working with has three pages, one for each of three years. The graph you create will be on all three pages. Its format will look the same from page to page, but the data will be for the correct year for each page.


This is what a graph for 2003 looks like. It shows the year's expenses in five categories.



- 1 Select *Insert>Control>Graph* from the menu bar.


Click in the middle of the Design view.

The Graph Data dialog box displays.



2 Click the down arrow on the *Rows* box.

The drop-down list shows choices for rows.



The All option includes all rows in the graph. Since you want to have the appropriate graph for each of three years, you do not want to include all rows in the graph at the same time.



The Group 1 option includes the rows for the current Group 1. Group 1 for this report is grouping by year, so Group 1 is what you want. When you specify Group 1, you ensure that the graph includes only rows from the current year.

### 3 Select *Group 1*.

Next you fill in the Category and Value boxes. The graph will show expenses for the year by type of expense. (For this graph you do not need to fill in the Series box.)


The description column provides the categories (Administration, Fees, R&D, Sales & Marketing, Services).

The sum of the amounts for the four quarters for each category provides the values.

		Amount in thousands
<b>Administration</b>		
Q1		381
Q2		402
Q3		412
Q4		467
		<hr/>
		1662
<b>Fees</b>		
Q1		101
Q2		93
Q3		129

### 4 Click the down arrow next to the *Category* box.

A drop-down list displays the columns you can choose to supply the categories to use in the graph. (You can think of categories as X values.)




**5** Select *description*.

This specifies that the values in the description column are the categories.


**6** Click the down arrow next to the *Value* box.

A drop-down list displays all the choices for the column to supply the values to use in the graph. Notice that the choices include expressions such as counts and sums.




**7** Select *sum(amount for graph)*.

This specifies that the sum of the amount column is the value. A separate value is calculated for each category within each year.




**8** Click **OK**.

The graph displays in the report. What you see in the Design view is a representation of the graph. To see what it looks like in the report, you need to look at it in the Preview view.



**9** Look at the graph in the Preview view.

In the Preview view, InfoMaker displays the data retrieved from the database both in the report and in the graph. The graph is small right now. In a few minutes, you will resize it.



## Save the graph (report)


### Where you are

- Open the report to contain the graph
- Create the basic graph
- > Save the graph (report)
- Enhance the graph
- Print the graph (report)

Now you save the graph. The graph is part of the report, so to save the graph, you save the report that contains it. To leave the original report unchanged, you will use the Save As command. Save As saves a new report with the name you supply.


### 1 Select *File>Save As* from the menu bar.

The Save Report dialog box displays; the name of the report you opened earlier is highlighted.



### 2 Type *expenses\_graph*.

- 3 **Click in the Comments box and type** *This report summarizes expense data for 2003, 2004, 2005. It includes graphs as well as numeric data.*



- 4 **Press Enter.**

InfoMaker saves your report, including the graph.

## Enhance the graph

### Where you are

- Open the report to contain the graph
- Create the basic graph
- Save the graph (report)
- > Enhance the graph
- Print the graph (report)


To enhance the graph, you:

- Resize and reposition it
- Add a title
- Change graph types

## Resize and reposition the graph

Usually you work in the Design view when enhancing a report or graph, but to resize and reposition a graph, you may find it easier to work on it in the Preview view. You can get a much better idea of what the page looks like. The sizing and positioning changes you make are retained and reflected in the Design view.

- 1 **Resize and reposition the graph so that it looks like the one shown here.**



To make the graph bigger, put the pointer near a corner or a side until the pointer changes shape. Then press the left mouse button and drag the corner or the side. To move the graph, put the pointer in the middle of the graph. Then press the left mouse button and drag the graph.

- 2 Use the scroll bar to display the graphs for 1996 and 1997.


## Add a title

- 1 Move the pointer to the middle of the graph in the Design view (not the Preview view) and click.

This selects the graph. The current title, (None), displays on the graph, in the text box in the StyleBar, and in the Properties view.

- 2 Type *Expense Breakdown*.

The title displays in the graph and in the text box.



## Change the graph type


You can use many different types of graphs to present the same data. Sometimes it is useful to try different types until you find the one that works best for the data you are presenting.

Now you try several graph types with the expense data.




- 1 If you need to, use the scroll bar to display the entire graph in the Design view.
- 2 Move the pointer to the graph in Design view and click it.


The graph is selected. The properties for the graph display in the Properties view, with the General page on top. On this page you can choose a graph type. The current graph type is Column (Col (7)).



**3** Select the *Bar (2)* graph type from the *Graph Type* drop-down list.




The graph looks like this in the Preview view.




**4** Select the *Pie (13)* graph type from the *Graph Type* drop-down list.

InfoMaker redisplay the graph using the Pie style.



Pie seems to be a good style for showing the data, so you do not change the graph style again.

This is what the report with the graph looks like now.



## Print the graph (report)


---

### Where you are

- Open the report to contain the graph
  - Create the basic graph
  - Save the graph (report)
  - Enhance the graph
  - > Print the graph (report)
- 

- 1 Click the *Preview* view to make sure that it is current.  
Select *File>Print Report* from the menu bar.

The Print dialog box displays.



- 2 Click *OK* to accept the defaults and print the report.

Your report goes to the printer or the print queue.

- 3 Select *File>Close* from the menu bar.

If you have not saved all your changes, a message box displays to see if you want to save changes.

- 4 Click *Yes* (if the message box displays).

The Report painter closes.

# Environment Tutorial

You use the Library painter to manage forms, reports, queries, pipelines, and the InfoMaker environment. In the Library painter you can:

- Open a form, report, query, or pipeline, and go automatically to the appropriate painter
- Set the current library
- Copy, move, and delete forms, reports, queries, and pipelines

In this tutorial you learn how to do these tasks.

---

**How long does this tutorial take?**

About 30 minutes.

---

## Open forms, reports, and queries

---

### Where you are

- > Open forms, reports, and queries
  - Create a new library
  - Copy forms, reports, and queries
  - Create a new report from an existing one
- 

### You need a blank formatted diskette

Before you begin, make sure you have a blank formatted diskette.

---

First you learn about using the Library painter to open forms, reports, and queries. When you open one of these, you automatically go to the appropriate painter. (This is also true for pipelines, but you do not work with pipelines in this tutorial.)


---

### If you have not installed the Form painter

A few of the steps in this tutorial and the next one refer to forms. Just skip those steps. You can do the tutorials without the forms.


---

#### 1 Click the *Library* button in the PowerBar.



The Library painter workspace displays.

## 2 Select *View>Most Recent Object* from the menu bar.




The painter lists the forms, queries, reports, and pipelines in the current library and selects the object you worked on most recently. When you install InfoMaker, the current library is the InfoMaker sample library (*tutor\_im.pbl*).

The list includes many samples as well as the form, query, and reports you created earlier.

## 3 Scroll the list to the bottom until you see the form *contact\_maintenance*, which is the form you created earlier. Double-click the form.

The form displays in the Form painter. Accessing your form by double-clicking its name in the Library painter is the same as opening the form in the Form painter.





**4 Click the *Run* button in the PainterBar.**

Your form runs.

Id	Last Name	First Name	Job Role
1	Hildebrand	Jane	Marketing
2	Simmon	Larry	Sales
3	Critch	Susan	Product developme
4	Lambert	Terry	Administration
5	Sullivan	Dorothy	Customer support
6	Paul	Rose	Finance
7	Glassmann	Beth	Product developme
8	Powell	Gene	Training
9	Fish	Jeffrey	Marketing
10	Clarke	Molly	Sales
11	Kelley	William	Documentation
12	Lyman	Thomas	Customer support



**5 Click the *Close* button in the PainterBar.**

The running form closes.

**6 Select *File>Close* from the menu bar.**

You return to the Library painter. Now you look at some other forms.

**7 Double-click the form *customer\_maintenance*.**



**8 Click the *Run* button in the PainterBar.**

This form is for maintaining customer information.

Customer Information

Customer ID 101

Company Name The Power Group

Address 3114 Pioneer Avenue

City, State, Zip Rutherford NJ 07070-

Contact Information

Contact Michaels Devlin

Phone (201) 555-8966



**9 Click the *Close* button to return to the Form painter workspace. Select *File>Close* from the menu bar to return to the Library painter.**



Now you open a report.

**10 Double-click the report *emp\_total\_compensation*.**

The report displays in the Report painter.

**11 Scroll the report in the Preview view.**

Department ID	Employee ID	Employee First Name	Employee Last Name	Salary	Health Ins.	Life Ins.	Day Care	Salary Plus Benefits
200	902	Judy	Snow	\$87,500	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$92,775
	913	Ken	Martel	\$55,700	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$56,000
	930	Ann	Taylor	\$46,890	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$57,145
	949	Pamela	Savarino	\$72,300	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$77,493
	1021	Paul	Stelling	\$64,800	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$75,252
	1039	Shih Lin	Chao	\$33,890	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$39,274
	1101	Mark	Preston	\$37,803	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$42,806
	1142	Alison	Clark	\$45,000	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	\$50,444
	1162	Kevin	Goggin	\$37,900	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$42,906
	1446	Caroline	Yeung	\$32,300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	\$32,475

**12 Select *File>Close* from the menu bar.**

The Report painter closes and the Library painter displays.

## Create a new library

---

### Where you are

- Open forms, reports, and queries
  - > Create a new library
  - Copy forms, reports, and queries
  - Create a new report from an existing one
- 

Now you create a new library on a diskette so that you can copy some items into the library.

### 1 Insert a blank formatted diskette into your diskette drive.

First you create a new library on the diskette.

---

### About InfoMaker libraries

InfoMaker uses special libraries to hold forms, reports, queries, and pipelines. These libraries have the file extension pbl. When you save (or copy or move) a form, report, query, or pipeline, it goes into a pbl file (pronounced *pibble*).

---

### 2 Select *File>New* from the menu bar.

The New dialog box displays.

### 3 Select the *Library* tab and click *OK*.

The Library wizard displays.

### 4 Type *a:\mylib.pbl* and click *Finish*.

InfoMaker creates the new library on the diskette. This library is now the current library; its name displays in InfoMaker's title bar. The previous current library still displays in the Library painter.

## Copy forms, reports, and queries

### Where you are

- Open forms, reports, and queries
- Create a new library
- > Copy forms, reports, and queries
- Create a new report from an existing one

Now you copy a form, a query, and two reports onto the diskette. Then you can give them to another InfoMaker user. That user can then use and/or modify them. Remember that the other user must also be able to access the database.


All InfoMaker users have SQL Anywhere and the **contact** table. That means other InfoMaker users can run the form, query, and reports you have created in this tutorial.

- 1 **In the List view of the Library painter, click *contactgrid* (scroll the list in the Library painter as necessary). Press Ctrl and click *contacts\_by\_jobrole*. Press Ctrl and click *d\_dddw\_states*. Press Ctrl and click *q\_expenses*. Press Ctrl and click *contact\_maintenance*.**

The five objects you selected are highlighted. You can copy, move, or delete them. You are going to copy them to the diskette.

### Tip

You can sort the view by modification date to make it easier to locate objects you have just created or changed.



Name	Version	Modification Date	Com...
contactgrid		2017/6/26 11:21...	201...
d_dddw_states		2017/6/26 10:56...	201...
q_expenses		2017/6/26 10:23...	201...
contacts_by_jobrole		2017/6/23 13:34...	201...
contact_maintenance		2017/6/23 09:35...	201...
customer_details		2017/6/21 18:48...	201...
customer_list		2017/6/21 18:48...	201...
customer_maintenance		2017/6/21 18:48...	201...
departments_and_t...		2017/6/21 18:48...	201...
employee_data		2017/6/21 18:48...	201...

**Why you include the report named d\_dddw\_states**

The `contact_maintenance` form uses a `DropDownDataWindow` edit style for the `state` column. That edit style uses the report named `d_dddw_states`, which must be present in the library when you run the form.

If you create a new library for objects you create using the Demo Database, you need to copy the eight reports that begin with `d_dddw` from the `tutor_im.pbl` to the new library. These reports go with the `DropDownDataWindow` edit styles that the tables in the Demo Database use.

There is a way to make the reports centrally available. See the *InfoMaker User's Guide*.

---



**2 Click the *Copy* button in the PainterBar.**

The Select Library dialog box displays.

**3 Change drives to the diskette drive.**

Select *mylib.pbl*.

Click *Open*.

InfoMaker copies the selected objects onto the diskette. It takes a minute or so. You can see messages about the copying at the bottom of your screen.

**4 Navigate to the diskette drive.**

The Library painter lists the contents of *mylib.pbl*, the current library.

Name	Version	Modification Date	Compilation Date
q_expenses		2017/6/26 10:23...	2017/6/26 10:23:49
contacts_by_jobrole		2017/6/23 13:34...	2017/6/23 13:34:55
contact_maintenance		2017/6/23 09:35...	2017/6/23 09:35:32
contactgrid		2017/6/21 18:48...	2017/6/21 18:48:32
d_dddw_states		2017/6/21 18:48...	2017/6/21 18:48:31

## Create a new report from an existing one


### Where you are

- Open forms, reports, and queries
- Create a new library
- Copy forms, reports, and queries
- > Create a new report from an existing one


Now you create a new report from one of the reports on the diskette. You then make a slight modification to the report.

The modification adds powerful options to the report that you can see when you run the report.

### 1 Double-click the *contactgrid* report.




You go to the Report painter with the *contactgrid* report open.




**2** Select *File>Save As* from the menu bar.

The Save Report dialog box displays. You are going to change the name of the report so that you can keep the old one and create a new one with some changes.



**3** Type the name *contactgrid\_with\_prompting* and click **OK**.


The report name changes. You are now working on a report called *contactgrid\_with\_prompting*.



#### 4 Select *View>Column Specifications* from the menu bar.

The Column Specifications view displays, listing all the columns in the report. You can choose one, many, or all columns for prompting. The columns you choose here let you control what rows are selected when you run the report.


For example, if you choose the **city** column here, you can specify a city when you run the report. Then only rows that include that city are retrieved.



	Name	Type	Prompt	DB Name
1	id	number	<input type="checkbox"/>	contact.id
2	last_name	char(15)	<input type="checkbox"/>	contact.last_name
3	first_name	char(15)	<input type="checkbox"/>	contact.first_name
4	title	char(2)	<input type="checkbox"/>	contact.title
5	street	char(30)	<input type="checkbox"/>	contact.street
6	city	char(20)	<input type="checkbox"/>	contact.city
7	state	char(2)	<input type="checkbox"/>	contact.state
8	zip	char(5)	<input type="checkbox"/>	contact.zip
9	phone	char(10)	<input type="checkbox"/>	contact.phone

#### 5 Select all the check boxes.


You are choosing all columns so that you can enter criteria for any column you want when you run the report.



	Name	Type	Prompt	DB Name
1	id	number	<input checked="" type="checkbox"/>	contact.id
2	last_name	char(15)	<input checked="" type="checkbox"/>	contact.last_name
3	first_name	char(15)	<input checked="" type="checkbox"/>	contact.first_name
4	title	char(2)	<input checked="" type="checkbox"/>	contact.title
5	street	char(30)	<input checked="" type="checkbox"/>	contact.street
6	city	char(20)	<input checked="" type="checkbox"/>	contact.city
7	state	char(2)	<input checked="" type="checkbox"/>	contact.state
8	zip	char(5)	<input checked="" type="checkbox"/>	contact.zip
9	phone	char(10)	<input checked="" type="checkbox"/>	contact.phone


#### 6 Select *Rows>Retrieve* from the menu bar.

The Specify Retrieval Criteria dialog box displays. Since you said that you wanted to be prompted for all the columns, the dialog box includes all the columns.



- 7 Click in the first cell in the *title* column.  
Use the horizontal scroll bar to move the *title* column into full view.


A box with an arrow displays to show there is a drop-down list for that column.



- 8 Click the *arrow* to open the list.

- 9 Select *Customer support*.


This puts Customer support in the *title* column. This means that the report is limited to contacts in Customer support.





**10 Click OK.**

The report displays. It includes only contacts in Customer support.



Id	Last Name	First Name	Job Role	Street	City	State	Zip	Phone	Fax
5	Sullivan	Dorothy	Customer support	54 Minuteman Dr.	Lincoln	MA	01742	(508)555-3925	(508)555-9931
12	Lyman	Thomas	Customer support	64 Story Rd.	Emeryville	CA	94608	(510)555-5378	(510)555-3372
16	Lencki	John	Customer support	208 Brook Road	Burlington	MA	01803	(617)555-5348	(617)555-4619
18	Hayne	William	Customer support	88 Cornfield Ave.	Acton	MA	01720	(508)555-7780	(508)555-4422
21	Cobb	Paul	Customer support	34 Greenville St.	Atlanta	GA	30339	(404)555-2239	(404)555-8111
22	Goggin	Kevin	Customer support	88 East Main St.	Houston	TX	77079	(713)555-3340	(713)555-9211
23	Cohen	Paul	Customer support	108 Park Street	Burlington	MA	01803	(617)555-8883	(617)555-4499
32	Reeves	Scott	Customer support	89 Linden St.	Iselin	NJ	08830	(603)555-0988	(603)555-5566
44	Short	Russell	Customer support	12 Newton St.	Needham	MA	02192	(617)555-0993	(617)555-1170
53	Tippet	Debbie	Customer support	85 Aberdeen Rd.	Schaumburg	IL	60173	(706)555-8227	(704)555-8474
54	Hodson	Jack	Customer support	69 Lincoln St.	Acton	MA	01720	(508)555-2998	(508)555-0022
59	Masalsky	Kurt	Customer support	29 Garden St.	Atlanta	GA	30339	(404)555-5111	(404)555-8347

By setting up a report to prompt for criteria, you give yourself a lot of power and flexibility when you run the report. You learn more about this when you create an application in the next tutorial.

**11 Select *File>Close* from the menu bar.  
When prompted to save changes, click *Yes*.**


The Report painter closes and you return to the Library painter.

Now your new report is listed. It is a good idea to add comments to document the report. You can do that now.

**12 Position the pointer on *contactgrid\_with\_prompting*.  
Press the right mouse button to display the pop-up menu.  
Select *Properties*.**


The Properties dialog box displays. The entry already has comments from the report you started with. You edit the comments.

- 13 Type** *This report lets me enter selection criteria when I run the report.*



- 14 Click** **OK**.

The newly added comment displays.



Now you have become familiar with many of the tasks you can do in the Library painter.


- 15 Continue directly to the next tutorial, the Application tutorial.**

(Leave the Library painter open.)

# Application Tutorial

An InfoMaker application is a collection of related reports, forms, and pipelines. For example, the Contacts application that you create in this tutorial has:

- A form to maintain data in the **contact** table
- A report to list all contacts
- A report to list only contacts that meet your criteria




## How long does this tutorial take?

About 30 minutes.

## About the application

You will create an application, complete with toolbars and menus. You will create a shortcut for the application. Then you can run it from your desktop, just the way you run InfoMaker or any other application.



## Create the application

### Where you are

- > Create the application
- Create a shortcut to the application
- Start the application
- Use the Data button
- Use the By Job button
- Use the Ad Hoc button

The application you create consists of an executable file and an initialization file. The initialization file provides information about the database to the executable file.

For example, InfoMaker itself is an application that has an executable file called *im170.exe*. This is the file you start running when you start InfoMaker. InfoMaker also has an initialization file called *im.ini*.

### Terms

The executable file is also called an exe file (pronounced *exxy*). The initialization file is also called an ini file (pronounced *inny*).


### Make sure you have the diskette

Before you begin, make sure you have the diskette from Lesson 7 in the diskette drive.

#### 1 If you are continuing from Lesson 7, go to step 2.


Otherwise, go to the Library painter with the diskette in the drive and the library named *mylib.pbl* set to be the current library (File>Select Library).

The Library painter shows the contents of *mylib.pbl*.




**2** Select *Design>Create Executable* from the menu bar.

The Create Executable dialog box displays. In this dialog box you specify a title for the application window, a file name for the executable file, the folder for storing the executable file, and an icon for the application.




**3** Type *Contacts* in the *Executable Title* box.

Later, when you run your application, the title bar displays the word *Contacts*.



**4** Type *contacts.exe* in the *Executable File Name* box.


This assigns a name to your executable file.

**5** Click the *Browse* button next to the *Executable Icon* box to select an icon for your application.

The icon will display in the Windows shortcut. You create a shortcut shortly.


**6** Change to the *Tutorial* folder (the icon is there).  
Click *emp.ico*.  
Click *Open* to accept the *emp.ico* file as the icon for your application.

You return to the Create Executable dialog box. The icon and its full name display.



- 7 Type Version 1.0.1 in the Product Version and File Version boxes on the right. Leave 1,0,0,1 in the boxes on the left.**

The text you type in the boxes on the right displays on the Version tab page of the Properties dialog box when you look at the properties of the executable file in Windows Explorer. The four numbers separated by commas on the left can be used by installation programs.




- 8 Click *Next* to select items for the application.**




The Select Items dialog box displays. Now you select the form and reports for your application.

- 9 Click the check box for *contactgrid\_with\_prompting*.  
Click the check box for *contacts\_by\_jobrole*.  
Click the check box for *contact\_maintenance*.



- 10 Click *Next* to define the toolbar items.

The Executable Items dialog box displays. It lists the form and reports to be included in your application. The information you enter in the boxes to the right of the list of items is for the currently selected item.



**Finish defining all information before you click Finish**

Do not click the Finish button or press enter until you have finished defining information for *all* the items you want to include in the application's toolbar. Once you click Finish or press enter, InfoMaker generates the executable file.

If you create the executable file before you mean to, select Design>Create Executable again. InfoMaker remembers what you have specified. You can continue where you left off and re-create the executable file.


---

- 11 Make sure *contactgrid\_with\_prompting* is selected. In the Picture box, display the list and select *CheckStatus!*. Click the Text box and type *Ad Hoc*. Press Tab to go to the MicroHelp box. Type *List contacts that meet the specified criteria*.**

The Picture box specifies the picture for the button, which will be in the application's toolbar.

The Text box provides text for the button and for the menu item that will run *contact\_maintenance* in your application.

The MicroHelp box provides MicroHelp for the button and menu item.



- 12 Click *contacts\_by\_jobrole*. In the Picture box, display the list and select *Cascade!*. Click the Text box and type *By Job*.**

**Press Tab to go to the MicroHelp box.**  
**Type *List all contacts grouped by job role.***

The screenshot shows the 'Executable Items' dialog box. The 'Set Toolbar Properties for:' list has three items: 'contactgrid\_with\_promoting', 'contacts by jobrole', and 'contact\_maintenance'. The 'MicroHelp' field contains the text 'll contacts grouped by job role.' The 'Text' field contains 'By Job'. The 'Picture' dropdown is set to 'Cascade!'. The 'Menu and Toolbar Style' section has 'Traditional' selected.

- 13 Click *contact\_maintenance*.**  
**In the Picture box, select the entry *AddWatch!***  
**Click the Text box and type *Data*.**  
**Press Tab to move to the MicroHelp box.**  
**Type *Maintain contact information in the database.***

The screenshot shows the 'Executable Items' dialog box. The 'Set Toolbar Properties for:' list has three items: 'contactgrid\_with\_promoting', 'contacts by jobrole', and 'contact\_maintenance'. The 'Picture' dropdown is set to 'AddWatch!'. The 'Text' field contains 'Data'. The 'MicroHelp' field contains the text 'ct information in the database.' The 'Menu and Toolbar Style' section has 'Traditional' selected.

Now you have finished providing information for the form and the two reports that are in your application.

**14 Click *Finish*.**

InfoMaker creates the application, which consists of an executable file and an initialization file. These files are in the Tutorial folder.

Now that InfoMaker has finished creating the application, you return to the Library painter.

Before leaving the Library painter, you select *tutor\_im.pbl* as the current library. This is where the samples and the tutorial work are kept.

**15 Select *File>Select Library* from the menu bar.**

**16 Select *tutor\_im.pbl* from the Recent page in the Select File dialog box and click *OK*.**

The current library is *tutor\_im.pbl* again.

**17 Select *File>Exit* from the menu bar.**

InfoMaker closes.

## Create a shortcut to the application

### Where you are

- Create the application
- > Create a shortcut to the application
- Start the application
- Use the Data button
- Use the By Job button
- Use the Ad Hoc button


Now you make the application easy to access. To do this you create a shortcut on the Windows desktop.

- 1 **Move the pointer to an empty area of the desktop and press the right mouse button.**

The pop-up menu for the desktop displays.

- 2 **Select *New* and then *Shortcut*.**

The Create Shortcut dialog box displays.




- 3 **Click the *Browse* button to locate *contacts.exe*. In the Browse dialog box, change folders to the *Tutorial* folder. Select *contacts.exe* and click *Open*.**

You return to the Create Shortcut dialog box with the full path of the *contacts.exe* file in place.

**4** Click *Next*.


**5** In the text box, type *Contacts* over the name offered as a default (*contacts.exe*).

This provides a better title to display under the icon on the desktop.




**6** Click *Finish*.

Windows creates the shortcut to your application and displays it on the desktop. Now you must modify a property of the shortcut so that you can run your application.



**7** Move the pointer to the icon and press the right mouse button to display the pop-up menu.

Select *Properties* to display the shortcut's property sheet.



- 8 Select the *Shortcut* tab and type the location (path) of the Appeon system files in the *Start in* box:

---

#### About the location of Appeon system files

When you install InfoMaker, the installation process automatically puts the DLLs in a system folder. If you have changed the names of the folders used for installing, you need to use your names in this step.

The folder path is *c:\Program Files\Appeon\Shared\PowerBuilder*.

You must specify the name of the drive. If you use backslashes to specify a relative path name, the application will be unable to locate the system files.

---

- 9 Click *OK*.

Windows modifies the shortcut to your application. This modification enables Windows to find some InfoMaker modules (DLLs) required for running your application.



## Start the application

### Where you are


- Create the application
- Create a shortcut to the application
- > Start the application
  - Use the Data button
  - Use the By Job button
  - Use the Ad Hoc button

In this exercise you start the application you created and take a look at its toolbar, MicroHelp, and menus.

### 1 Double-click the *Contacts* shortcut on your desktop.

Your application runs. Do not be surprised if it takes a minute to get everything running. The database itself has to start up so that you can access data.

The main window of the *Contacts* application displays.



### 2 Notice the toolbar.

The Forms, Reports, and Exit buttons are automatically included. The Ad Hoc, By Job, and Data buttons are in the toolbar because you defined them when you created the application.




**3 Move the pointer to one of the buttons.**

Notice the MicroHelp at the bottom of the screen.

**4 Click the *Objects* menu item.**

Notice that Ad Hoc, By Job, and Data are included in the Objects menu. Your application has a toolbar and a menu. You can run forms and reports from either place.



## Use the Data button


### Where you are

- Create the application
- Create a shortcut to the application
- Start the application
- > Use the Data button
- Use the By Job button
- Use the Ad Hoc button

Now you use the Data button to run your form. You add a new contact and change information about an existing one.

### 1 Click the *Data* button.

Your form displays. Notice that title bars identify your application and the particular part you are using. You also have the usual form toolbar that lets you view, add, and update information in the database.




### 2 Click the *Add a contact* button in the form.

A blank form displays.

**3 Enter information for a new contact.**  
**Use 62 for the Id entry and make up the rest.**

Be sure to fill in all blanks. (The only columns you can skip are phone and fax; the other columns are defined as required in the database.) Use the Tab key to move from box to box.



**4 Click the *Save changes* button in the form.**

Your new contact goes into the database. You will see it shortly.

Next you want to display information on the contact with Id 37 so that you can make a correction.

---

**About updating the database and canceling changes**

You can click the Update button to update the database immediately; or you can wait until you close the form, and InfoMaker prompts you then to see if you want to update the database.

The Cancel Changes menu item on the Rows menu cancels any changes you have made since the last time you clicked Update.

---



- 5 Click the **Criteria** button to display a blank form for setting retrieval criteria.  
Type **37** in the **Id** box.

This sets the retrieval criteria.

Id	Last Name	First Name	Job Role
1	Hildebrand	Jane	Marketing
2	Simmon	Larry	Sales
3	Critch	Susan	Product developme
4	Lambert	Terry	Administration
5	Sullivan	Dorothy	Customer support
6	Pauli	Rose	Finance
7	Glassmann	Beth	Product developme
8	Powell	Gene	Training
9	Fish	Jeffrey	Marketing
10	Clarke	Molly	Sales
11	Kelley	William	Documentation
12	Lyman	Thomas	Customer support



- 6 Click the **Apply** button.

This applies the retrieval criteria. InfoMaker retrieves the row with the Id 37.

Id	Last Name	First Name	Job Role
1	Hildebrand	Jane	Marketing
2	Simmon	Larry	Sales
3	Critch	Susan	Product developme
4	Lambert	Terry	Administration
5	Sullivan	Dorothy	Customer support
6	Pauli	Rose	Finance
7	Glassmann	Beth	Product developme
8	Powell	Gene	Training
9	Fish	Jeffrey	Marketing
10	Clarke	Molly	Sales
11	Kelley	William	Documentation
12	Lyman	Thomas	Customer support


- 7 Change the **Street** to **134 Cherry St.**  
Click the **Save changes** button in the form.

Your changes are added immediately to the database.



**8 Click the *Next* button.**

A message box displays because you have set criteria that allow only row 37 to be retrieved. You need to remove the criteria or specify other criteria.



**9 Click *OK* to close the message box.**

**Click the *Criteria* button.**

**Select *37* and press the delete key to delete 37 from the *ld* box.**

**Click the *Apply* button.**



Now you have no criteria, so InfoMaker retrieves all rows.

**10 Select *File>Close* from the menu bar.**

Your form closes.

## Use the By Job button


### Where you are

- Create the application
- Create a shortcut to the application
- Start the application
- Use the Data button
- > Use the By Job button
- Use the Ad Hoc button

Now you run a report of all contacts grouped by job role.

### 1 Click the *By Job* button.

The report that lists all contacts grouped by job role displays.



### 2 Scroll the report to see your new contact. When you have finished, select *File>Close* from the menu bar.

Once again you return to the main application window.

## Use the Ad Hoc button

---


### Where you are

- Create the application
  - Create a shortcut to the application
  - Start the application
  - Use the Data button
  - Use the By Job button
  - > Use the Ad Hoc button
- 

Now you use the Ad Hoc button to run several different reports based on the criteria you specify.

### 1 Click the *Ad Hoc* button.


The Specify Retrieval Criteria dialog box displays. This dialog box displays because you selected Prompt For Criteria for this report. Whenever you run this report, you are first prompted for criteria.





## 2 Click **OK**.


Because you did not specify any criteria, the report retrieves all your contacts.




## 3 Select **Rows>Retrieve** from the menu bar.

The Specify Retrieval Criteria dialog box displays again. This time you enter criteria.

- ## 4 Go to the **title** column. Select **Documentation** from the drop-down list. Click **OK**.




You have specified that the report is to list only contacts who have jobs in documentation.



Id	Last Name	First Name	Job Role	Street	City	State	Zip	Phone	F
11	Kelley	William	Documentation	16 Rainbow Rd.	Burlington	MA	01903	(617)555-8474	(617)555-
29	Sinibaldi	Joseph	Documentation	1112 Center St.	Arlington	MA	02174	(617)555-6699	(617)555-
47	Bertrand	Coleman	Documentation	78 Dunster Pl.	Schaumburg	IL	60173	(708)555-2886	(704)555-

**5 Click the *Retrieve* button.**

The Specify Retrieval Criteria dialog box displays again. Notice that the criterion in the **title** column is still in effect. To specify different criteria, you are now going to delete *Documentation*. Then you enter new criteria.




Column:	_name	title	street
Criteria:		Documentation	
Or:			

**6 Select the *Documentation* entry in the **title** column. Press delete.**

This deletes criteria from the **title** column. Now you are going to enter new criteria.

- 7 Click in the first box underneath *last\_name*.  
Type *like "c%"*.  
Click *OK*.



This entry (*like "c%"*) helps you find a name you cannot remember. All you can remember is that it starts with C.

The **like** operator specifies that only rows that match what follows should be retrieved. The quotes are required. The **c** means that the first character must be C. The **%** sign means any characters can follow the C.


This is the report.

Id	Last Name	First Name	Job Role	Street	City	State	Zip	Phone	F
3	Critch	Susan	Product development	45 Center St.	Danvers	MA	01923	(508)555-4829	(508)555
10	Clarke	Molly	Sales	56 Pine Grove Rd.	Lexington	MA	02173	(617)555-4325	(617)555
19	Chin	David	Product development	16 Waverly Rd.	Burlington	MA	01803	(617)555-3378	(617)555
21	Cobb	Paul	Customer support	34 Greenville St.	Atlanta	GA	30339	(404)555-2239	(404)555
23	Cohen	Paul	Customer support	108 Park Street	Burlington	MA	01803	(617)555-8883	(617)555
34	Crowley	Charles	Human resources	69 Edson St.	Burlington	MA	01803	(617)555-1344	(617)555
36	Caruso	William	Finance	99 Edson St.	Bedford	MA	01730	(617)555-2144	(617)555
46	Crossland	Ellen	Product development	27 Rush Rd.	Burlington	MA	01803	(617)555-0004	(617)555
60	Collins	MaryBeth	Administration	56 Lincoln Street	Burlington	MA	01803	(617)555-1199	(617)555

- 8 Click the *Retrieve* button.

The Specify Retrieval Criteria dialog box displays again. The requirement that the last name begin with C is still in effect. Now you add an additional requirement. The report is to list contacts whose last names begin with C *and* who are from Burlington.

- 9 Use the scroll bar to display the *city* column. Click in the first box underneath *city* and type *Burlington*. Click *OK*.



Now the report has only contacts whose last names begin with C *and* who are from Burlington.

The report window displays a table with the following data:

Id	Last Name	First Name	Job Role	Street	City	State	Zip	Phone	F
19	Chin	David	Product development	16 Waverly Rd.	Burlington	MA	01803	(617)555-3378	(617)555
23	Cohen	Paul	Customer support	108 Park Street	Burlington	MA	01803	(617)555-8883	(617)555
34	Crowley	Charles	Human resources	69 Edson St.	Burlington	MA	01803	(617)555-1344	(617)555
46	Crossland	Ellen	Product development	27 Rush Rd.	Burlington	MA	01803	(617)555-0004	(617)555
60	Collins	MaryBeth	Administration	56 Lincoln Street	Burlington	MA	01803	(617)555-1199	(617)555

- 10 Click the *Retrieve* button.

The Specify Retrieval Criteria dialog box displays again. The requirements that the last name begin with C and that the city be Burlington are still in effect.

Now you change the city requirement slightly. The report is to list contacts whose last names begin with C *or* who are from Atlanta. To be listed, contacts have to meet *either* requirement; they do not have to meet both.

- 11 Use the scroll bar to display the *city* column. Select *Burlington* and press delete to delete Burlington.**


Column:	street	city	state
Criteria:		Burlington	
Or:			

- 12 Press the down arrow key to move down one row. Type *Atlanta*. Click *OK*.**

By specifying criteria in two different rows in the dialog box, you are specifying that the report should retrieve rows from the database that meet the first row of criteria or the second row of criteria.

Column:	street	city	state
Criteria:			
Or:		Atlanta	


Your report retrieves all contacts whose names begin with C. It also retrieves all contacts who are from Atlanta. It is hard to look at the two sets of rows, so now you sort by city. Then all the Atlanta rows will be together.



Id	Last Name	First Name	Job Role	Street	City	State	Zip	Phone	F
3	Critch	Susan	Product development	45 Center St.	Danvers	MA	01923	(508)555-4829	(508)555
10	Clarke	Molly	Sales	55 Pine Grove Rd.	Lexington	MA	02173	(617)555-4325	(617)555
15	Moore	Dawn	Sales	One Park Drive	Atlanta	GA	30339	(404)555-4834	(404)555
19	Chin	David	Product development	16 Waverly Rd.	Burlington	MA	01803	(617)555-3378	(617)555
21	Cobb	Paul	Customer support	34 Greenville St.	Atlanta	GA	30339	(404)555-2239	(404)555
23	Cohen	Paul	Customer support	108 Park Street	Burlington	MA	01803	(617)555-8883	(617)555
27	Evans	Carrie	Sales	89 Washington St.	Atlanta	GA	30339	(404)555-1169	(404)555
34	Crowley	Charles	Human resources	69 Edison St.	Burlington	MA	01803	(617)555-1344	(617)555
36	Caruso	William	Finance	99 Edison St.	Bedford	MA	01730	(617)555-2144	(617)555
46	Crossland	Ellen	Product development	27 Rush Rd.	Burlington	MA	01803	(617)555-0004	(617)555
50	Sheshov	Inna	Marketing	567 Park Drive	Atlanta	GA	30339	(404)555-1233	(404)555
59	Masalsky	Kurt	Customer support	29 Garden St.	Atlanta	GA	30339	(404)555-5111	(404)555
60	Collins	MaryBeth	Administration	56 Lincoln Street	Burlington	MA	01803	(617)555-1199	(617)555


**13** Select *Rows>Sort* from the menu bar.

The Specify Sort Columns dialog box displays.



**14** Drag the *id* column out of the Columns box and the *city* column into the Columns box.

Click **OK**.



InfoMaker sorts the rows by city. Now you can see the Atlanta contacts first. These are followed by contacts whose names begin with C.

Id	Last Name	First Name	Job Role	Street	City	State	Zip	Phone	F
15	Moore	Dawn	Sales	One Park Drive	Atlanta	GA	30339	(404)555-4834	(404)555-
27	Evans	Carrie	Sales	89 Washington St.	Atlanta	GA	30339	(404)555-1169	(404)555-
21	Cobb	Paul	Customer support	34 Greenville St.	Atlanta	GA	30339	(404)555-2239	(404)555-
59	Masalsky	Kurt	Customer support	29 Garden St.	Atlanta	GA	30339	(404)555-5111	(404)555-
50	Shishov	Irina	Marketing	567 Park Drive	Atlanta	GA	30339	(404)555-1233	(404)555-
36	Caruso	William	Finance	99 Edison St.	Bedford	MA	01730	(617)555-2144	(617)555-
60	Collins	MaryBeth	Administration	56 Lincoln Street	Burlington	MA	01803	(617)555-1199	(617)555-
34	Crowley	Charles	Human resources	69 Edison St.	Burlington	MA	01803	(617)555-1344	(617)555-
46	Crossland	Elen	Product development	27 Rush Rd.	Burlington	MA	01803	(617)555-0004	(617)555-
19	Chin	David	Product development	16 Waverly Rd.	Burlington	MA	01803	(617)555-3378	(617)555-
23	Cohen	Paul	Customer support	108 Park Street	Burlington	MA	01803	(617)555-8883	(617)555-
3	Critch	Susan	Product development	45 Center St.	Danvers	MA	01923	(508)555-4829	(508)555-
10	Clarke	Molly	Sales	55 Pine Grove Rd.	Lexington	MA	02173	(617)555-4325	(617)555-

Now you are finished using this report and using the application.

### 15 Click the **Exit** button.

This closes the report and the application.

**Congratulations.** Now you have done it all. You have created data, maintained it, and reported on it. And you have put all your work together into your own application. See the next page for some suggestions on what to do next.

## What to do next

You might be ready to make your own InfoMaker application or you might be interested in learning more by using the sample library, *tutor\_im.pbl*. Here are some ideas.

**Personalize the contact data** Delete all the data in the **contact** table and add your own. You can run your Contacts application to do this. Use the form to delete and add data.

**Look at other sample forms and reports** In the Environment tutorial, you accessed a few of the sample forms and reports delivered with InfoMaker. Now you can go back and look at more. The samples are located in *tutor\_im.pbl*. When you look, notice both the design version and the results you get when you run a form or report.

**Use the sample pipeline** The sample library includes a sample pipeline. Pipelines let you move data structures and data within and between databases. Open the library and double-click the pipeline. This takes you to the Data Pipeline painter. The sample pipeline creates a copy of the **employee** table in the Demo Database. To create the copy, you execute the pipeline.

**Change sample forms and reports** If you want to try some changes with samples, open the form or report and use Save As on the File menu. With Save As, you create a copy of the form or report and save it with a new name. Then you can make changes without affecting the original.

**Create other forms and reports using the Demo Database** Once you have looked at the sample forms and reports, try creating some on your own. The Demo Database has several tables that you can use. You might want to start with the **contact** table since you are familiar with it. Use the other InfoMaker documentation and online Help as you work.



# Index

## A

- actions in forms 49
- Adaptive Server Anywhere database 103, 110
- AND operator 146
- applications
  - about 187
  - applying retrieval criteria in forms 205
  - assigning version numbers 192
  - creating 196
  - creating shortcuts 197
  - defining menu items 195
  - defining MicroHelp 194
  - defining toolbar buttons 194
  - defining toolbar items 193
  - executable (EXE) files 189, 196
  - initialization (INI) files 189, 196
  - modifying most recently created 194
  - running forms 203
  - running reports 207
  - selecting objects for 193
  - setting retrieval criteria in forms 205
  - specifying a title 190
  - specifying icons 191
  - specifying the application file name 191
  - specifying the folder for the EXE file 191
  - starting 201
  - updating the database 204
- Ascending sort order option 81

## B

- buttons
  - adding to forms 46
  - defining in application toolbars 194
  - moving in forms 55

## C

- clicking 13
- columns
  - default datatypes 107
  - defining display widths 120
  - defining DropDownDataWindow edit style 123
  - defining DropDownListBox edit style 114
  - defining headers 120
  - defining in tables 104
  - defining labels 120
  - Null setting 108
  - setting initial values 128
  - validating data 128
- comments
  - adding to objects in libraries 185
  - modifying for objects in libraries 185
- computed fields, adding to reports 95
- contact.txt file 134
- control edges, showing in report Design view 78
- controls in forms 46
- controls in reports
  - deleting 33
  - deselecting 32
  - dragging 32
  - edges, showing in Design view 78
  - moving 32
  - selecting multiple 31
  - showing edges 30
- copying
  - forms 179
  - queries 179
  - reports 179
- counts, adding to reports 95
- Create Executable dialog box 190

## D

- d\_dddw\_states report 180

## Index

- data sources
  - defining for forms 37
  - defining for reports 68
  - Query 149
  - Quick Select 38, 68
- data values in edit styles 117
- data, importing into tables 133
- database
  - canceling changes 204
  - inserting rows 60
  - retrieving 134
  - updating 63, 134, 204
- Database painter 104
- dates, adding to reports 93
- deleting
  - forms 179
  - queries 179
  - reports 179
- Descending sort order option 81
- dialog boxes
  - Create Executable 190
  - Edit Style 124, 129
  - Executable Items 193
  - Modify Expression 96
  - New Form 37, 38
  - New Report 151
  - Print 101, 172
  - Quick Select 38, 39, 40, 68, 137
  - Save As 100
  - Save Form 44
  - Save Query 142
  - Save Report 76, 165
  - Select Action 48
  - Select Form 36
  - Select Import File 133
  - Select Query 150
  - Select Tables 105
  - Specify Retrieval Criteria 184, 208
  - Specify Sort Columns 80
  - tabs in the SQL toolbox 144
- display values in edit styles 117
- dragging 46
- DropDownDataWindow edit style
  - about 125
  - database and PBL requirements 180
  - defining for column 123

- DropDownListBox edit style
  - defining 114
  - using 61

## E

- Edit Mask edit style
  - defining 129
  - using 62, 131
- Edit Style dialog box 124, 129
- executable (EXE) files 189
- Executable Items dialog box 193
- extended attribute system tables 41
- extended attributes 113

## F

- Form painter 36
- forms
  - actions 49
  - adding buttons 46
  - adding reports 55
  - adding scroll bars to reports 58
  - adding titles 51
  - applying retrieval criteria 205
  - changing borders for data 53
  - controls 46
  - copying 179
  - creating 36
  - data sources 37
  - deleting 179
  - making reports resizable in 58
  - moving 179
  - moving buttons 55
  - opening in a library 174
  - previewing (running) 42, 59
  - resizing reports in 58
  - running in applications 203
  - saving 44
  - setting retrieval criteria 205
  - styles 37

**G**

- graph type, changing 168
- graphs
  - adding titles 168
  - Bar type 170
  - changing type 168
  - creating 159
  - defining data 160
  - Pie type 170
  - previewing 163
  - printing 172
  - repositioning 167
  - resizing 167
  - saving 165
- grid, displaying in report Design view 30
- grouping in reports 82

**I**

- icons, specifying for applications 191
- IM.INI 189
- IM170.EXE 189
- importing data 133
- initial values, setting for columns 128
- initialization (INI) files 189
- inserting rows in the database 60

**L**

- lasso selection 33, 53
- libraries
  - about 178
  - adding comments to objects 185
  - changing current 178
  - copying objects 179
  - creating 178
  - deleting objects 179
  - modifying comments for objects 185
  - moving objects 179
  - opening 178
  - opening objects 174
- Library painter 173
- LIKE operator 211

**M**

- menu items, defining in applications 195
- menus, about WindowToolbars notation 20
- MicroHelp, defining in applications 194
- Modify Expression dialog box 96
- mouse
  - clicking 13
  - displaying a pop-up menu 19
  - dragging toolbars 19
- moving
  - forms 179
  - queries 179
  - reports 179
- MYLIB.PBL 178

**N**

- New Form dialog box 37, 38

**O**

- objects in libraries
  - adding comments 185
  - copying 179
  - deleting 179
  - modifying comments 185
  - moving 179
- operators
  - logical AND 146
  - logical LIKE 211

**P**

- page numbers, adding to reports 94
- painters
  - accessing 13
  - Data Pipeline 216
  - Database 104
  - Form 36
  - Library 173
  - Query 137
  - Report 156
- PBL files 178

## Index

PDF, saving a report as 100  
pipeline 216  
popup menus  
    displaying 19  
    using 25  
previewing  
    (running) forms 42, 59  
    graphs 163  
    queries 141  
    reports 74  
primary key, defining for a table 111  
Print dialog box 101, 172  
printing  
    graphs 172  
    reports 99, 101  
prompting for retrieval criteria 183, 208  
Properties view 25

## Q

queries  
    about 135  
    copying 179  
    deleting 179  
    moving 179  
    opening in a library 174  
    previewing 141  
    saving 142  
    selecting columns 137  
    specifying selection criteria 144  
    specifying sorting 147  
    using as data source 149  
Query painter 137  
Quick Select data source 38, 68  
Quick Select dialog box 38, 39, 40, 68, 137

## R

Report Options property sheet 29  
Report painter 156  
reports  
    adding a date 93  
    adding a title 90  
    adding computed fields 95  
    adding counts 95  
    adding page numbers 94  
    adding to forms 55  
    copying 179  
    creating 66  
    creating from queries 149  
    creating new from existing 181  
    data sources 68  
    deleting 179  
    deleting controls 88  
    detail band 85  
    displaying grid in Design view 30  
    displaying rulers in Design view 78  
    footer band 85  
    group header band 85, 87  
    group trailer band 85  
    grouping 82  
    header band 85  
    moving 179  
    opening 156  
    opening in a library 174  
    previewing 74  
    printing 99, 101  
    prompting for retrieval criteria 183  
    rearranging controls 84  
    resizing in forms 58  
    running in applications 207  
    saving 76  
    saving as PDF 100  
    selecting all text 89  
    showing control edges 78  
    sorting 80  
    specifying retrieval criteria 183  
    styles 67  
    summary band 85  
    tabular style 68  
    working with bands 85  
retrieval criteria  
    applying in forms 205  
    selecting columns for prompting 183  
    setting in forms 205  
    specifying for reports 183, 208  
retrieving data 134  
rulers, displaying in report Design view 78

**S**

- Save As dialog box 100
- Save Form dialog box 44
- Save Query dialog box 142
- Save Report dialog box 76, 165
- saving
  - forms 44
  - graphs 165
  - queries 142
  - reports 76
- scroll bars, adding to reports in forms 58
- Select Action dialog box 48
- Select Form dialog box 36
- Select Import File dialog box 133
- Select Query dialog box 150
- selecting
  - lasso 33, 53
  - multiple controls in reports 31
- shortcuts, creating for an application 197
- sorting
  - in queries 147
  - in reports 80
  - in reports in an application 214
- Specify Retrieval Criteria dialog box 184, 208
- Specify Sort Columns dialog box 80
- specifying retrieval criteria for reports 183
- starting InfoMaker 7, 12
- StyleBar, using 48
- styles
  - of forms 37
  - of reports 67

**T**

- tables
  - about 103
  - commenting 112
  - creating 104, 110
  - defining a primary key 111
  - defining columns 104, 109
  - importing data 133
  - saving 110
- text file, for importing data 133
- titles
  - adding to forms 51

- adding to graphs 168
- adding to reports 90
- toolbar items, defining for applications 193
- toolbars
  - about 18
  - defining buttons for 194
  - dragging 19
  - making floating 19
  - Objects drop-down tool bar 22
  - showing PowerTips 22
  - showing text 21
- TUTOR\_IM.PBL 9, 175
- tutorials
  - requirements for using 9
  - times 9

**U**

- undoing changes 34
- updating the database 63, 134, 204

**V**

- validating data 128
- validation rules 128
- version numbers, for executables 192
- views, managing 23

**X**

- XML, saving a report as 100

